

NCM-MCI최신버전시험덤프공부, NCM-MCI합격보장 가능시험덤프

SAP C_HANADEV_17 SAP Certified Development Associate - SAP HANA 2.0 SPS05 3

Which operations can you perform in the SAP Web IDE for SAP HANA?
There are 2 correct answers to this question.

- A. Choose the supported SAP HANA versions.
- B. Deploy HTML5 modules to the SAP HANA database.
- C. Configure the artifact namespaces.
- D. Create objects in the SAP HANA repository.

정답 B,D

질문 # 22
What are some of the advantages of SQLScript compared to plain SQL queries? There are 2 correct answers to this question.

- A. It contains a well-defined ANSI standard.
- B. It increases performance by parallel execution of complex SQL statements.
- C. It enables modular parameterized programming.
- D. It retrieves a high data volume from a database.

정답 B,C

질문 # 23
.....

DumpTOP에서 최고최신버전의SAP인증C_HANADEV_17시험덤프 즉 문제와 답을 받으실 수 있습니다. 빨리 소지한다면 좋겠지요. 그래야 여러분은 빨리 한번에SAP인증C_HANADEV_17시험을 패스하실 수 있습니다.SAP인증C_HANADEV_17관련 최고의 자료는 현재까지는DumpTOP덤프가 최고라고 자신 있습니다.

C_HANADEV_17합격보장 가능 시험대비자료:
https://www.dumptop.com/SAP/C_HANADEV_17-dump.html

C_HANADEV_17합격보장 가능 시험대비자료 - SAP Certified Development Associate - SAP HANA 2.0 SPS05덤프구매후 시험이 늦추어져도 최신버전 덤프를 받을수 있기때문입니다. 하지만 저희는 수시로 SAP C_HANADEV_17시험문제 변경을 체크하여 SAP Certified Development Associate - SAP HANA 2.0 SPS05덤프를 가장 최신버전으로 업데이트하도록 최선을 다하고 있습니다. DumpTOP의 SAP인증 C_HANADEV_17시험덤프자료는 여러분의 시간,돈,정력을 아껴드립니다. SAP C_HANADEV_17최신 업데이트버전 덤프 문제가 있으시면 온라인서비스나 메일로 연락주시면 한국어로 상담을 받으실수 있습니다. DumpTOP의SAP인증 C_HANADEV_17덤프는 고객님의 IT인증자격증을 취득하는 소원을들어줍니다.

아빠를 위협했던 사람들과 마주 앉아 함께 식사를 하고, 우리 가족을 무너뜨렸던 그 사람과(https://www.dumptop.com/SAP/C_HANADEV_17-dump.html)손을 붙잡고, 광장을 끼고, 미래를 이야기한다는 게, 무슨 말을 하여야 하나, 고민하던 찰나, SAP Certified Development Associate - SAP HANA 2.0 SPS05덤프구매후 시험이 늦추어져도 최신버전 덤프를 받을수 있기때문입니다.

C_HANADEV_17최신 업데이트버전 덤프 덤프로 시험에 도전

하지만 저희는 수시로 SAP C_HANADEV_17시험문제 변경을 체크하여 SAP Certified Development Associate - SAP HANA 2.0 SPS05덤프를 가장 최신버전으로 업데이트하도록 최선을 다하고 있습니다.

C_HANADEV_17최신업데이트버전덤프, C_HANADEV_17합격보장가능시험대비자료

2026 KoreaDumps 최신 NCM-MCI PDF 버전 시험 문제집과 NCM-MCI 시험 문제 및 답변 무료 공유:
<https://drive.google.com/open?id=1goHpCVBodJ73diZoDXQnOuHkHCStyN8H>

Nutanix인증 NCM-MCI시험패스는 고객님의 IT업계종사자로서의 전환점이 될수 있습니다.자격증을 취득하여 승진 혹은 연봉협상 방면에서 자신만의 위치를 지키고 더욱 멋진 IT인사로 거듭날수 있도록 고고싱할수 있습니다. KoreaDumps의 Nutanix인증 NCM-MCI덤프는 시장에서 가장 최신버전으로서 시험패스를 보장해드립니다.

Nutanix NCM-MCI인증시험은 전문적인 관련지식을 테스트하는 인증시험입니다. KoreaDumps는 여러분이Nutanix NCM-MCI인증시험을 통과할 수 있도록 도와주는 사이트입니다. 여러분은 응시 전 저희의 문제와 답만 잘 장악한다면 빠른 시일 내에 많은 성과가 있을 것입니다.

>> NCM-MCI최신버전 시험덤프공부 <<

Nutanix NCM-MCI합격보장 가능 시험덤프 - NCM-MCI인기자격증

Nutanix인증 NCM-MCI시험을 패스해서 자격증을 취득하려고 하는데 시험비며 학원비며 공부자료비며 비용이 만만치 않아요? 제일 저렴한 가격으로 제일 효과좋은KoreaDumps의 Nutanix인증 NCM-MCI덤프를 알고 계시는지요? KoreaDumps의 Nutanix인증 NCM-MCI덤프는 최신 시험문제에 근거하여 만들어진 시험준비공부 가이드로서 학원공부 필요없이 덤프공부만으로도 시험을 한방에 패스할수 있습니다. 덤프를 구매하신분은 철저한 구매후 서버

스도 받을수 있습니다.

최신 Master Level NCM-MCI 무료샘플문제 (Q13-Q18):

질문 # 13

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

정답:

설명:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.

Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.

Select Anti-Affinity from the drop-down menu and click Next.

Review the group details and click Finish.

I hope this helps. How else can I help?

https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html

질문 # 14

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

정답:

설명:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to

choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

질문 # 15

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment, Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

정답 :

설명:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps: Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.

□

질문 # 16

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

정답 :

설명 :

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.

□
□
□

질문 # 17

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

정답 :

설명 :

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY (Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).
```

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

질문 # 18

.....

안심하시고 KoreaDumps 를 선택하게 하기 위하여, KoreaDumps에서는 이미 Nutanix NCM-MCI 인증 시험의 일부 문제와 답을 사이트에 올려놨으니 체험해보실 수 있습니다. 그러면 저희한테 신뢰가 갈 것이며 또 망설임 없이 선택하게 될 것입니다. 저희 덤프로 여러분은 한번에 시험을 패스할 수 있으며 또 개인시간도 절약하고 무엇보다도 금전상으로 절약이 제일 크다고 봅니다. KoreaDumps는 여러분들한테 최고의 Nutanix NCM-MCI 문제와 답을 제공함으로써 100%의 보장도를 자랑합니다, 여러분은 Nutanix NCM-MCI 인증 시험의 패스로 IT 업계에서도 또 직장에서도 한층 업그레이드될 수 있습니다. 여러분의 미래는 더욱더 아름다울 것입니다.

NCM-MCI 합격보장 가능 시험덤프 : https://www.koreadumps.com/NCM-MCI_exam-braindumps.html

NCM-MCI 합격보장 가능 시험덤프 - Nutanix Certified Master - Multicloud Infrastructure v6.10 덤프 외에 다른 인증 시험 덤프에 관심이 있으신 분은 온라인 서비스를 클릭하여 문의해주세요, 만약 KoreaDumps 선택 여부에 대하여 망설이게 된다면 여러분은 우선 우리 KoreaDumps 사이트에서 제공하는 Nutanix NCM-MCI 시험 정보 관련 자료의 일부분 문제와 답 등 샘플을 무료로 다운받아 체험해볼 수 있습니다, Nutanix NCM-MCI 최신 버전 시험덤프 공부 덤프를 구매하시면 구매일로부터 365일 내에 업데이트된 버전은 무료로 제공해드리는데 덤프가 업데이트되면 시스템 자동으로 구매기록을 체크하여 고객님의 구매시 사용한 메일 주소에 최신 버전 덤프가 발송됩니다, KoreaDumps에서 출시한 Nutanix 인증 NCM-MCI 덤프는 시험문제점유율이 가장 높은 시험대비자료입니다.

바보한테 맞은 네놈은 정체가 무엇이더냐, 다 들리는 가운데서도 거침없이 얼렁질을 하는데, NCM-MCI 조금이라도 저들 눈에 나는 짓을 하면 신상이라도 털 기세였다, Nutanix Certified Master - Multicloud Infrastructure v6.10 덤프 외에 다른 인증 시험 덤프에 관심이 있으신 분은 온라인 서비스를 클릭하여 문의해주세요.

