

Valid Fortinet FCSS_NST_SE-7.6 Questions - Latest Release To Pass Fortinet Exam

Fortinet FCSS_NST_SE-7.6 Exam

FCSS - Network Security 7.6 Support Engineer

https://www.passquestion.com/fcss_nst_se-7-6.html



Pass Fortinet FCSS_NST_SE-7.6 Exam with PassQuestion

FCSS_NST_SE-7.6 questions and answers in the first attempt.

<https://www.passquestion.com/>

1/6

BTW, DOWNLOAD part of VCE4Plus FCSS_NST_SE-7.6 dumps from Cloud Storage: <https://drive.google.com/open?id=1p-ErcTuEVXXR6xl7U4jQJgvvxOTkiupj>

From your first contact with our FCSS_NST_SE-7.6 practice guide, you can enjoy our excellent service. Before you purchase FCSS_NST_SE-7.6 exam questions, you can consult our online customer service. Even if you choose to use our trial version of our FCSS_NST_SE-7.6 Study Materials first, we will not give you any differential treatment. As long as you have questions on the FCSS_NST_SE-7.6 learning guide, we will give you the professional suggestions.

Fortinet FCSS_NST_SE-7.6 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">System troubleshooting: This section of the exam measures the skills of Network Security Support Engineers and addresses diagnosing and correcting issues within Security Fabric setups, automation stitches, resource utilization, general connectivity, and different operation modes in FortiGate HA clusters. Candidates work with built-in tools to effectively find and resolve faults.

Topic 2	<ul style="list-style-type: none"> • Authentication: This section evaluates the abilities of System Administrators and requires troubleshooting both local and remote authentication methods, including resolving Fortinet Single Sign-On (FSSO) problems for secure network access.
Topic 3	<ul style="list-style-type: none"> • Routing: This section focuses on Network Engineers and involves tackling issues related to packet routing using static routes, as well as OSPF and BGP protocols to support enterprise network traffic flow.
Topic 4	<ul style="list-style-type: none"> • VPN: This section is aimed at IT Professionals and includes diagnosing and addressing issues with IPsec VPNs, specifically IKE version 1 and 2, to secure remote and site-to-site connections within the network infrastructure.
Topic 5	<ul style="list-style-type: none"> • Security profiles: This part measures skills of Security Operations Specialists and covers identifying and resolving problems linked to FortiGuard services, web filtering configurations, and intrusion prevention systems to maintain protection across network environments.

>> FCSS_NST_SE-7.6 Reliable Test Tutorial <<

Best Accurate FCSS_NST_SE-7.6 Reliable Test Tutorial, New FCSS_NST_SE-7.6 Test Blueprint

Practice tests for FCSS_NST_SE-7.6 PdfDumps are best for self-assessment. This helps improve errors and strengthen preparation. The practice test is among the most beneficial features offered by VCE4Plus to make sure that applicants are successful. It is advised to attempt the test multiple times. Every time you attempt the test, you'll be provided with a thorough result report which can help you be able to keep track of your work without any difficulty.

Fortinet FCSS - Network Security 7.6 Support Engineer Sample Questions (Q27-Q32):

NEW QUESTION # 27

In a Security Fabric environment which three actions must you take to ensure successful communication among the nodes? (Choose three.)

- A. You must authorize the downstream FortiGate on the root FortiGate.
- B. You must enable FortiTelemetry on the receiving interface of the upstream FortiGate.
- C. You must ensure that the port for Neighbor Discovery has been changed.
- D. You must ensure that TCP port 8013 is not blocked along the way.
- E. You must configure FortiGate in transparent mode.

Answer: A,B,D

Explanation:

To establish a functional Security Fabric, specific network and configuration prerequisites must be met to ensure nodes can communicate, authorize, and share telemetry data:

* A. You must ensure that TCP port 8013 is not blocked along the way:

* TCP port 8013 is the dedicated port for FortiTelemetry (Fabric) communication. If firewalls (intermediate or local) block this port, the Fabric connection between the root and downstream FortiGates will fail.

* D. You must authorize the downstream FortiGate on the root FortiGate:

* Security Fabric relies on a trust relationship. When a downstream device attempts to join, it appears in the Root FortiGate's dashboard. The administrator must manually authorize this device (unless pre-authorized via serial number) to allow it to join the Fabric topology.

* E. You must enable FortiTelemetry on the receiving interface of the upstream FortiGate:

* The interface on the Root (upstream) FortiGate that faces the downstream devices must have the "Security Fabric Connection" (formerly CAPWAP/FortiTelemetry) administrative access setting enabled. Without this, the interface will not listen for or accept Fabric connection requests.

Why other options are incorrect:

* B: Neighbor Discovery uses standard multicast/broadcast or static settings; changing the port is not a standard requirement.

* C: FortiGates can participate in the Security Fabric in either NAT or Transparent mode; Transparent mode is not a mandatory

requirement for the Fabric itself.

Reference:

FortiGate Security 7.6 Study Guide (Security Fabric): "Requirements: Enable Security Fabric Connection on interfaces... Authorize downstream devices... Ensure TCP 8013 is allowed."

NEW QUESTION # 28

Refer to the exhibit, which shows the partial output of FortiOS kernel slabs.

packet_de_duplication	0	0	128	30	1 : tunables	252	126	0 : slabdata	0	0	0
ip6_nat_record	0	0	128	30	1 : tunables	252	126	0 : slabdata	0	0	0
tcp6_session	0	0	1536	5	2 : tunables	60	30	0 : slabdata	0	0	0
ip6_session	0	0	1300	3	1 : tunables	60	30	0 : slabdata	0	0	0
ip_nat_record	0	0	64	59	1 : tunables	252	126	0 : slabdata	0	0	0
sctp_session	0	0	1600	5	2 : tunables	60	30	0 : slabdata	0	0	0
tcp_session	3	5	1500	5	2 : tunables	60	30	0 : slabdata	1	1	0
ip_session	1	3	1200	3	1 : tunables	60	30	0 : slabdata	1	1	0

Which statement is true?

- A. The total slab size of the tcp_session slab is 7500 kB and is associated with the kernel.
- B. The total slab size of the ip6_session slab is 1300 kB and is associated with the kernel.
- C. The total slab size of the ip_session slab is 3600 kB and is associated with the user space.
- D. The total slab size of the sctp_session slab is 0 kB and is associated with the user space.

Answer: A

NEW QUESTION # 29

Which two statements about Security Fabric communications are true? (Choose two.)

- A. FortiTelemetry must be manually enabled on the FortiGate interface.
- B. FortiTelemetry and Neighbor Discovery both operate using TCP.
- C. By default, the downstream FortiGate establishes a connection with the upstream FortiGate using TCP port 8013.
- D. The default port for Neighbor Discovery can be modified.

Answer: A,C

NEW QUESTION # 30

Refer to the exhibits.

Exhibit 1

```
FGT-A # get router info bgp summary
...
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
192.168.37.202	4	65110	2500	2552	5	0	0	1d11h33m	0

Exhibit 2

```
FGT-B # show router bgp

config network
edit 1
    set prefix 172.16.0.0 255.255.0.0
next
end
```

Exhibit 3

```
FGT-B # diagnose ip address list | grep port3
IP=172.16.54.115->172.16.54.202/255.255.255.0 index=5 devname=port3
```

An administrator is attempting to advertise the network configured on port3. However, FGT-A is not receiving the prefix. Which two actions can the administrator take to fix this problem? (Choose two.)

- A. Restart BGP using a soft reset to force both peers to exchange their complete BGP routing tables.
- **B. Modify the prefix using the network command from 172.16.0.0/16 to 172.16.54.0/24.**
- **C. Use the set network-import-check disable command.**
- D. Manually add the BGP route on FGT-A.

Answer: B,C

NEW QUESTION # 31

Exhibit.

```
NGFW-1 # get sys ha status
HA Health Status: OK
Model: FortiGate-VM64
Mode: HA A-P
Group: 0
Debug: 0
Cluster Uptime: 0 days 0:1:25
Cluster state change time: 2023-04-18 12:07:47
Primary selected using:
<2023/04/18 12:07:47> FGVM010000077649 is selected as the primary because its override priority is larger than peer member
FGVM010000077650.
ses_pickup: disable
override: disable
Configuration Status:
FGVM010000077649(updated 4 seconds ago): in-sync
FGVM010000077650(updated 1 seconds ago): out-of-sync
System Usage stats:
FGVM010000077649(updated 4 seconds ago):
sessions=166, average-cpu-user/nice/system/idle=11/0%/0%/99%, memory=45%
FGVM010000077650(updated 1 seconds ago):
sessions=3, average-cpu-user/nice/system/idle=11/0%/0%/100%, memory=44%
HBDEV stats:
FGVM010000077649(updated 4 seconds ago):
port7: physical/1000auto, up, rx-bytes/packets/dropped/errors=167663/567/0/0, tx=262623/656/0/0
FGVM010000077650(updated 1 seconds ago):
port7: physical/1000auto, up, rx-bytes/packets/dropped/errors=271373/680/0/0, tx=176913/592/0/0
Primary : NGFW-1 , FGVM010000077649, HA cluster index = 1
Secondary : NGFW-2 , FGVM010000077650, HA cluster index = 0
number of vcluster: 1
vcluster 1: work 169.254.0.2
Primary: FGVM010000077649, HA operating index = 0
Secondary: FGVM010000077650, HA operating index = 1
```

Refer to the exhibit, which shows the output of get system ha status.

NGFW-1 and NGFW-2 have been up for a week.

Which two statements about the output are true? (Choose two.)

- A. If no action is taken, the primary FortiGate will leave the cluster because of the current sync status.
- **B. If port 7 becomes disconnected on the secondary, both FortiGate devices will elect itself as primary.**
- **C. If FGVM...649 is rebooted, FGVM...650 will become the primary and retain that role, even after FGVM...649 rejoins the cluster.**
- D. If a configuration change is made to the primary FortiGate at this time, the secondary will initiate a synchronization reset.

Answer: B,C

Explanation:

* FortiGate HA Troubleshooting and Synchronization Guides

* Fortinet Admin Guide: HA Primary Role Retention, Cluster Break-up Due to Out-of-Sync Status

NEW QUESTION # 32

.....

By using the FCSS_NST_SE-7.6 desktop practice exam software, you can sit in real exam like scenario. This FCSS_NST_SE-7.6 practice exam simulates the complete environment of the actual test so you can overcome your fear about appearing in the Fortinet FCSS_NST_SE-7.6 Exam. VCE4Plus has designed this software for your Windows laptops and computers.

New FCSS_NST_SE-7.6 Test Blueprint: https://www.vce4plus.com/Fortinet/FCSS_NST_SE-7.6-valid-vce-dumps.html

- Reliable FCSS_NST_SE-7.6 Test Cram ☐ Latest FCSS_NST_SE-7.6 Cram Materials ☐ Free FCSS_NST_SE-7.6 Brain Dumps ☐ Enter ⇒ www.pdf dumps.com ⇐ and search for ➡ FCSS_NST_SE-7.6 ☐ to download for free ☐

□FCSS_NST_SE-7.6 Vce Download

- [illegible]

DOWNLOAD the newest VCE4Plus FCSS_NST_SE-7.6 PDF dumps from Cloud Storage for free:

<https://drive.google.com/open?id=1p-ErcTuEVXXR6xl7U4jQJgwxOTkiupj>