


更新する-高品質な300-710ウェブトレーニング試験-試験の準備方法300-710テスト難易度

図4-7…高品質サービスモデル

優良サービス企業は、お客様や関係者に最高のカスタマーバリューを提供するために、この5つの活動要素をスパイラルアップさせている。



さらに、JPNTest 300-710ダンプの一部が現在無料で提供されています：<https://drive.google.com/open?id=1IAKExuJLBTvftk9CV9TtT3stlZuvzRaA>

300-710テスト教材は、主に3つの学習モード（Pdf、オンライン、ソフトウェア）をそれぞれ使用します。その中でも、ソフトウェアモデルはコンピューターユーザー向けに設計されており、ユーザーがWindowsインターフェイスを使用して学習の300-710テスト準備を開くことができます。ユーザーが読むのに便利です。300-710テスト教材には、オンライン学習プラットフォームとは異なる最大の利点があります。300-710クイズトレントは、クライアントにログインして同時に詳細を学習することができ、人々は300-710あらゆる種類の電子機器のテスト準備。

Cisco 300-710 認定試験の出題範囲：

トピック	出題範囲
トピック 1	<ul style="list-style-type: none"> Firepower Management Center Application Detectors（Open Appid）内のRapid Threat Containment（RTC）機能について説明する
トピック 2	<ul style="list-style-type: none"> サードパーティのセキュリティインテリジェンスフィード用の脅威インテリジェンスディレクターの実装 リスクと標準レポートの分析
トピック 3	<ul style="list-style-type: none"> セキュリティ調査 アクティブ スタンバイフェールオーバーにCiscoThreatResponseを使用する方法を説明する
トピック 4	<ul style="list-style-type: none"> Cisco Firepower ManagementCenterでこれらのポリシーを設定する NGFWモードを実装する
トピック 5	<ul style="list-style-type: none"> パケットキャプチャ手順を使用したトラブルシューティング NGIPSモードの実装
トピック 6	<ul style="list-style-type: none"> Firepower ManagementCenterを使用してデバイスを構成する 高可用性オプションを実装する

この試験は、90分以内に完了する必要がある60~70の多肢選択および多答式の問題から構成されています。試

験に合格するための合格点は70%であり、受験資格として有効なCCNAセキュリティ認定または任意のCCIE認定が必要です。この試験は英語と日本語で利用可能であり、世界中のPearson VUEテストセンターで受験することができます。

Cisco 300-710試験は、約65～75の質問で構成される90分間の試験です。この試験は英語と日本の言語で入手でき、ピアソンvueテストセンターで世界中で撮影できます。この試験では、Cisco Firepower NGIPSおよびNGFWソリューションの展開、管理、トラブルシューティングなどのトピックにおける個人の知識とスキルをテストします。

>> 300-710ウェブトレーニング <<

300-710テスト難易度 & 300-710認定資格試験問題集

激変なネット情報時代で、質の良いCiscoの300-710問題集を見つけるために、あなたは悩むことはありませんか。私たちは君がJPNTestを選ぶことと正確性の高いCiscoの300-710問題集を祝っています。JPNTestのCiscoの300-710問題集が君の認定試験に合格するのに大変役に立ちます。

Cisco Securing Networks with Cisco Firepower 認定 300-710 試験問題 (Q33-Q38):

質問 # 33

An engineer is attempting to create a new dashboard within the Cisco FMC to have a single view with widgets from many of the other dashboards. The goal is to have a mixture of threat and security related widgets along with Cisco Firepower device health information. Which two widgets must be configured to provide this information? (Choose two).

- A. Current Sessions
- **B. Network Compliance**
- C. Appliance Status
- **D. Intrusion Events**
- E. Correlation Information

正解: **B、D**

質問 # 34

What is an attribute of the risk reporting capability in Cisco Secure Firewall Management Center?

- A. Includes all domains in a multidomain system
- B. Uses the XML format to export all reporting
- C. Uses the same templates available to standard reports
- **D. Includes the current domain in a multidomain system**

正解: **D**

解説:

Risk reports in FMC are generated per domain context and only cover the objects and events within the active (current) domain, not the entire multidomain hierarchy.

質問 # 35

With Cisco FirePOWER Threat Defense software, which interface mode do you configure for an IPS deployment, where traffic passes through the appliance but does not require VLAN rewriting?

- A. transparent
- **B. inline set**
- C. passive
- D. routed
- E. inline tap

正解: B

解説:

Inline set (also known as bump-on-wire mode) allows traffic to flow through the appliance transparently without the need for routing or VLAN rewriting. It simply passes the traffic through IPS inspection inline.

質問 # 36

A security engineer sees an alert on Cisco Secure Endpoint console showing a malicious verdict for a file with the SHA-256 hash 0488537078abcdef048853abcdef048853abcdef048853abcdef048853. Which step will mitigate this threat?

- A. Add the hash to custom detection list.
- B. Add the hash to network block list.
- C. Quarantine the file on endpoint.
- D. Enable firewall on infected endpoint.

正解: A

解説:

Custom Detection List > Simple

1. On the Add SHA-256 option, paste the SHA-256 code previously collected from the specific file you want to block
2. Once the Simple Custom Detection list is generated, navigate to Management > Policies and choose the policy where you want to apply the list previously created

<https://www.cisco.com/c/en/us/support/docs/security/amp-endpoints/215176-configure-a-simple-custom-detection-list.html>

質問 # 37

Which command should be used on the Cisco FTD CLI to capture all the packets that hit an interface?

- A. capture-traffic
- B. capture WORD
- C. configure coredump packet-engine enable
- D. capture

正解: D

解説:

Reason: the command "capture-traffic" is used for SNORT Engine Captures. To capture a LINA Engine Capture, you use the "capture" command. Since the Lina Engine represents the actual physical interface of the device, "capture" is the only reasonable choice Reference:

<https://www.cisco.com/c/en/us/support/docs/security/firepower-ngfw/212474-working-with-firepower-threat-def>The command is
firepower# capture DMZ interface dmz trace detail match ip host 192.168.76.14 host 192.168.76.100
firepower# capture INSIDE interface inside trace detail match ip host 192.168.76.14 host 192.168.75.14

質問 # 38

.....

最近のレポートによると、複数のスキル証明書を所有している人は、上司によって昇格されやすくなっています。日常から離れて理想的な生活を求めるには、職場で高い得点を獲得し、試合に勝つために余分なスキルを習得しなければなりません。300-710試験問題は、あなたの夢をかなえるのに役立ちます。さらに、300-710ガイドトレントに関する詳細情報を提供するWebサイトにアクセスできます。300-710試験問題を試してみてください。そうすれば、300-710試験に合格できることがわかります。

300-710テスト難易度: <https://www.jpntest.com/shiken/300-710-mondaishu>

- 300-710問題集 □ 300-710前提条件 □ 300-710受験記対策 □ [www.passtest.jp] サイトにて 「 300-710 」 問題集を無料で使おう300-710試験対策書
- 300-710前提条件 □ 300-710日本語版トレーニング □ 300-710ブロンズ教材 □ 《 www.goshiken.com 》 で使える無料オンライン版 「 300-710 」 の試験問題300-710前提条件
- 優秀な300-710ウェブトレーニング - 認定試験のリーダー - 実用的な300-710テスト難易度 □ ➡

