

Fortinet FCSS_SDW_AR-7.6 Valid Test Camp & Pdf Demo FCSS_SDW_AR-7.6 Download



What's more, part of that TestsDumps FCSS_SDW_AR-7.6 dumps now are free: https://drive.google.com/open?id=1QYkOjPkZxd8VEBoNiIXY4wEKH-JF0-_5

The development and progress of human civilization cannot be separated from the power of knowledge. You must learn practical knowledge to better adapt to the needs of social development. Now, our FCSS_SDW_AR-7.6 learning materials can meet your requirements. You will have good command knowledge with the help of our study materials. The certificate is of great value in the job market. Our FCSS_SDW_AR-7.6 Study Materials can exactly match your requirements and help you pass exams and obtain certificates. As you can see, our products are very popular in the market. Time and tides wait for no people.

We believe that our test-orientated high-quality FCSS_SDW_AR-7.6 exam questions would be the best choice for you, we sincerely hope all of our candidates can pass FCSS_SDW_AR-7.6 exam, and enjoy the tremendous benefits of our FCSS_SDW_AR-7.6 prep guide. The pass rate of our FCSS_SDW_AR-7.6 exam questions is as high as 99% to 100%. Helping candidates to pass the FCSS_SDW_AR-7.6 Exam has always been a virtue in our company's culture, and you can connect with us through email at the process of purchasing and using, we would reply you as fast as we can.

>> **Fortinet FCSS_SDW_AR-7.6 Valid Test Camp** <<


Pdf Demo FCSS_SDW_AR-7.6 Download, FCSS_SDW_AR-7.6 Practice Exam Online

If you are preparing for the FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) exam dumps our FCSS_SDW_AR-7.6 Questions help you to get high scores in your Fortinet FCSS_SDW_AR-7.6 exam. Test your knowledge of the FCSS - SD-WAN 7.6 Architect exam dumps with TestsDumps Fortinet FCSS_SDW_AR-7.6 Practice Questions. The software is designed to help with FCSS_SDW_AR-7.6 exam dumps preparation.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q50-Q55):

NEW QUESTION # 50

Refer to the exhibit.



The administrator analyzed the traffic between a branch FortiGate and the server located in the data center, and noticed the behavior shown in the diagram.

When the LAN clients located behind FGT1 establish a session to a server behind DC-1, the administrator observes that, on DC-1, the reply traffic is routed over T2, even though T1 is the preferred member in the matching SD-WAN rule.

What can the administrator do to instruct DC-1 to route the reply traffic through the member with the best performance?

- A. Enable auxiliary-session under config system settings.
- B. FortiGate route lookup for reply traffic only considers routes over the original ingress interface.
- **C. Enable reply-session under config system sdwan.**
- D. Enable snat-route-change under config system global.

Answer: C

Explanation:

When asymmetric routing is observed (such as reply traffic not following the optimal path), the solution is:

"The auxiliary-session feature, enabled under config system settings, allows FortiGate to consider multiple egress interfaces for reply traffic, not just the original ingress interface. This is crucial for SD-WAN environments where the best path may differ between forward and return directions, especially when performance or policy rules are dynamically evaluated." Activating this ensures reply traffic is always sent on the member with the best real-time metrics.

Reference:

[FCSS_SDW_AR-7.4 1-0.docx Q23]

FortiOS 7.4 CLI Reference, "auxiliary-session for SD-WAN Path Optimization"

NEW QUESTION # 51

Refer to the exhibits. An administrator is testing application steering in SD-WAN. Before generating test traffic, the administrator collected the information shown in the first exhibit. After generating GoToMeeting test traffic, the administrator examined the corresponding traffic log on FortiAnalyzer, which is shown in the second exhibit.

The administrator noticed that the traffic matched the implicit SD-WAN rule, but they expected the traffic to match rule ID 1. Which two reasons explain why some log messages show that the traffic matched the implicit SD-WAN rule? (Choose two.)

SD-WAN service details

```
branch_fgt # diagnose sys sdwan service4

Service(1): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
  Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode
(manual)
  Members(2):
    1: Seq_num(1 port1 underlay), alive selected
    2: Seq_num(2 port2 underlay), alive selected
  Application Control(3): Microsoft.Portal(41469,0) Salesforce(16920,0)
Collaboration(0,28)
  Src address(1):
10.0.1.0-10.0.1.255

Service(2): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 2
  Gen(2), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode
(manual)
  Members(1):
    1: Seq_num(2 port2 underlay), alive selected
  Application Control(3): Facebook(15832,0) LinkedIn(16331,0) Game(0,8)
  Src address(1):
10.0.1.0-10.0.1.255

branch_fgt # diagnose sys sdwan internet-service-app-ctrl-list
List App Ctrl Database Entry(IPv4) in Kernel:

Max_App_Ctrl_Size=32768 Num_App_Ctrl_Entry=6

Microsoft.Portal (41469 28): IP=184.27.181.201 6 443
MSN.Game(16135 8): IP=13.107.246.36 6 443
Salesforce(16920 29): IP=23.205.255.92 6 443
GoToMeeting (16354 28): IP=23.205.106.86 6 443
GoToMeeting (16354 28): IP=23.212.249.144 6 443
Facebook(15832 23): IP=31.13.80.36 6 443

branch1_fgt # get router info routing-table all
...
S* 0.0.0.0/0 [1/0] via 192.2.0.2, port1, [1/0]
      [1/0] via 192.2.0.10, port2, [1/0]
...
```

GoToMeeting traffic log on FortiAnalyzer

Destination IP	Service	Application	Security Event List	SD-WAN Rule Name	Destination Interface
23.212.248.205	HTTPS	GoToMeeting	APP 2		port2
23.205.106.86	HTTPS	GoToMeeting	APP 2	Critical-DIA	port1
23.205.106.86	HTTPS	GoToMeeting	APP 2	Critical-DIA	port1
23.205.106.86	HTTPS	GoToMeeting	APP 2	Critical-DIA	port1
23.212.249.144	HTTPS	GoToMeeting	APP 2	Critical-DIA	port1
23.212.249.144	HTTPS	GoToMeeting	APP 2	Critical-DIA	port1
23.212.249.144	HTTPS	GoToMeeting	APP 2		port2
23.205.106.86	HTTPS	GoToMeeting	APP 2		port2

FortiGate	
Security	
App Count	2
Level	notice
General	
Log ID	000000013
Session ID	769
Tran Display	snat
Virtual Domain	root
Source	
Country	Reserved
Device ID	FGVM01TM22000077
Device Name	branch1_igt
IP	10.0.1.101
Interface	port5
Interface Role	undefined
NAT IP	192.2.0.9
NAT Port	51042
Port	51042
Source	10.0.1.101
UEBA Endpoint ID	1025
UEBA User ID	3
Destination	
Country	United States
End User ID	3
Endpoint ID	101
Host Name	www.gotomeeting.com
IP	23.212.248.205
Interface	port2

- A. The session 3-tuple did not match any of the existing entries in the ISDB application cache.
- B. FortiGate could not refresh the routing information on the session after the application was detected.
- C. Full SSL inspection is not enabled on the matching firewall policy.
- D. No configured SD-WAN rule matches the traffic related to the collaboration application GoToMeeting

Answer: A,B

Explanation:

The session 3-tuple did not match any of the existing entries in the ISDB application cache.

SD-WAN app steering using Internet Service DB relies on a cache of app IP/port "3-tuples". If the first packets of a new session don't match an entry (e.g., GoToMeeting uses an IP not yet in cache), the session is steered by the implicit rule. That's why some logs show "implicit," while others (when the cache later has a match) hit your explicit rule.

FortiGate could not refresh the routing information on the session after the application was detected.

The path is chosen at session setup. If the app is recognized after the session is established and FortiGate can't (or isn't allowed to) re-route mid-session, it keeps the original SD-WAN decision (implicit rule) for that flow. Subsequent sessions may match the explicit rule once the app/IP is known.

NEW QUESTION # 52

(Refer to the exhibit.

Refer to the exhibit.

```
London_1 # diagnose sys sdwan service4 3

Service(3): Address Mode(IPV4) flags=0x4200 use-shortcut-sla use-shortcut
Tie break: cfg
Shortcut priority: 3
Gen(33), TOS(0x0/0x0), Protocol(0): src(1->65535):dst(1->65535), Mode(sla), sla-compare-order
Member sub interface(9):
  4: seq_num(4), interface(HUB1-VPN1):
    1: HUB1-VPN1_0(30)
    2: HUB1-VPN1_1(35)
  5: seq_num(5), interface(HUB1-VPN2):
    1: HUB1-VPN2_0(31)
Members(9):
  1: Seq_num(4 HUB1-VPN1_1 HUB1), alive, sla(0x1), gid(0), cfg_order(0), local cost(0), selected
  2: Seq_num(4 HUB1-VPN1_0 HUB1), alive, sla(0x1), gid(0), cfg_order(0), local cost(0), selected
  3: Seq_num(5 HUB1-VPN2_0 HUB1), alive, sla(0x1), gid(0), cfg_order(1), local cost(0), selected
  4: Seq_num(4 HUB1-VPN1 HUB1), alive, sla(0x1), gid(0), cfg_order(0), local cost(0), selected
  5: Seq_num(5 HUB1-VPN2 HUB1), alive, sla(0x1), gid(0), cfg_order(1), local cost(0), selected
  6: Seq_num(6 HUB1-VPN3 HUB1), alive, sla(0x1), gid(0), cfg_order(2), local cost(0), selected
  7: Seq_num(7 HUB2-VPN1 HUB2), alive, sla(0x2), gid(0), cfg_order(3), local cost(10), selected
  8: Seq_num(8 HUB2-VPN2 HUB2), alive, sla(0x2), gid(0), cfg_order(4), local cost(10), selected
  9: Seq_num(9 HUB2-VPN3 HUB2), alive, sla(0x2), gid(0), cfg_order(5), local cost(10), selected
Src address(2):
  10.0.0.0-10.255.255.255
  10.0.1.0-10.0.1.255
Dst address(2):
  10.0.1.0-10.0.1.255
  10.0.0.0-10.255.255.255
```

What can you conclude from the output shown? Choose one answer.)

- A. It is a hub device. It allowed the establishment of three auto-discovery VPN (ADVPN) shortcuts.
- B. It is a spoke device. The members of SD-WAN rule 3 are grouped into two zones.
- **C. It is a spoke device. SD-WAN rule 3 is configured with nine members.**
- D. It is a spoke device. SD-WAN rule 4 allows three shortcut tunnels.

Answer: C

Explanation:

The command shown in the exhibit is:

```
diagnose sys sdwan service 4 3
```

This command displays the runtime state of SD-WAN rule ID 3 on the device. The output explicitly shows:

Service(3) which confirms the SD-WAN rule being evaluated is rule number 3 Members(9) which indicates that nine SD-WAN members are associated with this rule The listed members include multiple IPsec tunnel interfaces such as HUB1-VPN1, HUB1-VPN2, HUB1-VPN3, HUB2-VPN1, HUB2-VPN2, and HUB2-VPN3, which is characteristic of a spoke device connecting to multiple hubs in a hub-and-spoke ADVPN topology, as defined in the FCSS SD-WAN 7.6 architecture.

Option B is incorrect because, although members are listed under different interfaces, the output does not indicate SD-WAN zones. Zones are shown only in configuration output, not in this diagnostic command.

Option C is incorrect because this is not a hub device. The presence of multiple hub tunnels as SD-WAN members indicates a spoke role. Additionally, the output does not confirm the number of established ADVPN shortcuts.

Option D is incorrect because the output clearly references SD-WAN rule 3, not rule 4, and it does not state that exactly three shortcut tunnels are allowed.

Therefore, the correct conclusion is that this is a spoke device and SD-WAN rule 3 is configured with nine members, which matches option A.

NEW QUESTION # 53

Which statement about SD-WAN zones is true?

- A. You cannot use an SD-WAN zone in static route definitions.
- B. You can configure up to 32 SD-WAN zones per VDOM.
- **C. An SD-WAN zone can contain between 0 and 512 members.**
- D. An SD-WAN zone can contain only one type of interface.

Answer: C

Explanation:

SD-WAN zones logically group SD-WAN members (interfaces) often for purposes like overlay and underlay interfaces. One SD-WAN zone can have up to 512 member interfaces, but large numbers may impact route processing and performance. SD-WAN members cannot be shared between different zones.

NEW QUESTION # 54

Which statement describes FortiGate behavior when you reference a zone in a static route?

- A. FortiGate routes the traffic through the best performing member of the zone.
- B. FortiGate installs ECMP static routes for the first two members of the zone.
- C. FortiGate ignores the static routes defined through members referenced in the zone.
- **D. FortiGate installs a static route for each member in the zone.**

Answer: D

Explanation:

When referencing a zone in a static route, FortiGate's behavior is described as:

"Referencing a zone in a static route causes FortiGate to install a static route for each member interface of the zone. This enables ECMP (Equal-Cost Multi-Path) and load balancing where supported and ensures that traffic can be steered over any valid zone member according to SD-WAN rules or standard routing." This mechanism is fundamental to Fortinet's implementation of SD-WAN and simplifies large, multi-interface deployments.

Reference:

[FCSS_SDW_AR-7.4 1-0.docx Q21]

FortiOS 7.4 Routing Guide, "Zone-based Routing and ECMP Behavior"

NEW QUESTION # 55

.....

There are free demos giving you basic framework of FCSS_SDW_AR-7.6 practice materials. All are orderly arranged in our practice materials. After all high-quality demos rest with high quality FCSS_SDW_AR-7.6 practice materials, you can feel relieved with help from then. We offer free demos as your experimental tryout before downloading our real FCSS_SDW_AR-7.6 practice materials. For more textual content about practicing exam questions, you can download our FCSS_SDW_AR-7.6 practice materials with reasonable prices and get your practice begin within 5 minutes.

Pdf Demo FCSS_SDW_AR-7.6 Download: https://www.testsdumps.com/FCSS_SDW_AR-7.6_real-exam-dumps.html

FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 test every year to shortlist applicants who are eligible for the FCSS_SDW_AR-7.6 exam certificate, An FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) practice questions is a helpful, proven strategy to crack the Fortinet FCSS_SDW_AR-7.6 exam successfully, Fortinet FCSS_SDW_AR-7.6 Valid Test Camp This means with our products you can prepare for exams efficiently, After 10 years' developments, we pay more attention to customer's satisfaction of FCSS_SDW_AR-7.6 : FCSS - SD-WAN 7.6 Architect free exam torrent as we have realized that all great efforts we have made are to help our candidates to successfully pass the FCSS_SDW_AR-7.6 exam.

You can find Ubuntu's familiar brown background and title bars FCSS_SDW_AR-7.6 Valid Test Camp almost anywhere people use computers, As with Ubuntu Software Center, installing packages with Synaptic is fairly easy.

FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 test every year to shortlist applicants who are eligible for the FCSS_SDW_AR-7.6 exam certificate, An FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) practice questions is a helpful, proven strategy to crack the Fortinet FCSS_SDW_AR-7.6 exam successfully.

2026 FCSS_SDW_AR-7.6 Valid Test Camp 100% Pass | Efficient Pdf Demo FCSS_SDW_AR-7.6 Download: FCSS - SD-WAN 7.6 Architect

This means with our products you can prepare for exams FCSS_SDW_AR-7.6 efficiently, After 10 years' developments, we pay more attention to customer's satisfaction of FCSS_SDW_AR-7.6 : FCSS - SD-WAN 7.6 Architect free exam torrent as we have realized that all great efforts we have made are to help our candidates to successfully pass the FCSS_SDW_AR-7.6 exam.

TestsDumps Provides Comprehensive FCSS_SDW_AR-7.6 Exam Questions and Answers.

- Quiz 2026 FCSS_SDW_AR-7.6: FCSS - SD-WAN 7.6 Architect – High Pass-Rate Valid Test Camp The page for free download of [FCSS_SDW_AR-7.6](#) on [www.pdf.dumps.com](#) will open immediately Lab FCSS_SDW_AR-7.6 Questions
- FCSS_SDW_AR-7.6 Latest Braindumps Ppt FCSS_SDW_AR-7.6 Latest Braindumps Ppt FCSS_SDW_AR-7.6 Reliable Learning Materials Download FCSS_SDW_AR-7.6 for free by simply searching on [www.pdfce.com](#) Exam FCSS_SDW_AR-7.6 Objectives
- FCSS_SDW_AR-7.6 Latest Braindumps Ppt Valid FCSS_SDW_AR-7.6 Test Sample FCSS_SDW_AR-7.6 Reliable Learning Materials Open website [www.pdf.dumps.com](#) and search for [FCSS_SDW_AR-7.6](#) for free download FCSS_SDW_AR-7.6 Book Pdf
- High Hit Rate FCSS_SDW_AR-7.6 Valid Test Camp - 100% Pass FCSS_SDW_AR-7.6 Exam Download (FCSS_SDW_AR-7.6) for free by simply searching on ([www.pdfce.com](#)) FCSS_SDW_AR-7.6 Book Pdf
- Interactive FCSS_SDW_AR-7.6 Course FCSS_SDW_AR-7.6 Exams Sample FCSS_SDW_AR-7.6 Test Online Search for { FCSS_SDW_AR-7.6 } and download it for free immediately on [www.dumpsmaterials.com](#) New FCSS_SDW_AR-7.6 Braindumps Sheet
- FCSS_SDW_AR-7.6 Reliable Learning Materials FCSS_SDW_AR-7.6 Latest Test Cram FCSS_SDW_AR-7.6 Exams Open website [www.pdfce.com](#) and search for « FCSS_SDW_AR-7.6 » for free download FCSS_SDW_AR-7.6 Exams
- FCSS_SDW_AR-7.6 Latest Braindumps Ppt Study FCSS_SDW_AR-7.6 Materials Latest FCSS_SDW_AR-7.6 Test Prep Easily obtain FCSS_SDW_AR-7.6 for free download through ([www.testkingpass.com](#)) FCSS_SDW_AR-7.6 Reliable Test Notes
- FCSS_SDW_AR-7.6 Exam Preparation: FCSS - SD-WAN 7.6 Architect - FCSS_SDW_AR-7.6 Best Questions Open « [www.pdfce.com](#) » enter [FCSS_SDW_AR-7.6](#) and obtain a free download Study FCSS_SDW_AR-7.6 Materials
- Pass Guaranteed Updated Fortinet - FCSS_SDW_AR-7.6 Valid Test Camp Search on [www.examcollectionpass.com](#) for [FCSS_SDW_AR-7.6](#) to obtain exam materials for free download New FCSS_SDW_AR-7.6 Dumps Questions
- Pass Guaranteed Updated Fortinet - FCSS_SDW_AR-7.6 Valid Test Camp Search for [FCSS_SDW_AR-7.6] and download it for free on [www.pdfce.com](#) website FCSS_SDW_AR-7.6 Reliable Test Notes
- High-quality FCSS_SDW_AR-7.6 Valid Test Camp - Accurate Fortinet Certification Training - Accurate Fortinet FCSS - SD-WAN 7.6 Architect Enter “ [www.troytecdumps.com](#) ” and search for [FCSS_SDW_AR-7.6](#) to download for free Sample FCSS_SDW_AR-7.6 Test Online
- [asiyarhbt223623.blogpayz.com](#), [sabrinaofxz433976.elbloglibre.com](#), [darrenfwgl622863.59bloggers.com](#), [brendaqryw728273.ktwiki.com](#), [heathwthd914423.blogacep.com](#), [peakbookmarks.com](#), [poppyqggs427571.blogthisbiz.com](#), [carlylzid976913.bloginder.com](#), [montycnaa650104.actoblog.com](#), [bookmarkfly.com](#), Disposable vapes

P.S. Free 2026 Fortinet FCSS_SDW_AR-7.6 dumps are available on Google Drive shared by TestsDumps:
https://drive.google.com/open?id=1QYkOjPkZxd8VEBoNiLXY4wEKH-JF0-_5