

# Exam Huawei H12-811\_V1.0 Guide | H12-811\_V1.0 Exam Study Solutions

## Latest Q&A



## E\_HANAAW\_18

### Q&A + SIM

### All in One

What's more, part of that TestBraindump H12-811\_V1.0 dumps now are free: <https://drive.google.com/open?id=1mLi1sibufDG8DTVNtE54dqWG9OZHHiu>

It is convenient for our consumers to check Huawei H12-811\_V1.0 exam questions free of charge before purchasing the HCIA-Datacom V1.0 H12-811\_V1.0 practice exam. To make the Huawei H12-811\_V1.0 exam questions content up-to-date for free of cost up to 365 days after buying them, our certified trainers work strenuously to formulate the exam questions in compliance with the HCIA-Datacom V1.0 H12-811\_V1.0 Dumps.

Huawei is a leading global provider of information and communication technology (ICT) infrastructure and smart devices. With its commitment to innovation and customer satisfaction, Huawei has become a trusted brand among consumers and businesses worldwide. To ensure the highest level of expertise among its professionals, Huawei offers certification programs for its various products and services. One such certification exam is the Huawei H12-811\_V1.0 (HCIA-Datacom V1.0) certification exam.

>> Exam Huawei H12-811\_V1.0 Guide <<

## H12-811\_V1.0 Exam Study Solutions | Test H12-811\_V1.0 Valid

Our H12-811\_V1.0 test braindumps can help you improve your abilities. Once you choose our learning materials, your dream that you have always been eager to get H12-811\_V1.0 certification which can prove your abilities will realized. You will have more competitive advantages than others to find a job that is decent. We are convinced that our H12-811\_V1.0 Exam Questions can help you gain the desired social status and thus embrace success. When you start learning, you will find a lot of small buttons, which are designed carefully. You can choose different ways of operation according to your learning habits to help you learn effectively.

### Huawei HCIA-Datacom V1.0 Sample Questions (Q26-Q31):

#### NEW QUESTION # 26

Which of the following information prompts is used by the VRP operating platform for incomplete input commands? ()

- A. Error: Wrong parameter found at position

- B. Error:Too many parameters found.at'position
- C. False Incomplete command.found.at'position

**Answer: B**

#### NEW QUESTION # 27

You can run the user-interface maximum-vty command to configure the maximum number of users who can log in to the device through Telnet simultaneously.

- A. FALSE
- B. TRUE

**Answer: B**

Explanation:

Comprehensive Explanation: The user-interface maximum-vty command is used on Huawei devices to configure the maximum number of simultaneous VTY (Virtual Terminal Line) users who can log in via Telnet. By limiting the number of VTY sessions, the administrator can control how many users are able to access the device at the same time, preventing excessive connections that may overwhelm the device or reduce security.

#### NEW QUESTION # 28

Which NAT can convert multiple private network addresses into one public network address to access the public network at the same time

- A. Dynamic NAT
- B. Easy IP
- C. Static NAT
- D. NAT

**Answer: B,D**

#### NEW QUESTION # 29

Which of the following packets is used by network devices running SNMPv1 to proactively send alarm information?

- A. Trap
- B. Get-Request
- C. Response
- D. Get-Next Request

**Answer: A**

Explanation:

\* SNMPv1 uses Trap messages to send unsolicited notifications about network events (e.g., failures, threshold breaches).

\* Response (A): Sent as a reply to SNMP queries, not proactively.

\* Get-Next Request (C) and Get-Request (D): These are polling requests, not proactive alarms.

Thus, the correct answer is B (Trap).

Reference: HCIA-Datacom Study Guide, SNMP Traps Section.

#### NEW QUESTION # 30

The administrator made the configuration on the router as shown in the figure. At the same time, the administrator wants to assign a shorter lease period to the DHCP address. Which of the following commands should be used? ( ) (Single-choice question) ip pool pool1 network 10.10.10.0 mask 255.255.255.0 gateway-list 10.10.10.1

- A. Dhcp select relay
- B. Lease 24
- C. Lease 0

