

検証する-素晴らしいMule-Dev-201受験記対策試験-試験の準備方法Mule-Dev-201技術問題



あらゆる種類の問題に取り組まれる可能性があります。時には、何かを下に置いて他の問題に対処する必要があります。後者はより緊急であり、すぐに実行する必要があります。Mule-Dev-201トレーニングガイドの助けを借りて、あなたの夢がもう遅れることはありません。なぜなら、私たちはクライアントがよりゆっくりと勉強するのを支援するインテリジェントなアプリケーションと高効率のメリットを持っているからです。Mule-Dev-201の実際の試験で20〜30時間準備する場合、Mule-Dev-201試験はあなたの前で簡単になります。

短い時間に最も小さな努力で一番効果的にSalesforceのMule-Dev-201試験の準備をしたいのなら、Xhs1991のSalesforceのMule-Dev-201試験トレーニング資料を利用することができます。Xhs1991のトレーニング資料は実践の検証に合格したもので、多くの受験生に証明された100パーセントの成功率を持っている資料です。Xhs1991を利用したら、あなたは自分の目標を達成することができ、最良の結果を得ます。

>> Mule-Dev-201受験記対策 <<

自信満々とSalesforce Mule-Dev-201認定試験を受験しよう

今SalesforceのMule-Dev-201試験を準備しているあなたは復習のいい方法を探しましたか？復習の時間は充足ですか？時間が不足になったら、参考書を利用してみましょう。我々のMule-Dev-201問題集はあなたの要求を満たすことができると信じています。全面的なので、あなたの時間と精力を節約することができます。

Salesforce Certified MuleSoft Developer 認定 Mule-Dev-201 試験問題 (Q84-Q89):

質問 # 84

Refer to the exhibit.

What is the correct DataWeave expression for the Set Payload transformer to call the createCustomerObject flow with values for the first and last names of a new customer?

- A. lookupC createCustomerObject("Alice", "Green-))

- B. createCustomerObject("Alice", "Green")
- C. lookup("createCustomerObject", { first: "Alice", last: "Green" } >)
- D. createCustomerObject({ first: "Alice", last: "Green" } >)

正解: C

解説:

lookup(String, Any, Number)

This function enables you to execute a flow within a Mule app and retrieve the resulting payload.

It works in Mule apps that are running on Mule Runtime version 4.1.4 and later.

Similar to the Flow Reference component (recommended), the lookup function enables you to execute another flow within your app and to retrieve the resulting payload. It takes the flow's name and an input payload as parameters. For example, lookup("anotherFlow", payload) executes a flow named anotherFlow.

Correct answer is

lookup("createCustomerObject", {first: "Aice, last: "Green"})

MuleSoft Documentation Reference : <https://docs.mulesoft.com/mule-runtime/4.3/dw-mule-functions-lookup>

質問 # 85

Refer to the exhibits. The Mule application does NOT define any global error handlers.

A web client sends a POST request to the Mule application with this input payload. The File Write operation throws a FILE: CONNECTIVITY error.

What response message is returned to the web client?

- A. "ORDER: NOT CREATED"
- B. "OTHER ERROR"
- C. "FILE: CONNECTMTV"
- D. "File written"

正解: A

質問 # 86

A company has defined two RAML fragments, Book Data Type and Book Example to be used in APIs.

What would be valid RAML to use these fragments ?

- A. 1. # % RAML 1.02. title: Books3. Book: bookDataType.raml4. /books:5. post:6. body:7. application/json:8. type: Book9. examples:10. input: bookExample.raml11. responses:12. 201:13. body:14. application/json:15. example:16. message: Book added
- B. 1. # % RAML 1.02. title: Books3. Book: bookDataType.raml4. /books:5. post:6. body:7. application/json:8. type: Book9. examples:10. input: bookExample.raml11. responses:12. 201:13. body:14. application/json:15. example:16. message: Book added
- C. 1. # % RAML 1.02. title: Books3. Book: !include bookDataType.raml4. /books:5. post:6. body:7. application /json:8. type: Book9. examples:10. input: !include bookExample.raml11. responses:12. 201:13. body:14. application/json:15. example:16. message: Book added
- D. 1. # % RAML 1.02. title: Books3. types:4. Book: ABC/Examples/bookDataType.raml5. /books:6. post:7. body:8. application/json:9. type: Book10. examples:11. input: ABC/Examples/bookExample.raml12. responses:13. 201:14. body:15. application/json:16. example:17. message: Book added

正解: A

解説:

* RAML file contains lot of information that could be considered as "not API-describing". Sort of "economy- class" members.

Equally important, but not necessarily part of the main RAML file.

* Through !includes, RAML allows us to build file-distributed API definitions, which is not only useful to encourage code reuse but also improves readability.

* We can create RAML fragments with such code and then include them in main RAML project using !

include like:

types:

Book: !include bookDataType.raml and

examples:
input: !include bookExample.raml
* Additionally for

--- Reference: INCLUDES section under <https://medium.com/raml-api/raml-101-libraries-and-datatypes-fragments-1889b2e82c27>

質問 # 87

Which of the below is used by Mule application to manage dependencies which make sharing the projects lightweight and easier?

- A. POM.xml
- B. Configuration file
- C. Cloudhub
- D. Global element

正解: A

解説:

POM.xml contains info about the project and configuration details used by Maven to build the project

質問 # 88

Refer to the exhibits.

How many private flows does APIKit generate from RAML specification?

- A. 0
- B. 1
- C. 2
- D. 3

正解: B

解説:

APIKit Creates a separate flow for each HTTP method. Hence 4 private flows would be generated.

MuleSoft Documentation Reference: <https://docs.mulesoft.com/mule-runtime/4.3/build-application-from-api>

質問 # 89

.....

Xhs1991は長い歴史を持っているSalesforceのMule-Dev-201トレーニング資料が提供されるサイトです。IT領域で長い時間に存在していますから、現在のよく知られていて、知名度が高い状況になりました。これは受験生の皆様を助けた結果です。Xhs1991が提供したSalesforceのMule-Dev-201トレーニング資料は問題と解答に含まれていて、IT技術専門家たちによって開発されたものです。SalesforceのMule-Dev-201認定試験を受けたいのなら、Xhs1991を選ぶのは疑いないことです。

Mule-Dev-201技術問題: <https://www.xhs1991.com/Mule-Dev-201.html>

周知のようにSalesforce Mule-Dev-201のような試験認定資格を手に入れると、会社の規則に沿う奨励があります、Mule-Dev-201試験問題集参考書は私たちは本当試験に出る多くの問題と回答をマスターするのを助けるから、受験者たちは簡単に試験にパスできます、Mule-Dev-201学習教材の無料デモを無料でダウンロードして、Mule-Dev-201試験問題がどれほど優れているかを知ることができます、あなたに安心してソフトを買わせるために、あなたは無料でSalesforceのMule-Dev-201ソフトのデモをダウンロードすることができます、Salesforce Mule-Dev-201受験記対策 一目でわかる最新の出題傾向でわかりやすい解説と充実の補充問題があります、私たちのMule-Dev-201試験材料では、実際の試験に参加する前に20-30時間の練習をしていいだけです。

答えは煌く輝線で返って来た、その波に呼吸を合わせながらナカで繋がる性の器官を二人で感じ続けた、周知のようにSalesforce Mule-Dev-201のような試験認定資格を手に入れると、会社の規則に沿う奨励があります、Mule-Dev-201試験問題集参考書は私たちは本当試験に出る多くの問題と回答をマスターするのを助けるから、受験者たちは簡単に試験にパスできます。

[illegible]