

# Plat-Dev-210 Schulungsangebot, Plat-Dev-210 Testing Engine, Salesforce Certified Omnistudio Developer Trainingsunterlagen



Laden Sie die neuesten Pass4Test Plat-Dev-210 PDF-Versionen von Prüfungsfragen kostenlos von Google Drive herunter: [https://drive.google.com/open?id=1P\\_SY9QdCeIUvfUyf79h0p7aR91\\_tsKOA](https://drive.google.com/open?id=1P_SY9QdCeIUvfUyf79h0p7aR91_tsKOA)

Pass4Test ist eine Website, die den Traum der IT-Fachleute erfüllen kann. Pass4Test bietet den Kandidaten die gewünschte Materialien, mit den Sie die Prüfung bestehen können. Machen Sie sich noch Sorgen um die Salesforce Plat-Dev-210 Zertifizierungsprüfung? Haben Sie schon mal gedacht, die relevanten Kurse von Pass4Test zu kaufen? Die Schulungsunterlagen von Pass4Test wird Ihnen helfen, die Prüfung effizienter zu bestehen. Die Fragen von Pass4Test sind den realen Prüfungsfragen ähnlich, fast mit ihnen identisch. Mit den genauen Prüfungsfragen und Antworten zur Salesforce Plat-Dev-210 Zertifizierungsprüfung können Sie die Prüfung leicht bestehen.

## Salesforce Plat-Dev-210 Prüfungsplan:

Thema	Einzelheiten
Thema 1	<ul style="list-style-type: none"> <li>Integration Procedures: This section measures the skills of an Integration Architect and involves designing and configuring Integration Procedures to automate processes and integrate systems. It requires comparing and contrasting different elements and configurations within Integration Procedures to meet specific use cases. Candidates are also tested on selecting the correct elements and properties to satisfy functional requirements, ensuring seamless data flow and process automation.</li> </ul>
Thema 2	<ul style="list-style-type: none"> <li>Expression Sets &amp; Decision Matrices: This section measures the skills of a Logic Designer and covers the configuration and application of Expression Sets and Decision Matrices within Omnistudio tools. It requires demonstrating an understanding of how Expression Sets evaluate conditions and how Decision Matrices use rule-based logic to determine outcomes. This knowledge is essential for automating decisions and streamlining complex business processes.</li> </ul>
Thema 3	<ul style="list-style-type: none"> <li>Omniscrpts: This portion of the exam measures the skills of a Business Analyst and focuses on the use of OmniScripts to create dynamic, guided user experiences. It includes comparing and contrasting various OmniScript elements and their configurations to fulfill given use cases. The section also examines the candidate's understanding of the JSON structure that supports OmniScripts, as well as the ability to select appropriate elements and properties to address functional requirements effectively.</li> </ul>

>> Plat-Dev-210 PDF Testsoftware <<

**Plat-Dev-210 Zertifizierungsfragen - Plat-Dev-210 Prüfungsvorbereitung**

Im 21. Jahrhundert ist die Technik hoch entwickelt und die Information weit verbreitet. Das Internet ist nicht nur eine Unterhaltungsplattform, sondern auch eine weltklassige elektronische Bibliothek. Bei Pass4Test können Sie Ihre eigene Schatzkammer für IT-Infoamationskenntnisse finden. Wählen Sie die Fragenkataloge zur Salesforce Plat-Dev-210 Zertifizierungsprüfung von Pass4Test, armen Sie zugleich auch die schöne Zukunft um. Wenn Sie unsere Fragenkataloge zur Salesforce Plat-Dev-210 Zertifizierungsprüfung kaufen, garantieren wir Ihnen, dass Sie die Plat-Dev-210 Prüfung sicherlich bestehen können.

## Salesforce Certified Omnistudio Developer Plat-Dev-210 Prüfungsfragen mit Lösungen (Q81-Q86):

### 81. Frage

A customer sets up to LWC Omniscripts, one embedded into another. Account is set in a Set Values element in the parent Omniscript.

The AccountId set in the parent Omniscript is used to another Set Values element ContextAccountid in the embedded Omniscript. The embedded Omniscript is activated.

While previewing the OmniScript flow from the parent, it is found that Account is set correctly in the parent OmniScript. However, ContextAccountId in the embedded OmniScript is not set with the AccountId from parent Omniscript. On previewing the embedded OmniScript individually, it is found that ContextAccountid is set correctly.

What is the reason for this? Refer to the exhibit below.

□

- A. Both parent and embedded OmniScripts have the same element name for the Set values element.
- B. The flag pass Data JSON in the parent OmniScript in not configured correctly.
- **C. A developer failed to include a Navigation Element to pass data from the parent OmniScript.**
- D. The LWC PubSub Message flag in the Set Values action of the parent has not been set.

**Antwort: C**

Begründung:

The LWC PubSub Message flag in the Set Values action of the parent OmniScript enables the parent OmniScript to send data to the embedded OmniScript using a custom event. If this flag is not set, the data will not be passed to the embedded OmniScript.

### 82. Frage

A developer needs to configure a calculation procedure to calculation a subtotal using two different depending on whether the input Boolean variable is Customer is set to true or false.

How should a developer configure the calculation procedure to conditionally execute the correct formula?

- A. Use two separate Calculation Steps with the Conditional Step property selected: reference just the is Customer variable in the Conditional syntax (no comparison necessary)
- B. Use two separate Calculation Steps with the Conditional Step property selected: compare theisCustomer variable directly to the literal true and false values in the Condition syntax.
- **C. Use two separate Calculation Steps with the Conditional Step property selected: use the ISTRUE (is Customer) and NOT (ISTRUE) (is Customer) functions in the Condition syntax.**
- D. Use a single Calculation Steps with IF statement directly in the formula definition to reference the isCustomer variable and conditionally perform the appropriate calculation.

**Antwort: C**

Begründung:

Using two separate Calculation Steps with the Conditional Step property selected allows the developer to specify different formulas based on different conditions. The ISTRUE(isCustomer) and NOT(ISTRUE (isCustomer)) functions are used to evaluate the Boolean variable in the Condition syntax. The other options are either missing the Conditional Step property, using incorrect comparison operators, or using an IF statement instead of separate Calculation Steps.

### 83. Frage

A developer has a requirement to create a child FlexCard that contain all of its parent FlexCard's records in a Datatable.

- A. {recordId}
- **B. {Records}**

- C. {Records[0]}
- D. {Params records}

**Antwort: B**

Begründung:

The correct syntax for passing all of the parent FlexCard's records to a child FlexCard is {Records}, which represents an array of records. The other options are incorrect because they either use an invalid syntax or refer to a single record instead of an array of records.

#### 84. Frage

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A Data Mapper Load saves the data. What error could cause this behavior?

Choose 2 answers

- A. ContextId is misspelled in the merge code that passes the RecordId to the Data Mapper.
- B. In the Data Mapper Load, in the preview tab, the RecordId is from the wrong record type.
- C. The Input JSON paths in the Data Mapper Load do not match the JSON sent from the OmniScript.
- D. The fields that are not updated are read-only in Salesforce.

**Antwort: C,D**

Begründung:

According to the Salesforce OmniStudio DataRaptor documentation, specifically under DataRaptor Load Best Practices and Common Issues:

\* A. "The Input JSON paths in the Data Mapper Load do not match the JSON sent from the OmniScript." This is a common configuration issue. If the paths between the OmniScript's structure and the DataRaptor Load mapping are mismatched, fields may not map correctly, resulting in partial updates or no updates.

\* B. "The fields that are not updated are read-only in Salesforce." If a field is Read-Only at the field-level security (FLS) or object schema, DataRaptor Load will not be able to write to it, which explains why only some data is updated.

Incorrect Options:

\* C. The RecordId from the wrong record type would typically cause a complete failure, not a partial update.

\* D. A misspelled ContextId could prevent data from being linked correctly, but this is less likely to cause partial field-level issues, and more likely to affect record association.

:

Salesforce OmniStudio Developer Guide # DataRaptor Load # Troubleshooting Salesforce Help Documentation: OmniStudio DataRaptor Best Practices

#### 85. Frage

An OmniScript displays data from an API using Integration Procedure, but some of the data is missing.

Which two configuration errors could cause this? Choose 2 answers

- A. The missing data is trimmed in the Integration Procedure Action Response JSON Path.
- B. The element name for the missing data does not match the JSON node key in the Integration Procedure Response.
- C. The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.
- D. The JSOW sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure

**Antwort: B,D**

Begründung:

The element name for the missing data must match the JSON node key in the Integration Procedure Response, otherwise the data will not be mapped correctly. The JSON sent from the Integration Procedure Action must match one of the Original Input for the Integration Procedure, otherwise the Integration Procedure will not execute properly. The Integration Procedure Preview Input Parameters and the Response JSON Path have no effect on displaying data in OmniScript.

#### 86. Frage

.....

