


# NCM-MCI-6.10 Hottest Certification - NCM-MCI-6.10 Exam Guide



2026 Latest Prep4away NCM-MCI-6.10 PDF Dumps and NCM-MCI-6.10 Exam Engine Free Share:  
<https://drive.google.com/open?id=1IUo1I-NWxZu0g5IyrLdBoSR6hc38VIRR>

Our NCM-MCI-6.10 study prep has inspired millions of exam candidates to pursue their dreams and motivated them to learn more high-efficiently. Many customers get manifest improvement. NCM-MCI-6.10 simulating exam will inspire your potential. And you will be more successful with the help of our NCM-MCI-6.10 training guide. Just imagine that when you have the certification, you will have a lot of opportunities to come to the bigger companies and get a higher salary.

The pass rate for NCM-MCI-6.10 training materials is 98.95%, and you can pass and get the certificate successfully if you buy NCM-MCI-6.10 training materials from us. Besides, we have experienced experts to compile and verify NCM-MCI-6.10 training materials, therefore quality and accuracy can be guaranteed. We are pass guarantee and money back guarantee if you buy NCM-MCI-6.10 Exam Dumps from us. We provide you with free update for one year for the NCM-MCI-6.10 training materials, so that you can know the latest information about the exam.

>> NCM-MCI-6.10 Hottest Certification <<

## Nutanix NCM-MCI-6.10 Exam Guide & NCM-MCI-6.10 Latest Exam Fee

Don't let outdated study materials hold you back from passing the Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) certification exam. Our platform offers updated NCM-MCI-6.10 exam dumps in three formats - PDF, web-based practice exams, and desktop practice test software - so you can study and prepare anytime, anywhere. With our reliable study materials, you can achieve your career goals and land a high-paying job in the technology industry. Don't waste your resources

on outdated material - trust our platform to provide you with the actual and updated Nutanix NCM-MCI-6.10 Practice Questions you need to succeed.

## Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Sample Questions (Q18-Q23):

### NEW QUESTION # 18

The Infosec team has requested that all operational tasks performed within Cluster 1 be properly logged to include the top 4 severity levels and pushed to their syslog system using highest reliability possible for analysis. This is to include any Virtual Machine changes only.

The Infosec team has also requested that monitor logs for the given RSyslog Server Module be included for now. No extra logs should be included.

No other clusters should connect to this syslog server.

Syslog configuration:

\* Syslog Name: Corp\_Syslog

\* Syslog IP: 34.142.155.231

\* Port: TCP/514

Ensure only Cluster 1 is configured to meet these requirements.

### Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure syslog for Cluster 1.

#### 1. Access Cluster 1 Prism Element

Since the requirement is to only configure Cluster 1 and not other clusters, this task must be performed in the Prism Element (PE) interface for Cluster 1.

\* From the main Prism Central dashboard, navigate to Hardware > Clusters.

\* Find Cluster 1 in the list and click its name. This will open the specific Prism Element login page for that cluster.

\* Log in to Cluster 1's Prism Element interface.

#### 2. Add the Syslog Server

\* In the Cluster 1 PE interface, click the gear icon (Settings) in the top-right corner.

\* From the left-hand menu, select Syslog.

\* In the "Remote Syslog Server" section, click the + Add Syslog Server button.

\* Fill in the server details as required:

\* Name: Corp\_Syslog

\* IP Address: 34.142.155.231

\* Port: 514

\* Protocol: TCP (This provides the highest reliability, as requested).

\* Click Save.

#### 3. Configure Log Modules and Severities

Now, we must specify which logs to send to the new server.

\* On the same Syslog settings page, find the "Syslog Configuration" section and click the Configure button (or Modify if a default is present).

\* A dialog box "Select Modules and Levels" will appear.

\* Uncheck all modules to ensure no extra logs are sent.

\* Check the box for the RSyslog Server Module (or rsyslog\_forwarder).

\* For this module, check the boxes for the severities: Critical, Warning, and Info.

\* Check the box for the ApiServer module.

\* This module logs all operational tasks and audit trails, which includes all Virtual Machine changes.

\* For this module, check the boxes for the top severity levels: Critical, Warning, and Info.

\* Ensure no other modules (like Stargate, Cerebro, Zookeeper, etc.) are checked.

\* Click Save.

Cluster 1 is now configured to send its audit logs (including VM changes) and its own syslog monitoring logs to the Corp\_Syslog server via TCP, fulfilling all security requirements.

Topic 2, Performance Based Questions Set 2

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

\* windows Server 2019

- \* All software/tools/etc to perform the required tasks
- \* Nutanix Documentation and whitepapers can be found in desktop\files\Documentation
- \* Note that the workstation is the system you are currently logged into Nutanix Cluster
- \* There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question Please make sure you are working on the correct cluster for each item Please ignore any licensing violations
- \* Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed
- \* Cluster B is a one-node cluster and has one syslog item and one security item to perform
- \* Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform Important Notes
- \* If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:
  - A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery: The browser can be scaled to Improve visibility and fit all the content on the screen.
  - Copy and paste hot-keys will not work Use your mouse for copy and paste.
  - The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for
  - Make sure you are performing tasks on the correct components.
  - Changing security or network settings on the wrong component may result in a falling grade.
  - Do not change credentials on an component unless you are instructed to.
  - All necessary documentation is contained in the Desktop\Files\Documentation directory

### NEW QUESTION # 19

An administrator needs to perform AOS and AHV upgrades on a Nutanix cluster and wants to ensure that VM data is replicated as quickly as possible when hosts and CVMs are rebooted.

Configure Cluster 1 so that after planned host and CVM reboots, the rebuild scan starts immediately.

Note:

You will need to use SSH for this task. Ignore the fact that this is a 1-node cluster.

#### Answer:

Explanation:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure the immediate rebuild scan on Cluster 1.

This task must be performed from an SSH session connected to a CVM (Controller VM) on Cluster 1.

1. Access the Cluster 1 CVM

\* From the Prism Central dashboard, navigate to Hardware > Clusters and click on Cluster 1 to open its Prism Element (PE) interface.

\* In the Cluster 1 PE, navigate to Hardware > CVMs to find the IP address of any CVM in the cluster.

\* Use an SSH client (like PuTTY) to connect to the CVM's IP address.

\* Log in with the admin user and password.

2. Modify the Rebuild Delay Setting

By default, the cluster waits 15 minutes (900 seconds) before starting a rebuild scan after a CVM reboot. You will change this setting to 0.

\* Once logged into the CVM, run the following command to set the delay to 0 seconds:

```
gflag --set --gflags=stargate_delayed_rebuild_scan_secs=0
```

\* (Optional but recommended) You can verify the change took effect by running the "get" command:

```
gflag --get --gflags=stargate_delayed_rebuild_scan_secs
```

The output should now show stargate\_delayed\_rebuild\_scan\_secs=0.

### NEW QUESTION # 20

Task 9

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

**Answer:**

Explanation:

See the Explanation for step by step solution.

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD\_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM.

Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD\_Fin01 and PD\_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.

A protection domain is a grouping of Virtual Machines for disaster recovery purposes. Enter a name (using alpha numeric characters only) for the protection domain you would like to create. You will then be guided into assigning Virtual Machines to it, and scheduling it.

Name

Mkt01-PD

The screenshot shows a section of the Nutanix web console. At the top, there is a checkbox labeled 'Auto protect related entities' which is checked. Below this is a dropdown menu with the text 'Protect Selected Entities (1)' and a right-pointing arrow. At the bottom left, there is a 'Previous' button, and at the bottom right, there is a blue 'Next' button. The Nutanix logo is visible in the background.



## NEW QUESTION # 21

### Task 5

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

### Answer:

Explanation:

See the Explanation for step by step solution.

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.

Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.

Select Anti-Affinity from the drop-down menu and click Next.

Review the group details and click Finish.

I hope this helps. How else can I help?

[https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6\\_5:ahv-affinity-policies-c.html](https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html)

A screenshot of a computer Description automatically generated with medium confidence



## NEW QUESTION # 22

### Task 1

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool names MCS\_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist\_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool (s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

### Answer:

Explanation:

See the Explanation for step by step solution.

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI\_Storage\_Pool, and select the disks to include in the pool.

You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS\_Pool\_Container, and select the storage pool that you just created, VDI\_Storage\_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist\_Pool\_Container, and select the same storage pool, VDI\_Storage\_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS\_Pool\_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS\_Pool\_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist\_Pool\_Datastore, and select NFS as the datastore type. Select the container that you just created, Persist\_Pool\_Container, as the source. Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

**Create Storage Container** ? x

**Name**  
ST\_MCS\_Pool

**Storage Pool**  
Storage\_Pool

**Max Capacity**  
53.26 TiB (Physical) Based on storage pool free unreserved capacity

**Advanced Settings**

**Replication Factor** (?)  
2

**Reserved Capacity**  
20 GiB

**Advertised Capacity**  
Total GiB GiB

**Compression**  
Perform post-process compression of all persistent data. For inline compression, set the delay to 0.  
Delay (in minutes)  
0

**Deduplication**  
 Cache

**NUTANIX**

Perform inline deduplication of read caches to optimize performance.

Capacity

Perform post-process deduplication of persistent data.

Erasure Coding [?](#)

Enable

Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

Enter comma separated entries

 Advanced Settings

Cancel

Save

Create Storage Container

? x

Name

ST\_Persist\_Pool

Storage Pool

Storage\_Pool

Max Capacity

53.26 TiB (Physical) Based on storage pool free unreserved capacity

Advanced Settings

Replication Factor [?](#)

3

NUTANIX

Reserved Capacity

0

GiB

Advertised Capacity

100

GiB

Compression

Perform post-process compression of all persistent data. For inline compression, set the delay to 0.

Delay (in minutes)

0

Deduplication

Cache  
Perform inline deduplication of read caches to optimize performance.

Capacity  
Perform post-process deduplication of persistent data.

Erasure Coding <sup>?</sup>

Enable  
Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

Enter comma separated entries

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

### NEW QUESTION # 23

.....

These Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) (NCM-MCI-6.10) certification exam's benefits assist the NCM-MCI-6.10 exam dumps to achieve their career objectives. To do this you just need to pass the NCM-MCI-6.10 exam which is quite challenging and demands complete NCM-MCI-6.10 exam questions preparation. For the quick and complete Nutanix NCM-MCI-6.10 PDF Questions preparation you can get help from Prep4away. The Prep4away is a leading platform that offers valid, updated, and real NCM-MCI-6.10 Questions that are particularly designed for quick and complete NCM-MCI-6.10 exam preparation.

**NCM-MCI-6.10 Exam Guide:** <https://www.prep4away.com/Nutanix-certification/braindumps.NCM-MCI-6.10.ete.file.html>

If you have NCM-MCI-6.10 exam anxiety and fail many times with bad mark we also will be your best choice, Our NCM-MCI-6.10 training materials speak louder than any kinds of words, and we prove this by proving aftersales service 24/7 for you all year round, Nutanix NCM-MCI-6.10 Hottest Certification We are the leading position in this field because of our high-quality products and high pass rate, Many candidates do not have the confidence to win Nutanix NCM-MCI-6.10 certification exam, so you have to have Prep4away Nutanix NCM-MCI-6.10 exam training materials.

Asymptotic analysis of parameter estimates, Like it or NCM-MCI-6.10 not, as modern culture embraces the individual, weirdos—anyone different from you!become more commonplace.

If you have NCM-MCI-6.10 Exam anxiety and fail many times with bad mark we also will be your best choice, Our NCM-MCI-6.10 training materials speak louder than any kinds of NCM-MCI-6.10 Reliable Test Questions words, and we prove this by proving aftersales service 24/7 for you all year round.

**2026 NCM-MCI-6.10 Hottest Certification | Efficient NCM-MCI-6.10 100% Free Exam Guide**

We are the leading position in this field because NCM-MCI-6.10 Hottest Certification of our high-quality products and high pass rate, Many candidates do not have the confidence to win Nutanix NCM-MCI-6.10 certification exam, so you have to have Prep4away Nutanix NCM-MCI-6.10 exam training materials.

However, spending a huge amount NCM-MCI-6.10 Unlimited Exam Practice on such resources is difficult for many Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) applicants.

- Hot NCM-MCI-6.10 Hottest Certification | High Pass-Rate Nutanix NCM-MCI-6.10 Exam Guide: Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI)  Easily obtain [ NCM-MCI-6.10 ] for free download through  [www.practicevce.com](http://www.practicevce.com)   NCM-MCI-6.10 Exam Syllabus
- Valid NCM-MCI-6.10 Practice Questions  Formal NCM-MCI-6.10 Test  Valid NCM-MCI-6.10 Guide Files  Go to website  [www.pdfvce.com](http://www.pdfvce.com)  open and search for 「 NCM-MCI-6.10 」 to download for free  Valid Exam NCM-MCI-6.10 Vce Free
- Save Money and Time with [www.testkingpass.com](http://www.testkingpass.com) Nutanix NCM-MCI-6.10 Exam Questions  The page for free download of  NCM-MCI-6.10  on  [www.testkingpass.com](http://www.testkingpass.com)  will open immediately  NCM-MCI-6.10 Pass4sure Exam Prep
- Free PDF Quiz 2026 Valid Nutanix NCM-MCI-6.10 Hottest Certification \* Search for  NCM-MCI-6.10  and download it for free on 「 [www.pdfvce.com](http://www.pdfvce.com) 」 website  Valid Test NCM-MCI-6.10 Braindumps
- 100% Pass NCM-MCI-6.10 - Newest Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Hottest Certification  Open  [www.examcollectionpass.com](http://www.examcollectionpass.com)   and search for  NCM-MCI-6.10  to download exam materials for free  NCM-MCI-6.10 Pass4sure Exam Prep
- 100% Pass NCM-MCI-6.10 - Newest Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Hottest Certification  Enter  [www.pdfvce.com](http://www.pdfvce.com)  and search for  NCM-MCI-6.10  to download for free  NCM-MCI-6.10 Latest Exam Testking
- NCM-MCI-6.10 Exam Syllabus  Valid Test NCM-MCI-6.10 Braindumps  New NCM-MCI-6.10 Exam Discount  Open website  [www.prepawaypdf.com](http://www.prepawaypdf.com)  and search for 《 NCM-MCI-6.10 》 for free download  NCM-MCI-6.10 Reliable Exam Voucher
- Pass Guaranteed 2026 Nutanix NCM-MCI-6.10 Perfect Hottest Certification  Search for  NCM-MCI-6.10  and easily obtain a free download on  [www.pdfvce.com](http://www.pdfvce.com)   Test NCM-MCI-6.10 Lab Questions
- Free PDF Quiz 2026 Valid Nutanix NCM-MCI-6.10 Hottest Certification  Search for  NCM-MCI-6.10  and download exam materials for free through  [www.torrentvce.com](http://www.torrentvce.com)   Exam NCM-MCI-6.10 Score
- NCM-MCI-6.10 Study Reference  Exam NCM-MCI-6.10 Score  Valid Test NCM-MCI-6.10 Braindumps  Go to website  [www.pdfvce.com](http://www.pdfvce.com)  open and search for 《 NCM-MCI-6.10 》 to download for free  NCM-MCI-6.10 Reliable Exam Voucher
- Formal NCM-MCI-6.10 Test  Valid Exam NCM-MCI-6.10 Vce Free  NCM-MCI-6.10 Dumps Download  Download  NCM-MCI-6.10  for free by simply searching on  [www.examcollectionpass.com](http://www.examcollectionpass.com)   Valid Exam NCM-MCI-6.10 Vce Free
- [thehvacademy.com](http://thehvacademy.com), [bookmarkangaroo.com](http://bookmarkangaroo.com), [bookmarkfame.com](http://bookmarkfame.com), [sachinjzdzq779956.blogdun.com](http://sachinjzdzq779956.blogdun.com), [a-z-directory.com](http://a-z-directory.com), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [modernbookmarks.com](http://modernbookmarks.com), [poppicicz417594.theideasblog.com](http://poppicicz417594.theideasblog.com), [jayaqtn202940.activoblog.com](http://jayaqtn202940.activoblog.com), [mollyfydd380401.blogdomago.com](http://mollyfydd380401.blogdomago.com), Disposable vapes

2026 Latest Prep4away NCM-MCI-6.10 PDF Dumps and NCM-MCI-6.10 Exam Engine Free Share:  
<https://drive.google.com/open?id=1IUo1I-NWxZu0g51yrLdBoSR6hc38VIRR>