


NCM-MCI Pass4sure Pass Guide - The Best Nutanix NCM-MCI New Study Notes: Nutanix Certified Master - Multicloud Infrastructure v6.10



P.S. Free 2026 Nutanix NCM-MCI dumps are available on Google Drive shared by BraindumpStudy:
<https://drive.google.com/open?id=1TyVpsfLu0p3dLNek29YGVGD4ne5ItKM1>

You can choose one of version of our NCM-MCI study guide as you like. There are three versions of our NCM-MCI exam dumps. All of the content are the absolute same, just in different ways to use. Therefore, you do not worry about that you get false information of NCM-MCI Guide materials. According to personal preference and budget choice, choosing the right goods to join the shopping cart. Then you can pay for it and download it right away.

What is the salary of the Nutanix NCM-MCI Exam

The Average salary of different countries of Nutanix Certified Expert

- UK - Pounds 45,280 per year
- United States - USD 116,178 per year
- India - INR 776,970 per year

>> NCM-MCI Pass4sure Pass Guide <<

Pass Guaranteed 2026 NCM-MCI: Unparalleled Nutanix Certified Master - Multicloud Infrastructure v6.10 Pass4sure Pass Guide

We have brought in an experienced team of experts to develop our NCM-MCI study materials, which are close to the exam syllabus. With the help of our NCM-MCI study materials, you don't have to search all kinds of data, because our products are enough to meet your needs. You also don't have to spend all your energy to the exam because our NCM-MCI Study Materials are very efficient. Only should you spend a little time practicing them can you pass the exam successfully.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q17-Q22):

NEW QUESTION # 17

Task 3

An administrator needs to assess performance gains provided by AHV Turbo at the guest level. To perform the test the administrator created a Windows 10 VM named Turbo with the following configuration.

1 vCPU

8 GB RAM

SATA Controller

40 GB vDisk

The stress test application is multi-threaded capable, but the performance is not as expected with AHV Turbo enabled. Configure the VM to better leverage AHV Turbo.

Note: Do not power on the VM. Configure or prepare the VM for configuration as best you can without powering it on.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the VM to better leverage AHV Turbo, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to VM > Table and select the VM named Turbo.

Click on Update and go to Hardware tab.

Increase the number of vCPUs to match the number of multiqueues that you want to enable. For example, if you want to enable 8 multiqueues, set the vCPUs to 8. This will improve the performance of multi-threaded workloads by allowing them to use multiple processors.

Change the SCSI Controller type from SATA to VirtIO. This will enable the use of VirtIO drivers, which are required for AHV Turbo.

Click Save to apply the changes.

Power off the VM if it is running and mount the Nutanix VirtIO ISO image as a CD-ROM device. You can download the ISO image from Nutanix Portal.

Power on the VM and install the latest Nutanix VirtIO drivers for Windows 10. You can follow the instructions from Nutanix Support Portal.

After installing the drivers, power off the VM and unmount the Nutanix VirtIO ISO image.

Power on the VM and log in to Windows 10.

Open a command prompt as administrator and run the following command to enable multiqueue for the VirtIO NIC:

```
ethtool -L eth0 combined 8
```

Replace eth0 with the name of your network interface and 8 with the number of multiqueues that you want to enable. You can use `ipconfig /all` to find out your network interface name.

Restart the VM for the changes to take effect.

You have now configured the VM to better leverage AHV Turbo. You can run your stress test application again and observe the performance gains.

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LKPdCAO> change vCPU to 2/4 ?

Change SATA Controller to SCSI:

```
acli vm.get Turbo
```

Output Example:

```
Turbo {
```

```
config {
```

```
agent_vm: False
```

```
allow_live_migrate: True
```

```
boot {
```

```
boot_device_order: "kCdrom"
boot_device_order: "kDisk"
boot_device_order: "kNetwork"
uefi_boot: False
}
cpu_passthrough: False
disable_branding: False
disk_list {
  addr {
    bus: "ide"
    index: 0
  }
  cdrom: True
  device_uuid: "994b7840-dc7b-463e-a9bb-1950d7138671"
  empty: True
}
disk_list {
  addr {
    bus: "sata"
    index: 0
  }
  container_id: 4
  container_uuid: "49b3e1a4-4201-4a3a-8abc-447c663a2a3e"
  device_uuid: "622550e4-fb91-49dd-8fc7-9e90e89a7b0e"
  naa_id: "naa.6506b8dcda1de6e9ce911de7d3a22111"
  storage_vdisk_uuid: "7e98a626-4cb3-47df-a1e2-8627cf90eae6"
  vmdisk_size: 10737418240
  vmdisk_uuid: "17e0413b-9326-4572-942f-68101f2bc716"
}
flash_mode: False
hwclock_timezone: "UTC"
machine_type: "pc"
memory_mb: 2048
name: "Turbo"
nic_list {
  connected: True
  mac_addr: "50:6b:8d:b2:a5:e4"
  network_name: "network"
  network_type: "kNativeNetwork"
  network_uuid: "86a0d7ca-acfd-48db-b15c-5d654ff39096"
  type: "kNormalNic"
  uuid: "b9e3e127-966c-43f3-b33c-13608154c8bf"
  vlan_mode: "kAccess"
}
num_cores_per_vcpu: 2
num_threads_per_core: 1
num_vcpus: 2
num_vnuma_nodes: 0
vga_console: True
vm_type: "kGuestVM"
}
is_rfl_vm: False
logical_timestamp: 2
state: "Off"
uuid: "9670901f-8c5b-4586-a699-41f0c9ab26c3"
}
acli vm.disk_create Turbo clone_from_vmdisk=17e0413b-9326-4572-942f-68101f2bc716 bus=scsi remove the old disk acli
vm.disk_delete 17e0413b-9326-4572-942f-68101f2bc716 disk_addr=sata.0
```

NEW QUESTION # 18

Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on Saturdays.

The team is requesting monitoring of processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to appdev@cyberdyne.net when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.

A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter appdev@cyberdyne.net as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select Cluster. Click Next.

Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.

Under the Aggregation option for CPU Usage (%), select Max. Click Next.

Under the Filter option, select Current Cluster from the drop-down menu. Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Custom Views section, select Data Table again. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.

Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.

Under the Filter option, enter ORA* in the Name field. This will include any future VM with the prefix OR

NEW QUESTION # 19

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

NEW QUESTION # 20

Task 14

The application team has requested several mission-critical VMs to be configured for disaster recovery. The remote site (when added) will not be managed by Prism Central. As such, this solution should be built using the Web Console.

Disaster Recovery requirements per VM:

Mkt01

RPO: 2 hours

Retention: 5 snapshots

Fin01

RPO: 15 minutes

Retention: 7 days

Dev01

RPO: 1 day

Retention: 2 snapshots

Configure a DR solution that meets the stated requirements.

Any objects created in this item must start with the name of the VM being protected.

Note: the remote site will be added later

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure a DR solution that meets the stated requirements, you can follow these steps:

Log in to the Web Console of the source cluster where the VMs are running.

Click on Protection Domains on the left menu and click on Create Protection Domain.

Enter a name for the protection domain, such as PD_Mkt01, and a description if required. Click Next.

Select Mkt01 from the list of VMs and click Next.

Select Schedule Based from the drop-down menu and enter 2 hours as the interval. Click Next.

Select Remote Site from the drop-down menu and choose the remote site where you want to replicate the VM. Click Next.

Enter 5 as the number of snapshots to retain on both local and remote sites. Click Next.

Review the protection domain details and click Finish.

Repeat the same steps for Fin01 and Dev01, using PD_Fin01 and PD_Dev01 as the protection domain names, and adjusting the interval and retention values according to the requirements.

□
□
□

NEW QUESTION # 21

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment, Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps: Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.

NEW QUESTION # 22

.....

The NCM-MCI study guide to good meet user demand, will be a little bit of knowledge to separate memory, every day we have lots of fragments of time. The NCM-MCI practice dumps can allow users to use the time of debris anytime and anywhere to study and make more reasonable arrangements for their study and life. Choosing our NCM-MCI simulating materials is a good choice for you, and follow our step, just believe in yourself, you can do it perfectly!

NCM-MCI New Study Notes: https://www.braindumpstudy.com/NCM-MCI_braindumps.html

- Test NCM-MCI Answers NCM-MCI Cert Exam NCM-MCI Exam Guide Materials Search on www.prepawayexam.com for NCM-MCI to obtain exam materials for free download Valid NCM-MCI Mock Exam
- Nutanix NCM-MCI Questions - For Best Result [2026] Search for 《 NCM-MCI 》 and download it for free on [www.pdfvce.com] website Technical NCM-MCI Training
- 2026 NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 –High Pass-Rate Pass4sure Pass Guide ✓ The page for free download of (NCM-MCI) on www.examcollectionpass.com will open immediately NCM-MCI Test Fee
- NCM-MCI New Test Bootcamp NCM-MCI Sample Questions Answers Exam NCM-MCI Book Easily obtain NCM-MCI for free download through www.pdfvce.com Valid NCM-MCI Mock Exam
- NCM-MCI Test-king File - NCM-MCI Practice Materials - NCM-MCI Test Questions Search for NCM-MCI and download it for free immediately on (www.troytecdumps.com) NCM-MCI Cert Exam
- NCM-MCI Test-king File - NCM-MCI Practice Materials - NCM-MCI Test Questions Easily obtain free download of “ NCM-MCI ” by searching on (www.pdfvce.com) NCM-MCI Valid Test Sample
- NCM-MCI Online Version NCM-MCI New Test Bootcamp Reliable NCM-MCI Exam Simulator Search on www.pdfdumps.com for NCM-MCI to obtain exam materials for free download Valid NCM-MCI Mock Exam
- Nutanix NCM-MCI Questions - For Best Result [2026] Search for [NCM-MCI] and download exam materials for free through www.pdfvce.com New NCM-MCI Mock Exam
- Information about Nutanix NCM-MCI Exam Easily obtain NCM-MCI for free download through [www.practicevce.com] NCM-MCI New Test Bootcamp
- NCM-MCI New Test Bootcamp Reliable NCM-MCI Exam Registration Reliable NCM-MCI Exam Simulator Download { NCM-MCI } for free by simply entering 《 www.pdfvce.com 》 website NCM-MCI Exam Vce Format
- Exam NCM-MCI Book NCM-MCI Official Cert Guide NCM-MCI Test Fee Open

