350-601模擬試験問題集 & 350-601参考書内容

P.S.Tech4ExamがGoogle Driveで共有している無料の2025 Cisco 350-601ダンプ：https://drive.google.com/open?id=1KXBKGJBq80X2fy_OYK6CMSTkRlHgtmou

IT認定試験は現在の社会で、特にIT業界で最も人気のある試験だと考えられています。IT認定試験の認証資格は国際社会で広く認可されています。昇進したく、昇給したく、あるいは単に自分の仕事スキルを向上させたいなら、IT認定試験を受験して資格を取得するのはあなたの最もよい選択です。どうですか。あなたもきっとそう思うでしょう。ですから、躊躇しないではやく試験を申し込みましょう。Ciscoの350-601認定試験は最近最も人気のある試験ですから、受験したいのですか。試験に準備する方法がわからない場合、Tech4Examは教えてあげます。Tech4Examで、あなたは試験に関するすべての優れた参考書を見つけることができます。

Cisco 350-601認定試験は世界的に認識されており、IT業界の雇用主によって高く評価されています。この試験に合格した候補者は、データセンターテクノロジーの実装と管理の専門家と見なされます。この認定は、ITの専門家に、セキュア、スケーラブル、信頼性の高いデータセンターインフラストラクチャを設計および展開するスキルと知識を提供します。

>> 350-601模擬試験問題集 <<

350-601参考書内容、350-601模擬対策問題

IT業界で仕事している皆さんはIT認定試験の資格の重要性をよく知っていているでしょう。IT認定試験には多くの種類があります。現在最も人気がある試験もいろいろあります。例えば350-601認定試験などです。その中の試験、どちらを受験しましたか。もし一つの認証資格を持っていないなら、IT認定試験を申し込んで試験の資格を取得する必要があります。試験を受ける予定があれば、急いでTech4Examへ来て必要な情報を見つけましょう。Tech4Examはあなたが350-601認定試験に合格する保障ですから。

Cisco 350-601 試験は、多肢選択問題、シミュレーション、およびパフォーマンスベースのタスクが含まれる包括的なテストです。この試験は、候補者が実世界のシナリオで知識やスキルを適用できる能力を評価するために設計されています。また、データセンター技術に関連する問題のトラブルシューティングと解決能力も評価します。

シスコ350-601 DCCOR認定は、データセンターテクノロジーのキャリアを進めたいITプロフェッショナルにとって価値のある資格です。これは、候補者が最新のデータセンターテクノロジーに深く理解を持ち、その知識を活用して複雑なデータセンターソリューションを設計および実装できることを示しています。この認定は、世界的に認められ、IT業界で高い評価を受けています。シスコ350-601 DCCOR認定を取得することで、ネットワークエンジニア、ネットワークアーキテクト、データセンター管理者など、さまざまなキャリアパスを追求することができます。

Cisco Implementing Cisco Data Center Core Technologies (350-601 DCCOR) 認定 350-601 試験問題 (Q258-Q263):

質問 # 258

Refer to the exhibit. An engineer must configure a Fibre Channel device alias named TEST for a device attached to port fc1/9 of a Cisco Nexus Series Switch. Which command set completes the configuration?



```
SITE-A-MDS-Fabric-A# sh flogi dat
--------------------------------------------------------------------------------
INTERFACE        VSAN    FCID           PORT NAME               NODE NAME
--------------------------------------------------------------------------------
fc1/3            100     0x6b0000   50:00:14:42:c0:0c:f5:00 50:00:14:40:47:a0:0c:f5
fc1/4            100     0x6b0200   50:00:14:42:c0:0c:f5:01 50:00:14:40:47:a0:0c:f5
fc1/5            100     0x6b0300   50:00:14:42:d0:0c:f5:00 50:00:14:40:47:b0:0c:f5
fc1/6            100     0x6b0100   50:00:14:42:d0:0c:f5:01 50:00:14:40:47:b0:0c:f5
fc1/7            50      0x550000   50:00:14:42:c0:0c:f5:20 50:00:14:40:47:a0:0c:f5
fc1/8            50      0x550100   50:00:14:42:c0:0c:f5:21 50:00:14:40:47:a0:0c:f5
fc1/9            50      0x550200   50:00:14:42:d0:0c:f5:20 50:00:14:40:47:b0:0c:f5
fc1/10           50      0x550300   50:00:14:42:d0:0c:f5:21 50:00:14:40:47:b0:0c:f5
fc1/11           100     0x6b0400   20:20:54:7f:ee:fa:de:c0 20:64:54:7f:ee:fa:de:c1
fc1/11           100     0x6b0401   20:00:00:25:b5:00:01:02 20:00:00:25:b5:00:00:01
fc1/11           100     0x6b0402   20:00:00:25:b5:00:01:00 20:00:00:25:b5:00:00:00
fc1/11           100     0x6b0403   20:00:00:25:b5:00:01:03 20:00:00:25:b5:00:00:01
fc1/11           100     0x6b0404   20:00:00:25:b5:00:01:01 20:00:00:25:b5:00:00:00

Total number of flogi = 13.
```

- A. SITE-A-MDS-Fabric-A# configure terminal
  SITE-A-MDS-Fabric-A (config)# device-alias database
  SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:40:47:b0:0 c:f5
  SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias commit
- B. SITE-A-MDS-Fabric-A# device-alias database
  SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:40:47:b0:0 c:f5
  SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias commit
- C. SITE-A-MDS-Fabric-A# configure terminal
  SITE-A-MDS-Fabric-A (config)# device-alias database
  SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:42:d0:0 c:f5:20
  SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias commit
- D. SITE-A-MDS-Fabric-A# configure terminal
  SITE-A-MDS-Fabric-A (config)# device-alias database
  SITE-A-MDS-Fabric-A (config-device-alias-db)# device-alias name TEST pwwn 50:00:14:42:d0:0 c:f5:20
  SITE-A-MDS-Fabric-A (config-device-alias-db)# exit

正解：C

解説：
We need to zone the PWWN (port WWN) of fc1/9, not the NWWN (node WWN) of fc1/9.

質問 # 259
Drag and drop the Hyperflex characteristics from the left onto the appropriate Hyper Hex node types on the right.


uses only SSD drives for caching
contains HDDs for the capacity layer
uses SSD drives or NVMe storage for caching
has SSD drives for the capacity layer
recommended for repeatable and sustainable high performance, especially for scenarios with a larger working set of data
recommended for capacity-sensitive solutions, lower budgets, and fewer performance-sensitive applications
Hybrid Node
All Flash Node

正解：

解説：


uses only SSD drives for caching
contains HDDs for the capacity layer
uses SSD drives or NVMe storage for caching
has SSD drives for the capacity layer
recommended for repeatable and sustainable high performance, especially for scenarios with a larger working set of data
recommended for capacity-sensitive solutions, lower budgets, and fewer performance-sensitive applications
Hybrid Node
uses only SSD drives for caching
contains HDDs for the capacity layer
recommended for capacity-sensitive solutions, lower budgets, and fewer performance-sensitive applications
All Flash Node
uses SSD drives or NVMe storage for caching
has SSD drives for the capacity layer
recommended for repeatable and sustainable high performance, especially for scenarios with a larger working set of data



質問 # 260
An engineer is implementing the Cisco ACI fabric and must create two different vPCs from leaf switches A and B.
The vPCs are deployed as follows:
* vPC 1 encompasses ports Eth 1 /1 on leaf A and B and connects to server 1.
* vPC 2 encompasses port Eth1/2 on leaf A and B and connects to server 2.
A leaf switch profile listing leaves A and B is already configured Which ACI object must be created to meet these requirements?

- A. one vPC interface policy group
- B. two vPC interface policy groups
- C. two PortChannel interface policy groups
- D. one access port interface policy group

正解：B

質問 # 261
An engineer must configure the RBAC role to perform these tasks in the Cisco UCS Manager:
- Configure VLANs and VLAN groups.
- Configure Ethernet Link Profile and LACP policy.
- Specify the allowed range for virtual MAC addresses.
- Configure SPAN Ethernet monitoring sessions.
Which set of permissions must be used to create a user role that accomplishes these roles?

- A. Is-server-oper
  ext-san-policy
- B. Is-config
  Is-ext-access
- C. ext-lan-config
  ext-lan-policy
- D. ext-lan-security
  Is-network

正解：C

解説：
ext-lan-config: This permission is required to configure VLANs, VLAN groups, and related Ethernet link profiles.
ext-lan-policy: This permission allows configuration of policies related to Ethernet, such as LACP policies, SPAN Ethernet monitoring sessions, and virtual MAC address ranges.

質問 # 262

Refer to the exhibit.

A network engineer is setting up a multihomed OTV network. The first site has been set up with a primary and secondary adjacency server.
Which configuration must be added on the remote OTV AEDs site?

- A.
```
interface Overlay200
 otv join-interface Ethernet1/2
 otv extend-vlan 178. 2500-2563
 otv adjacency-server unicast-only
```
- B.
```
interface Overlay200
 otv join-interface Ethernet1/2
 otv extend-vlan 178. 2500-2563
 otv use-adjacency-server 20.1.1.1 unicast-only
```
- C.
```
interface Overlay200
 otv join-interface Ethernet1/2
 otv extend-vlan 178. 2500-2563
 otv use-adjacency-server 20.1.1.1 20.2.1.1 unicast-only
```
- D.
```
interface Overlay200
 otv join-interface Ethernet1/2
 otv extend-vlan 178. 2500-2563
```

正解：C

解説：
Section: Network

質問 # 263
.....

350-601参考書内容: https://www.tech4exam.com/350-601-pass-shiken.html

- 試験の準備方法-ハイパスレートの350-601模擬試験問題集試験-権威のある350-601参考書内容 □ ▹ www.mogiexam.com ◃を入力して{ 350-601 }を検索し、無料でダウンロードしてください350-601復習資料
- 真実的な 350-601模擬試験問題集 - 保証するCisco 350-601 最高の試験の成功350-601参考書内容 □ URL【 www.goshiken.com 】をコピーして開き、□ 350-601 □を検索して無料でダウンロードしてください350-601学習体験談
- 正確的な350-601模擬試験問題集 | 最初の試行で簡単に勉強して試験に合格する - パススルーCisco Implementing Cisco Data Center Core Technologies (350-601 DCCOR) □ （ 350-601 ）の試験問題は➥

www.passtest.jp □で無料配信中350-601関連資格知識

- 350-601資格復習テキスト □ 350-601出題範囲 □ 350-601関連日本語版問題集 □ “www.goshiken.com”を開いて□ 350-601 □を検索し、試験資料を無料でダウンロードしてください350-601資格復習テキスト
- Cisco 350-601認定試験に一発合格できる問題集 □ □ jp.fast2test.com □から簡単に➠ 350-601 □を無料でダウンロードできます350-601日本語独学書籍
- 試験の準備方法-完璧な350-601模擬試験問題集試験-信頼的な350-601参考書内容 □ □ www.goshiken.com □を開き、□ 350-601 □を入力して、無料でダウンロードしてください350-601受験料過去問
- 一生懸命に350-601模擬試験問題集 - 合格スムーズ350-601参考書内容 | 効率的な350-601模擬対策問題 ❣ サイト□ www.goshiken.com □で[350-601]問題集をダウンロード350-601出題範囲
- 350-601無料ダウンロード □ 350-601出題範囲 □ 350-601関連日本語版問題集 □ 「 www.goshiken.com 」で✔ 350-601 □✔□を検索して、無料でダウンロードしてください350-601全真問題集
- 試験の準備方法-ハイパスレートの350-601模擬試験問題集試験-権威のある350-601参考書内容 □ □ 350-601 □を無料でダウンロード（ www.mogiexam.com ）ウェブサイトを入力するだけ350-601復習資料
- 350-601全真問題集 □ 350-601受験トレーリング □ 350-601出題範囲 □ □ 350-601 □を無料でダウンロード「 www.goshiken.com 」ウェブサイトを入力するだけ350-601無料ダウンロード
- Cisco 350-601認定試験に一発合格できる問題集 □ 最新□ 350-601 □問題集ファイルは☀ www.shikenpass.com □☀□にて検索350-601関連資格知識
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.myvrgame.cn, www.stes.tyc.edu.tw, habisbelajar.com, es-ecourse.eurospeak.eu, motionentrance.edu.np, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, learn.raphael.ac.th, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

BONUS！！！ Tech4Exam 350-601ダンプの一部を無料でダウンロード：https://drive.google.com/open?id=1KXBKGJBq80X2fy_OYK6CMSTkRlHgtmou