


# The Open Group OGA-032 Practice Mock - Valid OGA-032 Exam Materials



In order to let you have a deep understanding of our OGA-032 learning guide, our company designed the trial version for our customers. We will provide you with the trial version of our study materials before you buy our products. If you want to know our OGA-032 training materials, you can download the trial version from the web page of our company. If you use the trial version of our OGA-032 Study Materials, you will find that our products are very useful for you to pass your exam and get the certification. If you buy our OGA-032 exam questions, we can promise that you will enjoy a discount.

The Open Group OGA-032 (ArchiMate 3 Part 2) Certification Exam is for individuals who are interested in demonstrating their proficiency in ArchiMate 3.0, a modeling language used to depict enterprise architectures. ArchiMate 3 Part 2 Exam certification exam is the second part of the ArchiMate 3 Certification program and builds on the knowledge and skills acquired from the Part 1 exam.

The Open Group OGA-032 (ArchiMate 3 Part 2) exam is designed to test the candidate's knowledge and understanding of the ArchiMate 3 modeling language, specifically focusing on the implementation and application of ArchiMate 3 concepts in real-world scenarios. ArchiMate 3 Part 2 Exam certification is ideal for enterprise architects, solution architects, and IT professionals who use ArchiMate 3 to model, design, and analyze enterprise architectures.

The ArchiMate 3 standard is an open and independent modeling language for enterprise architecture. It provides a common language for describing the structure and behavior of organizations, including their business processes, information systems, and technology infrastructure. The standard is widely used by organizations around the world, making the OGA-032 Certification an important qualification for enterprise architects and other professionals working in this field.

>> **The Open Group OGA-032 Practice Mock** <<

## 100% Pass 2026 The Open Group Fantastic OGA-032 Practice Mock

Our OGA-032 real exam has been on the top of the industry over 10 years with passing rate up to 98 to 100 percent. Ranking the top of the similar industry, we are known worldwide by helping tens of thousands of exam candidates around the world. To illustrate our OGA-032 Study Materials better, you can have an experimental look of them by downloading our OGA-032 demos freely. And you will find it is quite fast and convenient.

## The Open Group ArchiMate 3 Part 2 Exam Sample Questions (Q17-Q22):

### NEW QUESTION # 17

Please read this scenario prior to answering the question

The ArchiSurance Mobile consumer solution is used for selling and renewing insurance products, providing customer service, enabling accurate and convenient home recordkeeping, and capturing and processing claims. The solution consists of three applications. The Consultant application lets customers review their existing coverage, and update it based on common life events, such as getting a new car, moving into a new home, or having a family member move in or out. If necessary, they can speak or chat with a customer service representative. The Home Manager application helps customers photograph and catalogue their valuable possessions in order to support the filing of accurate claims in case of loss or damage. The Claim Manager application enables

customers to quickly file a claim for loss or damage to an insured auto, home or possession. It enables customers to describe the incident by referencing information captured with the Consultant and the Home Manager applications. In addition, it allows the customer to add photographs, audio, video and text to support a claim, submit the claim, and monitor its progress.

The ArchiSurance Mobile applications rely on a number of application services hosted by ArchiSurance. The first is an Auto Identification and Description (AID) service that the Consultant application uses to validate and complete auto information entered by customers. The second service, Home Identification and Description (HID) performs the same function for home information, and is used by the Home Manager application. The Consultant application also uses the Virtual Agent service to guide customers as they select coverage options, the Payment Processor service to arrange premium payments, and the Coverage Activator service to generate policies and put them in force.

ArchiSurance Mobile also relies on a number of technology services. The Home Manager application uses a Multimedia Repository service to store and retrieve information about insured homes. The Claim Manager application also uses this service for claim information entered by customers. All three ArchiSurance Mobile applications use a Personal Security service to register and authenticate customers, and to manage their profiles.


Each application service is realized by an application component with the same name. Each technology service is realized by a system software environment, having the same name.

ArchiSurance hosts both the application components and system software environments in a virtualized server pool within its data center. Each service has its own virtual server. Each virtual server is connected to a data center network (DCN) which in turn connects to a commercial wide area network (WAN).


Refer to the Scenario

You have been asked to show the applications that make up the ArchiSurance Mobile solution and the technology that supports these applications.


Which of the following answers provides the best description? Note that it is not necessary to model the networks.




- A.
- B.



- C.



• D.



**Answer: C**

Explanation:

This model is the only one that cleanly separates the two ArchiSurance Mobile application components (Consultant, Home Manager, Claim Manager) from the technology stack and shows:

Application Layer

- The three mobile apps grouped clearly in the "ArchiSurance Mobile" box.

Technology Layer

- Two rounded-rectangle "services" (Personal Security, Multimedia Repository) at the tech-service level.

- Each service is realized by a system-software environment item with the same name.

- Each of those is deployed on its own Virtual Server inside the "Virtual server pool." Usage Relationships

- All three apps consume the Personal Security service (for login/profile).

- Home Manager and Claim Manager consume the Multimedia Repository service.

### NEW QUESTION # 18

Please read this scenario prior to answering the question

A financial institution runs a Loan Approval process supported by a Loan Processing application and a Risk Assessment application. The Loan Processing application evaluates loan data using Business Rules stored in a Rules Repository. Risk Assessment retrieves credit scores from an external API.

Both applications run on virtual application servers connected to internal and external networks.

Refer to the scenario.

Which answer is most complete?

- A. Use association relationships only to show credit bureau integration.
- B. Model only application components.
- C. Model everything only in the Technology Layer.
- **D. Model Loan Approval as a Business Process served by Application Services realized by Application Functions accessing Data Objects (Loan Request, Risk Report, Business Rules), deployed on Virtual Nodes connected via Communication Networks.**

**Answer: D**

**NEW QUESTION # 19**

Please read this scenario prior to answering the question


The ArchiSurance enterprise document management solution plays a crucial role in supporting a large number of document types and managing a high volume of document-based transactions each day. Given its business-critical nature, the document management solution is hosted redundantly across two geographically separate data center sites: Site A and Site B. Both sites are configured identically to ensure seamless operations.

Each site has a highly available data center network (DCN) that connects to the resilient ArchiSurance wide area network (WAN). Each claim management server is connected to its respective site's DCN, forming a converged network that interconnects servers and storage arrays. A dedicated physical storage array is allocated to the claim management application within each DCN. Additionally, each site houses four powerful physical servers exclusively dedicated to the claim management application. Among these servers, one remains on standby at any given time, while the other three take on specific roles in hosting the document, workflow, and application engines.


The standby server is responsible for monitoring the behavior of the other servers, providing a logging and reporting service. The active servers regularly transmit data to facilitate this monitoring functionality. In the event of a server failure, the standby server steps in to perform resource reallocation, replacing the faulty server. However, this task requires manual intervention from a system administrator to reconfigure the logging and reporting service to adapt to the new environment.


Refer to the Scenario

The IT manager has asked you to model the hardware and networks that support the document management solution. This includes capturing the infrastructure components such as data center sites, servers, storage, and networks. Additionally, you are expected to outline the necessary functionality and services required to enable failover within a server cluster. Given that both data centers share an identical configuration, it is sufficient for Site B to only show the associated networking. Which of the following is the best answer?




- A.
- B.





- C.
- D.



**Answer: B**

Explanation:

Business Layer

- System Administrator is shown as a Business Actor (stick-figure badge).
- Monitor resources is a Business Function (chevron badge) assigned to the System Administrator.

Motivation

- "24/7 availability" is modeled as a Goal,
- "All our services run fully redundantly" as a Requirement.
- Both link into the technology-layer failover design.

Technology Layer

- Monitoring is a Technology Function (up-arrow badge) realized by the standby server.
- Logging and reporting is a Technology ("infrastructure") Service (circle badge) offered by that same node.
- The four physical machines (Document, Workflow, Application, Standby Servers) are all Technology Nodes (the 3D-style server shapes).
- The claim storage is a Technology Artifact (cylinder); the DCNs and WAN are Technology Network elements.

Locations

- Both sites are captured as Location elements (the pin icon), but only Site B's networking is shown to avoid unnecessary duplication.

Fail-over Flow

- Arrows from the active servers into the Monitoring function capture the regular "heartbeat."
- The standby node realizes Monitoring and Logging/Reporting, and a manual triggering relationship back to the System Administrator models the human re-configuration step.

### NEW QUESTION # 20

Please read this scenario prior to answering the question

ArchiAir Catering Services (ACS) manages the catering services for ArchiAir, a leading airline.

ACS is the sole catering supplier for all ArchiAir flights, and its services include full provisioning to the aircraft.

Currently, ACS operates three central production facilities, supported by distribution hubs and local pre-flight production facilities.

The central production facilities are responsible for producing standardized non-food materials (such as plates, cutlery, and boxes), non-perishable food products, and key ingredients required by the local production facilities. These materials are subsequently

distributed to the distribution hubs, which also serve as warehouses for the local production facilities. Within the local production facilities, multiple production machines are utilized, each featuring dedicated workstations for chefs and quality inspectors. Most of the local production facilities employ fully automated assembly lines, including built-in packaging stations.

The loaded service trolleys are then transported to the aircraft using small lorries.


In response to investor pressure for ArchiAir to reduce its carbon footprint, the CEO of ACS has announced a plan to address this environmental concern. Subsequently, the Ministry of Social Welfare and Health has enacted a law mandating a reduction in CO2 emissions from all production facilities by the end of the year. Additionally, the airline's decision to raise ticket prices due to escalating fuel costs has led to a decrease in passenger numbers. This, in turn, impacts the volume of non-food materials required from ACS. An internal investigation has produced a report highlighting the potential benefits of centralizing production facilities and reducing the number of distribution centers. Such changes would result in lower CO2 emissions while still effectively meeting all the requirements of ArchiAir.

In addition to evaluating its supply chain to reduce its carbon footprint, ArchiAir is taking proactive steps to achieve a net zero carbon footprint for its IT operations. The Chief Information Officer (CIO) has identified two crucial requirements to support this endeavor. The first requirement involves switching to renewable energy for ACS facilities, which are often located in remote areas where traditional fuels are the primary source of energy. To align with sustainability goals, ArchiAir aims to transition these facilities to renewable energy sources. By utilizing renewable energy, ArchiAir can significantly reduce its reliance on traditional fuels and contribute to a greener operation. The second requirement pertains to the scalability of ArchiAir's IT operations, taking into account the airline's susceptibility to seasonal changes in demand. The CIO has observed notable disparities between sites that have additional blade servers and can scale their capacity, and sites that solely rely on the two mainframes housed in central facilities. A comprehensive report has revealed that the blade servers have a negligible impact on resource waste, whereas the mainframes are notorious for their power inefficiency, particularly during periods of low demand.


Refer to the Scenario

Which of the following answers best describes the proposed transition from baseline to target, including details of motivation for changes? Note that there is no need to show the details of the target state.


- A.




- B.



- C.



• D.



**Answer: B**

Explanation:

This model clearly shows the "baseline → motivations → target" plateau map with all of the Motivation elements correctly typed and the single, blank target plateau on the right. It has:

- A dashed-box Plateau on the left containing "ACS central production," "Non-Food Material," "Local trucking," "ACS local production" and "Fully automated assembly line."
- All of the Motivation elements in the middle (Driver "Comply with laws and regulations," Assessment "CO2 emission above norm," Requirement "CO2 within legal regulations," Goal "Decrease CO2 emission," Plateau "Production facilities centralized," Requirement "Fewer distribution centers," plus the Goal "Amount of CO2 emission").
- The correct ArchiMate badges (gear for Driver, magnifier for Assessment, key-bullet for Requirements, target for Goals, scribble for Plateau) and the right influence/composition flows.
- A dashed-box Plateau on the right labelled "Target," left empty per the brief.

**NEW QUESTION # 21**

Please read this scenario prior to answering the question

ArchiCar has been a market leader in the premium priced luxury car sector for the last decade. Its product leadership strategy has brought superior products to market, and enabled ArchiCar to achieve premium prices for its cars. This strategy has been widely successful in the past, but recently competitors have been offering comparable products and taking significant market share.

The governing board of ArchiCar has identified opportunities in emerging markets where the ArchiCar brand is associated with luxury and high performance products, but is thought to be too expensive for mass-market success. Based on this assessment, the board has made the decision to setup a subsidiary company to mass-produce affordable cars locally. This will be achieved by focusing on a strategy of operational excellence. Such a strategy is ideal for such markets where customers value cost over other factors.

To facilitate this strategic transformation, the project has been divided into multiple phases within a five-year program. The initial phase, known as "Achieving Operational Excellence," is underway. The engineering team has begun devising an action plan to drive the necessary changes and outlining the technological conditions that must be met. The product architect has identified three current

capabilities - industry-leading engineering, high-quality materials sourcing, and cutting-edge focussed R&D - along with their contributions to the new production philosophy.


Moving forward, it has been determined that two out of the three current capabilities require revision. Materials sourcing needs to be adjusted to meet optimization demands, and R&D targets must align with future goals to enable affordable production. Additionally, process engineering is introduced as a fourth capability to shift the company's focus from products to a process-oriented approach. The Enterprise Architecture team has been tasked with migration planning, and identifying key work packages and deliverables. They have identified two transition states between the current and future scenario. The first transition aims to adjust current capabilities, including revising the R&D approach and procurement strategy. The second transition aims to shift from a product-centric mindset to a process-focused approach and adjust materials sourcing accordingly. It is important to consider existing supplier contracts that cannot be immediately canceled during this process.

The Enterprise Architecture team has identified that the second transition must implement a process framework, in order to shift to a process focus and meet a number of requirements, including the requirement for end-to-end process thinking. As this requirement impacts procurement processes, it also impacts the procurement strategy.


Refer to the Scenario

You have been tasked with modeling the current capabilities of ArchiCar, identifying the capabilities necessary for the company to achieve Operational Excellence, and showing the motivations behind these changes.


Which of the following models best answers this?




- A.
- B.



- C.



- D.



**Answer: D**

Explanation:

This diagram shows all three of the existing capabilities, the new "Process Engineering" capability, the two requirements to realign R&D and to adjust sourcing, the two high-level goals of

"Product Leadership" and "Operational Excellence," and (critically) the "Process is key"/"Develop process focus" requirement feeding back into the procurement strategy.

## NEW QUESTION # 22

.....

You must want to know your scores after finishing exercising our OGA-032 study guide, which help you judge your revision. Now, our windows software and online test engine of the OGA-032 real exam can meet your requirements. You can choose from two modules: virtual exam and practice exam. Then you are required to answer every question of the OGA-032 Exam Materials. And they will show the scores at the time when you finish the exam.

**Valid OGA-032 Exam Materials:** <https://www.troytecdumps.com/OGA-032-troytec-exam-dumps.html>

- OGA-032 Current Exam Content Examcollection OGA-032 Vce Valid Dumps OGA-032 Book Search for OGA-032 on [www.pdf.dumps.com](http://www.pdf.dumps.com) immediately to obtain a free download New OGA-032 Exam Topics
- OGA-032 Current Exam Content OGA-032 Valid Dumps Book Reliable OGA-032 Braindumps Sheet Simply search for [ OGA-032 ] for free download on [www.pdfvce.com](http://www.pdfvce.com) OGA-032 Current Exam Content
- OGA-032 Valid Test Duration OGA-032 Learning Engine New OGA-032 Test Price Search for **OGA-032** and download it for free immediately on [www.vce4dumps.com](http://www.vce4dumps.com) Examcollection OGA-032 Vce
- HOT OGA-032 Practice Mock: ArchiMate 3 Part 2 Exam - Latest The Open Group Valid OGA-032 Exam Materials Open [www.pdfvce.com](http://www.pdfvce.com) enter OGA-032 and obtain a free download OGA-032 Learning Engine
- Reliable OGA-032 Braindumps Sheet Valid Dumps OGA-032 Book OGA-032 Free Exam Dumps Easily obtain OGA-032 for free download through [www.prep4away.com](http://www.prep4away.com) Reliable OGA-032 Exam Braindumps
- Free PDF Quiz 2026 The Open Group Trustable OGA-032: ArchiMate 3 Part 2 Exam Practice Mock Immediately open [www.pdfvce.com](http://www.pdfvce.com) and search for OGA-032 to obtain a free download OGA-032 New Dumps Free
- Free PDF Quiz 2026 The Open Group Trustable OGA-032: ArchiMate 3 Part 2 Exam Practice Mock Search for OGA-032 and download exam materials for free through [www.examcollectionpass.com](http://www.examcollectionpass.com) OGA-032 Discount Code
- Examcollection OGA-032 Vce OGA-032 Discount Code OGA-032 Latest Braindumps Files Open website [www.pdfvce.com](http://www.pdfvce.com) and search for OGA-032 for free download Examcollection OGA-032 Vce
- OGA-032 Learning Engine New OGA-032 Exam Topics OGA-032 Discount Code ([www.verifiedumps.com](http://www.verifiedumps.com)) is best website to obtain OGA-032 for free download Training OGA-032 For Exam
- Quiz 2026 Trustable OGA-032: ArchiMate 3 Part 2 Exam Practice Mock Open [www.pdfvce.com](http://www.pdfvce.com) and search for OGA-032 to download exam materials for free Practical OGA-032 Information
- OGA-032 Valid Test Duration OGA-032 Exam Vce OGA-032 New Dumps Free Easily obtain OGA-032 for free download through [www.examcollectionpass.com](http://www.examcollectionpass.com) New OGA-032 Test Price
- [thesocialcircles.com](http://thesocialcircles.com), [kaitlynrrwfl35994.dailyblogzz.com](http://kaitlynrrwfl35994.dailyblogzz.com), [modernbookmarks.com](http://modernbookmarks.com), [socialbaskets.com](http://socialbaskets.com), [loanbookmark.com](http://loanbookmark.com), [blakebaiy984803.iyublog.com](http://blakebaiy984803.iyublog.com), [teganksza244577.techionblog.com](http://teganksza244577.techionblog.com), [joyceaec623226.azzablog.com](http://joyceaec623226.azzablog.com), [gregoryakvul88597.webbuzzfeed.com](http://gregoryakvul88597.webbuzzfeed.com), [bookmarkpagerank.com](http://bookmarkpagerank.com), Disposable vapes