

# What are the Benefits of Preparing with the Real4test Salesforce PDII-JPN Exam Dumps?



Unlike other kinds of exam files which take several days to wait for delivery from the date of making a purchase, our PDII-JPN study materials can offer you immediate delivery after you have paid for them. The moment you money has been transferred to our account, and our system will send our PDII-JPN training dumps to your mail boxes so that you can download PDII-JPN exam questions directly. It is fast and convenient out of your imagination.

As is known to us, people who want to take the PDII-JPN exam include different ages, different fields and so on. It is very important for company to design the PDII-JPN study materials suitable for all people. However, our company has achieved the goal. We can promise that the PDII-JPN Study Materials from our company will be suitable all people. Now we are going to make an introduction about the PDII-JPN study materials from our company for you. We sincerely hope that our study materials will help you achieve your dream.

>> PDII-JPN Practice Engine <<

## New Salesforce PDII-JPN Cram Materials & Excellect PDII-JPN Pass Rate

Once you submit your practice, the system of our PDII-JPN exam quiz will automatically generate a report. The system is highly flexible, which has short reaction time. So you will quickly get a feedback about your exercises of the PDII-JPN preparation questions. For example, it will note that how much time you have used to finish the PDII-JPN Study Guide, and how much marks you got for your practice as well as what kind of the questions and answers you are wrong with.

## Salesforce Sample Questions (Q143-Q148):

### NEW QUESTION # 143

Salesforce 管理者と Cloud Kicks は、米国内のすべての郵便番号とその郵便番号が属する Cloud Kicks 販売地域を保存するために、Region\_c というカスタム オブジェクトを作成しました。

Cloud Kicks は、リードの郵便番号に基づいてリージョンを設定するためのリード上のトリガーを必要としています。

この要求を満たす最も効率的な方法はどのコード セグメントですか？

- A. ☐
- B. ☐
- C. ☒
- D. ☐

Answer: C

Explanation:

The most efficient way to populate the Region field on the Lead based on the zip code is to use a Map to store the Region\_\_c records keyed by the Zip\_Code\_\_c field. This way, the developer can avoid querying the Region\_\_c object for each Lead record, which would cause a SOQL limit exception. Instead, the developer can query the Region\_\_c object once and store the results in the Map. Then, the developer can loop through the Lead records and use the Map to get the corresponding Region\_\_c record based on the Zip\_Code\_\_c field. This approach reduces the number of SOQL queries and improves the performance of the trigger.

#### NEW QUESTION # 144

開発者は、「監査人」という名前のカスタムプロフィールに割り当てられたユーザーが、アカウントオブジェクトに関連するタスクに対して検索を実行できるようにする、履歴タスクレポート機能を実装する必要があります。

開発者は、検索で 12 ～ 24 か月前のタスクを返すことができることを確認する必要があります。削除されたタスクは除外し、アーカイブされているかどうかに関係なくタスクを含める必要があります。

次のコードの場合、L2 から 24 か月までの範囲のタスクを取得する有効な方法として、プレースホルダーにどの select ステートメントを挿入する必要がありますか？

- A. ☐
- B. ☐
- C. ☐
- D. ☒

**Answer: D**

Explanation:

To retrieve Tasks that are between 12 and 24 months old, we need to use a SOQL query that filters based on the CreatedDate. The query must exclude deleted records and include both active and archived tasks. Since Tasks can be archived after a certain period (typically 12 months), we must ensure the query includes these as well.

\* Option C is correct because it uses ALL ROWS in the SOQL query, which includes both active and archived (soft-deleted) records. The query also correctly uses a range for CreatedDate to ensure it selects Tasks created between 12 to 24 months ago.

\* Option A is incorrect because it does not include the ALL ROWS keyword, which is necessary to include archived Tasks in the results.

\* Option B is incorrect because it only retrieves Tasks created in the last 12 months, not between 12 to 24 months ago.

\* Option D is incorrect because it does not filter Tasks based on their creation date correctly to include only those that are between 12 and 24 months old.

References:

Salesforce Developer Documentation on SOQL and SOSL Reference: SOQL and SOSL Reference  
Salesforce Developer Documentation on Working with Archived Records: Working with Archived Records

#### NEW QUESTION # 145

ユニバーサルコンテナズは、顧客サポートケースの管理にカスタムSalesforceアプリケーションを使用しています。サポートチームは、特定のケースを解決するために外部パートナーと連携する必要があります。しかし、外部パートナーと共有するケースの可視性とアクセスを制御したいと考えています。この要件を満たすのに役立つSalesforceの機能はどれでしょうか？

- A. ロール階層25
- B. 基準に基づく共有ルール26
- C. Apex管理共有23
- D. 共有セット24

**Answer: D**

Explanation:

28

When dealing with External Users (Community/Experience Cloud users), standard sharing mechanisms like Role Hierarchies often do not apply, especially for high-volume Customer Community licenses which do not use the Role Hierarchy at all.

Sharing Sets (Option B) are specifically designed to grant external users access to records associated with their Account or Contact.

A Sharing Set allows an administrator to define a simple mapping: for example,

"Grant access to Cases where the Case's Account matches the User's Account." This is the most efficient and scalable way to provide external partners visibility into records relevant to them without using complex Apex code.

While Apex managed sharing (Option A) could technically work, it is much more complex to maintain and is only available for "Customer Community Plus" or "Partner" licenses. Criteria-based sharing rules (Option D) are typically used for internal users or broad groups, not for granular, account-specific access for individual external partners. Sharing Sets provide a high-performance, declarative solution for controlling external record visibility.

#### NEW QUESTION # 146

テストクラスで Visualforce ページを  
初期化するベストプラクティスは何ですか?

- A. コントローラーを使用します。現在のページ。setPage (MyTestPage);
- B. テストを使用します。setCurrentPage MyTestPage;
- C. テストを使用します。currentPage .getParameters put (MyTestPage);
- D. テストを使用します。setCurrentPage (Page.MyTestPage);

**Answer: D**

Explanation:

Test.setCurrentPage(Page.MyTestPage) is used to set the context to a Visualforce page in tests, allowing you to simulate a page request in a test method. References: Apex Developer Guide - Testing Custom Controllers and Controller Extensions

#### NEW QUESTION # 147

開発者は、取引先の最近連絡した 5 人の取引先責任者を表示する取引先レコードページの Lightning Web コンポーネントを作成しました。Apex メソッド Contacts は連絡先のリストを返し、コンポーネントのプロパティに関連付けられます。

Apex メソッドを接続できるようにするには、上記のコードのどの 2 行を変更する必要がありますか?  
2 つの答えを選択してください

- A. 04 行目に public を追加します。
- B. @AuraEnabled {cacheable=true} を 08 行目に追加します。
- C. 09 行目から private を削除します。
- D. @AuraEnabled {cacheable=true} を行 03 に追加します。

**Answer: B,C**

Explanation:

To make an Apex method callable from a Lightning Web Component, you need to annotate the method with @AuraEnabled and mark it as cacheable if it's only retrieving data without modifying it. Additionally, the method must be public to be accessible from the component.

Line 04: Needs @AuraEnabled(cacheable=true) to allow the method to be called from the Lightning Web Component and indicate that the method doesn't modify any data, making it suitable for caching.

Line 09: The method getFiveMostRecent should not be private because private methods cannot be called from a Lightning Web Component. Changing it to public (or default, which is equivalent to public within the same namespace) is required.

References:

Lightning Web Components and Salesforce Data: Developer Documentation

@AuraEnabled Annotation: Apex Developer Guide

#### NEW QUESTION # 148

.....

Do you want to try our free demo of the PDII-JPN study questions? Your answer must be yes. So just open our websites in your computer. You will have easy access to all kinds of free trials of the PDII-JPN practice materials. You can apply for many types of PDII-JPN Exam simulation at the same time. Once our system receives your application, it will soon send you what you need. Please ensure you have submitted the right email address. And you will have the demos to check them out.

**New PDII-JPN Cram Materials:** [https://www.real4test.com/PDII-JPN\\_real-exam.html](https://www.real4test.com/PDII-JPN_real-exam.html)

In addition, simplifying the Salesforce Developers PDII-JPN exam installation process can save your time and energy, So please

- [illegible]