

NCM-MCI Testking, NCM-MCI German



NCM-MCI Exam Details

Exam Name	Nutanix Certified Master - Multicloud Infrastructure
Exam Code	NCM-MCI
Exam Price	\$299 USD
Duration	180 minutes
Number of Questions	16-20
Passing Score	3000/1000-6000
Recommended Training / Books	Advanced Administration & Performance Management (AAPM) v6.5
Schedule Exam	Nutanix
Sample Questions	Nutanix NCM-MCI Sample Questions
Recommended Practice	Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) Practice Test

Außerdem sind jetzt einige Teile dieser It-Prüfung NCM-MCI Prüfungsfragen kostenlos erhältlich: <https://drive.google.com/open?id=131HBwtQUfbq9d6pMXLSTypSk534GoBc>

It-Prüfung verspricht den Kunden, dass Sie die Nutanix NCM-MCI IT-Zertifizierungsprüfung 100% bestehen können. Die Qualität von It-Prüfung wird nach den IT-Experten überprüft. Das wichtigste Merkmal unserer Produkte ist ihre Relevanz. Der Schulungskurs dauert nur 20 Stunden. Und Sie werden die Nutanix NCM-MCI Zertifizierungsprüfung dann mühelos bestehen. Wenn Sie It-Prüfung wählen, werden Sie dann sicher nicht bereuen. Denn es wird Ihnen Erfolg bringen.

Die Chance sind für die Menschen, die gut vorbereitet sind. Wenn Sie vor dem Einstieg des Berufslebens schon die Zertifizierung der Nutanix NCM-MCI erworbt haben, sind Sie gut bereit für die Jobsuche. Die Nutanix NCM-MCI zu bestehen ist tatsächlich nicht leicht. Trotzdem haben schon zahlreiche Leute mit Hilfe der Nutanix NCM-MCI Prüfungsunterlagen, die von uns It-Prüfung angeboten werden, die Prüfung erfolgreich bestanden. Möchten Sie einer von ihnen zu werden? Dann lassen Sie unsere Produkte Ihnen helfen!

>> NCM-MCI Testking <<

NCM-MCI aktueller Test, Test VCE-Dumps für Nutanix Certified Master - Multicloud Infrastructure v6.10

Wissen Sie Nutanix NCM-MCI Dumps von It-Prüfung? Warum sind diese Dumps von den Benutzern gut bewertet? Wollen Sie diese Dumps probieren? Klicken Sie bitte It-Prüfung Website und die Demo herunterladen. Und jedr Fragenkatalog hat eine kostenlose Demo. Wenn Sie es gut finden, können Sie diese Dumps sofort kaufen. Nach dem Kauf können Sie auch einen einjährigen kostenlosen Aktualisierungsservice bekommen. Innerhalb eines Jahres können Sie die neuesten Nutanix NCM-MCI

Prüfungsunterlagen besitzen. Damit können Sie Nutanix NCM-MCI Zertifizierungsprüfung sehr leicht bestehen und dieses Zertifikat bekommen.

Nutanix Certified Master - Multicloud Infrastructure v6.10 NCM-MCI Prüfungsfragen mit Lösungen (Q10-Q15):

10. Frage

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Antwort:

Begründung:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY (Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).
```

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

11. Frage

Task 15

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

12. Frage

Task 8

Depending on the order you perform the exam items, the access information and credentials could change. Please refer to the other item performed on Cluster B if you have problems accessing the cluster.

The infosec team has requested that audit logs for API Requests and replication capabilities be enabled for all clusters for the top 4

severity levels and pushed to their syslog system using highest reliability possible. They have requested no other logs to be included.

Syslog configuration:

Syslog Name: Corp_syslog

Syslog IP: 34.69.43.123

Port: 514

Ensure the cluster is configured to meet these requirements.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the cluster to meet the requirements of the infosec team, you need to do the following steps:

Log in to Prism Central and go to Network > Syslog Servers > Configure Syslog Server. Enter Corp_syslog as the Server Name, 34.69.43.123 as the IP Address, and 514 as the Port. Select TCP as the Transport Protocol and enable RELP (Reliable Logging Protocol). This will create a syslog server with the highest reliability possible.

Click Edit against Data Sources and select Cluster B as the cluster. Select API Requests and Replication as the data sources and set the log level to CRITICAL for both of them. This will enable audit logs for API requests and replication capabilities for the top 4 severity levels (EMERGENCY, ALERT, CRITICAL, and ERROR) and push them to the syslog server. Click Save.

Repeat step 2 for any other clusters that you want to configure with the same requirements.

To configure the Nutanix clusters to enable audit logs for API Requests and replication capabilities, and push them to the syslog system with the highest reliability possible, you can follow these steps:

Log in to the Nutanix Prism web console using your administrator credentials.

Navigate to the "Settings" section or the configuration settings interface within Prism.

Locate the "Syslog Configuration" or "Logging" option and click on it.

Configure the syslog settings as follows:

Syslog Name: Enter "Corp_syslog" as the name for the syslog configuration.

Syslog IP: Set the IP address to "34.69.43.123", which is the IP address of the syslog system.

Port: Set the port to "514", which is the default port for syslog.

Enable the option for highest reliability or persistent logging, if available. This ensures that logs are sent reliably and not lost in case of network interruptions.

Save the syslog configuration.

Enable Audit Logs for API Requests:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and API requests. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

Enable Audit Logs for Replication Capabilities:

In the Nutanix Prism web console, navigate to the "Cluster" section or the cluster management interface.

Select the desired cluster where you want to enable audit logs.

Locate the "Audit Configuration" or "Security Configuration" option and click on it.

Look for the settings related to audit logs and replication capabilities. Enable the audit logging feature and select the top 4 severity levels to be logged.

Save the audit configuration.

After completing these steps, the Nutanix clusters will be configured to enable audit logs for API Requests and replication capabilities. The logs will be sent to the specified syslog system with the highest reliability possible.

ncli

```
<ncli> rsyslog-config set-status enable=false
```

```
<ncli> rsyslog-config add-server name=Corp_Syslog ip-address=34.69.43.123 port=514 network-protocol=tdp relp-enabled=false
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=APLOS level=INFO
```

```
<ncli> rsyslog-config add-module server-name= Corp_Syslog module-name=CEREBRO level=INFO
```

```
<ncli> rsyslog-config set-status enable=true
```

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e0000009CEECA2>

13. Frage

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt. Replace any x in the file with the appropriate character or string. Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks
```

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
```

These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

14. Frage

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.

Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.

Select Anti-Affinity from the drop-down menu and click Next.

Review the group details and click Finish.

I hope this helps. How else can I help?

https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html

15. Frage

.....

Die Schulungsunterlagen zur Nutanix NCM-MCI Zertifizierungsprüfung bestehen aus Testfragen sowie Antworten, die von den erfahrenen IT-Experten aus It-Pruefung durch ihre Praxis und Erforschungen entworfen werden. Die Schulungsunterlagen zur Nutanix NCM-MCI Zertifizierungsprüfung sind zur Zeit die genaueste auf dem Markt. Sie können die Demo auf der Webseite It-Pruefung.de herunterladen. Sie werden Ihr Helfer sein, während Sie sich auf die Nutanix NCM-MCI Zertifizierungsprüfung vorbereiten.

NCM-MCI German: <https://www.it-pruefung.com/NCM-MCI.html>

Nachdem Sie die praktische NCM-MCI Fragen bekommen, müssen Sie probieren, auswendig zu lernen, Die neuesten Schulungsunterlagen zur Nutanix NCM-MCI (Nutanix Certified Master - Multicloud Infrastructure v6.10) Zertifizierungsprüfung von It-Pruefung sind von den Expertenteams bearbeitet, die vielen zum Erfüllen ihres Traums verhelfen, Nutanix NCM-MCI Testking Falls Sie leider durchfallen, vergessen Sie nicht unsere Erstattungsgarantie, Nutanix NCM-MCI Testking Lassen Sie uns Ihnen helfen!

Ihr esst hier und geht dann gleich in euren Schlafsaal sagte sie, Es NCM-MCI Examengine schmiegt sich terrassenförmig erbaut an die Kuppe eines Hügels an; die Wohnungen sind kaum mannshoch und mit flachen Dächern versehen.

NCM-MCI Unterlagen mit echte Prüfungsfragen der Nutanix Zertifizierung

Nachdem Sie die praktische NCM-MCI Fragen bekommen, müssen Sie probieren, auswendig zu lernen, Die neuesten Schulungsunterlagen zur Nutanix NCM-MCI (Nutanix Certified Master - Multicloud Infrastructure v6.10) Zertifizierungsprüfung von NCM-MCI It-Pruefung sind von den Expertenteams bearbeitet, die vielen zum Erfüllen ihres Traums verhelfen.

Falls Sie leider durchfallen, vergessen Sie nicht unsere Erstattungsgarantie, Lassen Sie uns Ihnen helfen, Ich weiß, dass Sie jetzt nicht zufrieden sind und die Schwierigkeit von NCM-MCI realem Test überwinden möchten.

- Die seit kurzem aktuellsten Nutanix NCM-MCI Prüfungsinformationen, 100% Garantie für Ihen Erfolg in der Prüfungen! Suchen Sie auf www.zertpruefung.ch nach "NCM-MCI" und erhalten Sie den kostenlosen Download mühelos NCM-MCI Zertifikatsdemo
- Die seit kurzem aktuellsten Nutanix NCM-MCI Prüfungsinformationen, 100% Garantie für Ihen Erfolg in der Prüfungen! Erhalten Sie den kostenlosen Download von ▶ NCM-MCI ◀ mühelos über [www.itzert.com] NCM-MCI Zertifizierungsfragen
- Die anspruchsvolle NCM-MCI echte Prüfungsfragen von uns garantiert Ihre bessere Berufsaussichten! Geben Sie www.it-pruefung.com ein und suchen Sie nach kostenloser Download von "NCM-MCI" NCM-MCI Deutsch Prüfungsfragen
- NCM-MCI Prüfungsfrage NCM-MCI Übungsmaterialien NCM-MCI Kostenlos Downloaden ↯ Öffnen Sie die Webseite ➤ www.itzert.com und suchen Sie nach kostenloser Download von ⇒ NCM-MCI ⇐ NCM-MCI Fragen Beantworten
- Kostenlose Nutanix Certified Master - Multicloud Infrastructure v6.10 vce dumps - neueste NCM-MCI examcollection Dumps Öffnen Sie die Website « www.deutschpruefung.com » Suchen Sie NCM-MCI Kostenloser Download NCM-MCI Simulationsfragen
- Die seit kurzem aktuellsten Nutanix NCM-MCI Prüfungsinformationen, 100% Garantie für Ihen Erfolg in der Prüfungen! URL kopieren [www.itzert.com] Öffnen und suchen Sie "NCM-MCI" Kostenloser Download NCM-MCI Schulungsunterlagen
- NCM-MCI Nutanix Certified Master - Multicloud Infrastructure v6.10 Pass4sure Zertifizierung - Nutanix Certified Master - Multicloud Infrastructure v6.10 zuverlässige Prüfung Übung Suchen Sie auf [www.deutschpruefung.com] nach kostenlosem Download von ▶ NCM-MCI ◀ NCM-MCI Simulationsfragen
- Kostenlose Nutanix Certified Master - Multicloud Infrastructure v6.10 vce dumps - neueste NCM-MCI examcollection Dumps Suchen Sie einfach auf ➡ www.itzert.com nach kostenloser Download von NCM-MCI NCM-MCI Fragen&Antworten
- NCM-MCI Nutanix Certified Master - Multicloud Infrastructure v6.10 Pass4sure Zertifizierung - Nutanix Certified Master - Multicloud Infrastructure v6.10 zuverlässige Prüfung Übung Öffnen Sie ➡ www.zertpruefung.ch geben Sie (NCM-MCI) ein und erhalten Sie den kostenlosen Download NCM-MCI Deutsch Prüfung

- NCM-MCI Bestehen Sie Nutanix Certified Master - Multicloud Infrastructure v6.10! - mit höhere Effizienz und weniger Mühen □ URL kopieren “ www.itzert.com ” Öffnen und suchen Sie [NCM-MCI] Kostenloser Download □ NCM-MCI Schulungsangebot
- NCM-MCI Zertifikatsdemo □ NCM-MCI Prüfungsfrage □ NCM-MCI Zertifizierungsfragen □ Suchen Sie auf ☼ www.deutschpruefung.com □ ☼ □ nach kostenlosem Download von ► NCM-MCI □ □ NCM-MCI Prüfungsfrage
- 7prbookmarks.com, total-bookmark.com, gregoryswtc160831.wikirecognition.com, bookmarks-hit.com, active-bookmarks.com, dillanzaqv365869.wikiannouncing.com, socialmediainuk.com, xandermwuu965139.livebloggs.com, siambookmark.com, alexisimport.com, Disposable vapes

P.S. Kostenlose und neue NCM-MCI Prüfungsfragen sind auf Google Drive freigegeben von It-Pruefung verfügbar:
<https://drive.google.com/open?id=131HBwtQUfbq9d6pMXLSTyrpSk534GoBc>