


C-ADBTP-2601 Exam Voucher, Reliable C-ADBTP-2601 Study Notes



TestPassKing guarantees that if you use the product, you will pass the exam on your first try. Its primary goal is to save students time and money, not just conduct a business transaction. Candidates can take advantage of the free trials to evaluate the quality and standard of the C-ADBTP-2601 Dumps before making a purchase. With the right Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) study material and support team passing the examination at first attempt is an achievable goal.

We can promise that you would like to welcome this opportunity to kill two birds with one stone. If you choose our C-ADBTP-2601 Test Questions as your study tool, you will be glad to study for your exam and develop self-discipline, our C-ADBTP-2601 latest question adopt diversified teaching methods, and we can sure that you will have passion to learn by our products. We believe that our products will help you successfully pass your exam and hope you will like our product.

>> C-ADBTP-2601 Exam Voucher <<

First-Grade SAP C-ADBTP-2601: Administrating SAP Business Technology Platform(C_ADBTP_2601) Exam Voucher - Pass-Sure TestPassKing Reliable C-ADBTP-2601 Study Notes

TestPassKing offers web-based C-ADBTP-2601 practice exams and desktop Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) practice test software so that our customers can give unlimited SAP C-ADBTP-2601 practice tests and make themselves perfect by tracking their mistakes. The progress of previously given Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) practice tests are saved in the history so that the customers

can assess it and avoid mistakes in future exams and pass Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) certification exam easily.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 11

SIMULATION

Task 2: Create Subaccounts in a Directory

In the Partner directory, create the subaccount AM PA Dev Test (Description: Partner Development and Testing) with subdomain btpops#####-am-pa-dev-test in the region Microsoft Azure → US West (WA) cf-us20.

In the Partner directory, create the subaccount AM PA Prod (Description: Partner Production) with subdomain btpops#####-am-pa-prod using AM PA Dev Test as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Task 2 - Create Subaccounts in a Directory

You must create these two subaccounts inside the Partner directory:

AM PA Dev Test

AM PA Prod

Important:

Replace ##### with your global account number

Enter all names and subdomains exactly

Be careful with hyphens and spaces

AM PA Prod must be marked as used in production

Before You Start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both subaccounts in this task must be created inside the Partner directory. If you create them under the global account or another directory, the task will be wrong.

Step 1 - Open the Partner Directory

What to do

In the left menu, click Directories.

In the directory list, select Partner.

Explanation:

The Partner directory is the container where both required subaccounts must be created.

What to verify

You should now be inside the Partner directory page.

Step 2 - Start Creating the First Subaccount

What to do

Inside the Partner directory, go to Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

What to verify

You should now see the form for creating a new subaccount.

Step 3 - Enter Data for AM PA Dev Test

What to do

Enter the following values:

Display Name / Name: AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Then choose the region:

Cloud Provider: Microsoft Azure

Region: US West (WA)

Environment / Technical Region: cf-us20

After checking all values, click Create.

Explanation:

This creates the development and testing subaccount for the Partner directory.

The important points are:

the subaccount name must match exactly

the subdomain must include your account number in place of #####

the region must be Microsoft Azure → US West (WA) cf-us20

What to verify

After creation, you should see the new subaccount:

AM PA Dev Test

inside the Partner directory.

Step 4 - Confirm the First Subaccount Exists

What to do

Check the subaccounts list under Partner.

Explanation:

Before creating the production subaccount, confirm that AM PA Dev Test was created successfully, because it will be used as the

source subaccount for the next step.

What to verify

You should see:

AM PA Dev Test

If it is not there, do not continue until it is created correctly.

Step 5 - Start Creating the Second Subaccount

What to do

Still inside the Partner directory, click Create → Subaccount again.

Explanation:

This opens a new subaccount creation form for the production subaccount.

Step 6 - Enter Data for AM PA Prod

What to do

Enter the following values:

Display Name / Name: AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Then set:

Source Subaccount: AM PA Dev Test

Enable the production setting:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production subaccount by using AM PA Dev Test as the source subaccount.

Using a source subaccount means SAP BTP copies base settings from the selected source, which helps keep configuration aligned.

The production indicator is mandatory here because this is the production subaccount.

What to verify

After creation, you should see:

AM PA Prod

inside the Partner directory, and it should be marked as a production subaccount.

Final Expected Result for Task 2

Inside the Partner directory, you must have these two subaccounts:

1. AM PA Dev Test

Description: Partner Development and Testing

Subdomain: btpops#####-am-pa-dev-test

Region: Microsoft Azure → US West (WA) cf-us20

2. AM PA Prod

Description: Partner Production

Subdomain: btpops#####-am-pa-prod

Source Subaccount: AM PA Dev Test

Used in Production: Yes

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong place

Both subaccounts must be created in:

Partner directory

Not in:

Global Account

Americas

Eurasia

Human Resources

2. Wrong subdomain format

Use exactly:

btpops#####-am-pa-dev-test

btpops#####-am-pa-prod

Replace only ##### with your global account number.

Do not:

remove hyphens

add spaces

misspell dev-test or pa-prod

3. Wrong region for AM PA Dev Test

It must be:

Microsoft Azure
US West (WA)
cf-us20

4. Forgetting the source subaccount for AM PA Prod

You must select:

AM PA Dev Test

as the source subaccount.

5. Forgetting the production flag

For AM PA Prod, make sure:

Used in Production is enabled

NEW QUESTION # 12

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain `bt pops#####-sh-dev` in the region Amazon Web Services (AWS) → Europe (Frankfurt) `cf-eu10`.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain `bt pops#####-sh-ops` in the region Amazon Web Services (AWS) → Europe (Frankfurt) `cf-eu10`.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.

Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops#####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development
Subdomain: btpops#####-sh-dev
Region: AWS → Europe (Frankfurt) cf-eu10
SH Ops

Description: Shared Services Operations
Subdomain: btpops#####-sh-ops
Region: AWS → Europe (Frankfurt) cf-eu10

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpops#####-sh-dev

btpops#####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

NEW QUESTION # 13

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.

Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.

What to verify

You should see the entitlements page for Partner.

Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management.

Click Enable.

Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.

What to verify

After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.

Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition

plan: standard (Application)

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

NEW QUESTION # 14

.....

Your selection on the right tool to help you pass the C-ADBTP-2601 exam and get the according certification matters a lot for the right C-ADBTP-2601 exam braindumps will spread you a lot of time and efforts. Our C-ADBTP-2601 Study Guide is the most reliable and popular exam product in the market for we only sell the latest C-ADBTP-2601 practice engine to our clients and you can have a free trial before your purchase.

Reliable C-ADBTP-2601 Study Notes: <https://www.testpassking.com/C-ADBTP-2601-exam-testking-pass.html>

So the total amounts of the clients and the sales volume of our C-ADBTP-2601 learning file is constantly increasing. The answer is C-ADBTP-2601 Certification can help you prove your strength and increase social competitiveness, Now please take a thorough look about the features of the C-ADBTP-2601 real dumps as follow and you will trust our products, so does our services, If you exactly browse our C-ADBTP-2601 exam preparatory materials and want to know more about our C-ADBTP-2601 actual lab questions: Administrating SAP Business Technology Platform(C_ADBTP_2601).

The first part of the chapter covers basic C-ADBTP-2601 Java concepts, He has served as engineering manager for Intel, Motorola, and Emerson, So the total amounts of the clients and the sales volume of our C-ADBTP-2601 learning file is constantly increasing.

Reliable C-ADBTP-2601 Practice Exam Learning Materials: Administrating SAP Business Technology Platform(C_ADBTP_2601) - TestPassKing

The answer is C-ADBTP-2601 Certification can help you prove your strength and increase social competitiveness, Now please take a thorough look about the features of the C-ADBTP-2601 real dumps as follow and you will trust our products, so does our services.

If you exactly browse our C-ADBTP-2601 exam preparatory materials and want to know more about our C-ADBTP-2601 actual lab questions: Administrating SAP Business Technology Platform(C_ADBTP_2601), If you want to schedule the exam then, you Test C-ADBTP-2601 Engine can pay directly with a credit card, or redeem a voucher you've purchased from SAP.

- Web-Based SAP C-ADBTP-2601 Practice Test Search for "C-ADBTP-2601" and obtain a free download on www.dumpsmaterials.com Latest C-ADBTP-2601 Exam Fee
- Valid C-ADBTP-2601 Exam Voucher - Fantastic - 100% Pass-Rate C-ADBTP-2601 Materials Free Download for SAP C-ADBTP-2601 Exam Go to website www.pdfvce.com open and search for [C-ADBTP-2601] to download for free C-ADBTP-2601 Online Version
- Valid C-ADBTP-2601 Exam Voucher - Fantastic - 100% Pass-Rate C-ADBTP-2601 Materials Free Download for SAP C-ADBTP-2601 Exam Open www.practicevce.com enter [C-ADBTP-2601] and obtain a free download C-ADBTP-2601 Download Pdf
- Valid Test C-ADBTP-2601 Test Latest C-ADBTP-2601 Exam Fee C-ADBTP-2601 Reliable Real Test Search for (C-ADBTP-2601) on 《 www.pdfvce.com 》 immediately to obtain a free download C-ADBTP-2601 Reliable Real Test
- Reliable C-ADBTP-2601 Test Objectives Exam Questions C-ADBTP-2601 Vce C-ADBTP-2601 Valid Exam Bootcamp Download C-ADBTP-2601 for free by simply entering www.prep4away.com website C-ADBTP-2601 Exam Tips

- C-ADBTP-2601 Online Version Exam C-ADBTP-2601 Online C-ADBTP-2601 Test Dumps.zip Open website ⇒ www.pdfvce.com ⇐ and search for 《 C-ADBTP-2601 》 for free download Reliable C-ADBTP-2601 Test Objectives
- C-ADBTP-2601 Test Dumps.zip Reliable C-ADBTP-2601 Exam Testking C-ADBTP-2601 Valid Exam Bootcamp Simply search for 「 C-ADBTP-2601 」 for free download on ► www.exam4labs.com C-ADBTP-2601 Test Dumps.zip
- Web-Based SAP C-ADBTP-2601 Practice Test Simply search for ✓ C-ADBTP-2601 ✓ for free download on ☀ www.pdfvce.com ☀ C-ADBTP-2601 Books PDF
- Using SAP C-ADBTP-2601 Dumps, Improve Your Exam Skills Enter 《 www.examcollectionpass.com 》 and search for C-ADBTP-2601 to download for free C-ADBTP-2601 Online Version
- High-quality C-ADBTP-2601 Exam Voucher, Reliable C-ADBTP-2601 Study Notes Open 【 www.pdfvce.com 】 and search for ➡ C-ADBTP-2601 to download exam materials for free Study C-ADBTP-2601 Materials
- C-ADBTP-2601 Valid Exam Bootcamp Study C-ADBTP-2601 Materials C-ADBTP-2601 Download Pdf Open website ➡ www.prep4sures.top and search for ➡ C-ADBTP-2601 for free download Exam C-ADBTP-2601 Online
- onlyfans.com, www.spatial.io, kumu.io, www.flirtic.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, lms.ait.edu.za, developer.codesys.cn, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes