

Latest Oracle 1z0-076 Test Question & 1z0-076 Exam Simulator Fee



DOWNLOAD the newest TorrentVCE 1z0-076 PDF dumps from Cloud Storage for free: <https://drive.google.com/open?id=1VEZjsNVuCJkyQCB3miq65mcOFWuH80zP>

Our company committed all versions of 1z0-076 practice materials attached with free update service. When 1z0-076 exam preparation has new updates, the customer services staff will send you the latest version. So we never stop the pace of offering the best services and 1z0-076 practice materials for you. And we offer you the free demo of our 1z0-076 Learning Materials to check the quality before payment. Tens of thousands of candidates have fostered learning abilities by using our 1z0-076 Learning materials you can be one of them definitely.

Oracle 1z0-076 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Using Flashback Database in a Data Guard Configuration: This topic covers the configuration and advantages of using Flashback Database in a Data Guard setup, as well as the process of enabling fast-start failover for seamless role changes.
Topic 2	<ul style="list-style-type: none">Managing Physical Standby Files After Structural Changes on the Primary Database: The topic covers managing structural changes in the primary database and their impact on physical standby files.
Topic 3	<ul style="list-style-type: none">Enhanced Client Connectivity in a Data Guard Environment: This topic focuses on enhancing client connectivity in a Data Guard setup and implementing failover procedures for seamless client redirection. It also covers application continuity to ensure uninterrupted operations during role transitions.
Topic 5	<ul style="list-style-type: none">Using Oracle Active Data Guard: Supported Workloads in Read-Only Standby Databases: Here, the usage of physical standby databases for real-time queries is discussed.
Topic 6	<ul style="list-style-type: none">Monitoring a Data Guard Broker Configuration: The topic covers the use of Enterprise Manager and DGMGRL to monitor Data Guard configurations and explains the various data protection modes available.

Topic 8	<ul style="list-style-type: none"> • Backup and Recovery Considerations in an Oracle Data Guard Configuration: In this topic, Backup and recovery procedures in a Data Guard configuration are discussed, including RMAN backups, offloading to physical standby, and network-based recovery.
Topic 9	<ul style="list-style-type: none"> • Creating a Logical Standby Database: This topic guides users through the process of creating and managing a logical standby database, including SQL Apply filtering.
Topic 10	<ul style="list-style-type: none"> • Performing Role Transitions: Here, the concept of database roles is explained, along with the steps for performing switchovers, failovers, and maintaining physical standby sessions during role transitions.
Topic 11	<ul style="list-style-type: none"> • Oracle Data Guard Broker Basics: An overview of the Data Guard broker, its architecture, components, benefits, and configurations, is provided here. It serves as an introduction to the tool used for managing Data Guard configurations.

>> Latest Oracle 1z0-076 Test Question <<

Quiz Oracle - Useful 1z0-076 - Latest Oracle Database 19c: Data Guard Administration Test Question

To make sure that our 1z0-076 training braindumps are the best on matter on the content or on the displays, we invite volunteers to experience our 1z0-076 real exam before selling to customers. They will carefully tell their thoughts about our 1z0-076 Study Guide. Sometimes, their useful suggestions will also be adopted. That is the important reason why our 1z0-076 exam materials are always popular in the market.

Oracle Database 19c: Data Guard Administration Sample Questions (Q26-Q31):

NEW QUESTION # 26

You are using Data Guard in conjunction with Global Database Services.

You have a Data Guard Broker configuration called Sales and a GDS pool called Prod.

Which three are true concerning the management of the broker configuration when using GDS?

- A. Performing a role change with DGMGRL automatically notifies GDS which in turn activates the appropriate services.
- B. DGMGRL may be used to add the Sales configuration to the Prod pool in gds.
- C. Adding a database to the Sales configuration with DGMGRL requires that the Sales configuration be disabled first. It must then be enabled after the new database is added to the configuration.
- D. DGMGRL may be used to add a single database to the Sales configuration even if Sales is a member of the Prod pool.
- E. Adding a database to the Sales configuration with DGMGRL automatically adds the database to the Prod Pool.

Answer: A,B,D

Explanation:

In the context of Oracle Data Guard and Global Database Services (GDS):

* DGMGRL may be used to add the Sales configuration to the Prod pool in gds (A): Data Guard Broker's command-line interface DGMGRL can be utilized to manage configurations with GDS, allowing the addition of Data Guard Broker configurations to GDS pools.

* Performing a role change with DGMGRL automatically notifies GDS which in turn activates the appropriate services (B): When a role change is executed using DGMGRL, GDS is automatically notified, and it then activates the services that are appropriate for the new database roles.

* DGMGRL may be used to add a single database to the Sales configuration even if Sales is a member of the Prod pool (C): DGMGRL provides the capability to manage individual databases within a broker configuration, including adding databases to a configuration that is already part of a GDS pool. References:

* Oracle Data Guard Broker documentation

* Oracle Global Data Services documentation

NEW QUESTION # 27

Your Data Guard environment consists of these components and settings:

1. A primary database
 2. Two remote physical standby databases
 3. The redo transport mode is set to sync
 4. Real-time query is enabled for both standby databases
 5. The DB_BLOCK_CHECKING parameter is set to TRUE on both standby databases
- You notice an increase in redo apply lag time on both standby databases.

Which two would you recommend to reduce the redo apply lag on the standby databases?

- A. Increase the size of standby redo log files on the standby databases.
- B. Lower DB_BLOCK_CHECKING to MEDIUM or low on the standby databases.
- C. Increase the size of the buffer cache on the physical standby database instances.
- D. Decrease the redo log file size on the primary database.
- E. Increase the number of standby redo log files on the standby databases.

Answer: A,B

Explanation:

To reduce the redo apply lag on standby databases, one could increase the size of the standby redo log files.

Larger redo log files can accommodate more redo data, which may reduce the frequency of log switches and allow for more continuous application of redo data. Additionally, lowering the DB_BLOCK_CHECKING parameter to MEDIUM or LOW on the standby databases can help improve redo apply performance. High block checking can impose additional CPU overhead during the application of redo data, potentially increasing apply lag times. By reducing the level of block checking, you can lessen this overhead and help reduce the apply lag.

NEW QUESTION # 28

Which TWO statements are true for Data Guard environments with multi-tenant databases?

- A. A multi-tenant standby database can have fewer pluggable databases than the primary container database.
- B. The Data Guard broker automatically always opens the pluggable databases of a standby database after a role change operation.
- C. Different pluggable databases within a logical standby database may have different guard statuses.
- D. The Data Guard broker automatically opens all pluggable databases of a primary database after a role change operation.
- E. The CDBDBA privilege must be used instead of the SYSDBA privilege for connections as SYS to the root container of a multi-tenant standby database.

Answer: A,C

NEW QUESTION # 29

Your Data Guard environment consists of these components and settings:

1. A primary database
2. A remote physical standby database
3. Real-time query is enabled.
4. The redo transport mode is set to SYNC.
5. The protection mode is set to Maximum Availability.

You notice that queries executed on the physical standby database receive errors: ORA-03172:

STANDBY_MAX_DATA_DELAY of 15 seconds exceeded. Which two would you recommend to avoid this error?

- A. Increase the number of standby redo log files on the primary database.
- B. Increase the network bandwidth between the primary and standby databases.
- C. Reduce I/O latency for the storage used by the primary database.
- D. Change the protection mode to Maximum Performance.
- E. Increase the size of the buffer cache on the standby database instance.
- F. Change the protection mode to Maximum Protection.

Answer: B,C

Explanation:

The ORA-03172: STANDBY_MAX_DATA_DELAY error indicates that the real-time query on the physical standby database is experiencing delays beyond the specified maximum data delay threshold. Increasing the network bandwidth (Option E) can enhance the speed at which redo data is transferred from the primary to the standby database, thereby reducing the likelihood of exceeding the STANDBY_MAX_DATA_DELAY threshold. Reducing I/O latency on the primary database's storage (Option B) ensures that redo data is generated and shipped more efficiently, further mitigating the risk of delay. These actions, focused on optimizing data transfer and processing speed, address the root causes of the ORA-03172 error in a synchronous Data Guard configuration operating in Maximum Availability mode.

NEW QUESTION # 30

Which three are prerequisites for enabling Fast-Start Failover?

- A. The configuration must be operating in either Maximum Performance or Maximum Protection mode.
- **B. Flashback Database must be enabled on both the primary database and the Fast-Start Failover target standby database.**
- C. Flashback Database must be enabled only on the Fast-Start Failover target standby database.
- **D. The Data Guard environment must be managed by the Data Guard Broker.**
- E. The maximum protection mode can be used, but with two or more standby databases.
- **F. You can specify only one standby database as the fast-start failover target.**

Answer: B,D,F

Explanation:

To enable Fast-Start Failover in a Data Guard environment, the following conditions must be in place:

- * The Data Guard environment must be managed by the Data Guard Broker (A): The Broker simplifies management tasks and is required to enable fast-start failover, which is an automatic failover mechanism provided by Data Guard.
- * You can specify only one standby database as the fast-start failover target (C): Fast-start failover is designed to fail over to a single, predetermined standby database, known as the target standby.
- * Flashback Database must be enabled on both the primary database and the Fast-Start Failover target standby database (F): Flashback Database provides a quick way to revert a database to a point in time before a logical or physical corruption or error occurred. It must be enabled on both the primary and target standby databases to allow for the possibility of reinstating the old primary as a standby after a failover. References:
- * Oracle Data Guard Concepts and Administration Guide
- * Oracle Database High Availability Overview

NEW QUESTION # 31

.....

In this circumstance, if you are the person who is willing to get 1z0-076 exam prep, our products would be the perfect choice for you. Here are some advantages of our 1z0-076 exam prep, our study materials guarantee the high-efficient preparing time for you to make progress is mainly attributed to our marvelous organization of the content and layout which can make our customers well-focused and targeted during the learning process. As a result, our 1z0-076 Study Materials raise in response to the proper time and conditions while an increasing number of people are desperate to achieve success and become the elite.

1z0-076 Exam Simulator Fee: <https://www.torrentvce.com/1z0-076-valid-vce-collection.html>

- 100% Pass Oracle 1z0-076 - Oracle Database 19c: Data Guard Administration Fantastic Latest Test Question ☐ The page for free download of ☼ 1z0-076 ☐☼☐ on “www.verifiedumps.com” will open immediately ☐ 1z0-076 Valid Test Papers
- Free PDF 2026 Marvelous Oracle Latest 1z0-076 Test Question ☐ Copy URL ☐ www.pdfvce.com ☐ open and search for **【 1z0-076 】** to download for free ☐ Reliable 1z0-076 Test Dumps
- Valid 1z0-076 Test Forum ☐ Latest 1z0-076 Test Report ☐ Question 1z0-076 Explanations ☐ Download (1z0-076) for free by simply entering ☼ www.practicevce.com ☐☼☐ website ☐ 1z0-076 Test Dumps Pdf
- 100% Pass Oracle 1z0-076 - Oracle Database 19c: Data Guard Administration Fantastic Latest Test Question ☐ Search on [www.pdfvce.com] for [1z0-076] to obtain exam materials for free download ☐ New 1z0-076 Test Guide
- 1z0-076 Valid Test Notes ☐ Reliable 1z0-076 Test Dumps ☐ 1z0-076 New Dumps Questions ☐ Download ► 1z0-076 ◀ for free by simply entering ➡ www.exam4labs.com ☐ website ☐ Question 1z0-076 Explanations
- Latest 1z0-076 Test Report ☐ New 1z0-076 Test Guide ☐ 1z0-076 Latest Training ☐ Easily obtain ☐ 1z0-076 ☐ for free download through ➤ www.pdfvce.com ☐ ☐ 1z0-076 Test Dumps Pdf
- Exam 1z0-076 Vce ☐ Question 1z0-076 Explanations ☐ 1z0-076 Exam Tips ☐ [www.practicevce.com] is best website to obtain ☐ 1z0-076 ☐ for free download ~ 1z0-076 Valid Exam Voucher

- P.S. Free & New 1z0-076 dumps are available on Google Drive shared by TorrentVCE: <https://drive.google.com/open?id=1VEZjsNVuClkyQCB3miq65mcOFWuH80zP>

P.S. Free & New 1z0-076 dumps are available on Google Drive shared by TorrentVCE: <https://drive.google.com/open?id=1VEZjsNVuCJkyQCB3miq65mcOFWuH80zP>