


Adobe AD0-E137 Exam Dumps - Pass Exam in One Go



BTW, DOWNLOAD part of PracticeTorrent AD0-E137 dumps from Cloud Storage: https://drive.google.com/open?id=1U3HAbtrjPh63uDu3lnk6I-_CbYCj_kf03

As we all know, the preparation process for an exam is very laborious and time- consuming. We had to spare time to do other things to prepare for AD0-E137 exam, which delayed a lot of important things. If you happen to be facing this problem, you should choose our AD0-E137 Study Materials. With our study materials, only should you take about 20 - 30 hours to preparation can you attend the exam. The rest of the time you can do anything you want to do to, which can fully reduce your review pressure.

Adobe AD0-E137 Exam Syllabus Topics:

Topic	Details
Topic 1	Environment Maintenance: This section of the exam measures the skills of Implementation Specialists and covers managing AEM environment configurations, release management, synchronizing content and configurations across environments via package manager, and applying maintenance tools to support environments.
Topic 2	AEM Development: This section of the exam measures the skills of Technical Consultants and covers implementing a single-page application (SPA) structure, building components using HTL, sling models, and services, writing unit tests and mapping mock data, integrating third-party APIs, developing OSGi services or servlets, and choosing appropriate JCR queries in context.
Topic 3	Build and Deployment: This section of the exam measures the skills of AEM Developers and covers front-end and back-end dependency management, creating a project via Maven archetype, crafting custom run modes, configuring workflows, and creating and managing custom Oak indexes.
Topic 4	Configurations: This section of the exam measures skills of AEM Developers and covers how to select and configure dispatcher rules based on scenario, set up multi-tenant environments, integrate SAML and LDAP for authentication, configure replication agents, and manage editable templates or content fragment models.

>>> 100% AD0-E137 Accuracy <<<

Adobe AD0-E137 Certification Questions | AD0-E137 Test Collection

Learning and understanding Adobe AD0-E137 Exam Questions is not enough to pass the AD0-E137 exam. Regular tests and self-evaluation are essential. The online AD0-E137 practice test engine makes it easy for candidates to self-evaluate anytime. The results

will boost your confidence and highlight any areas that need more attention. Educationists and experts highly acknowledge this tool created by PracticeTorrent.

Adobe Experience Manager Sites Developer Expert Sample Questions (Q15-Q20):

NEW QUESTION # 15

A client wants to ensure that only specific components are available to content authors when using an editable template in AEM. Additionally, they require that certain fields within a content fragment model adhere to strict validation rules for data integrity. Which two steps would the developer take to meet both requirements? (Choose two.)

- A. Use editable templates to directly configure field validation rules.
- B. Enable dynamic templates for flexible content creation.
- C. Create and assign a new workflow to enforce component usage.
- **D. Define policies in the editable template to control allowed components.**
- **E. Configure field validation within the content fragment model.**

Answer: D,E

NEW QUESTION # 16

What is the correct way to implement the OSGi service class for this interface?

```
public interface SimpleService {  
    String getMessage();  
}
```

A)

```
@Component(service = SimpleService.class, immediate = true)  
public class SimpleServiceImpl extends SimpleService {  
    @Override  
    public String getMessage() {  
        return "Hello from SimpleService!";  
    }  
}
```

B)

```
@Component(service = MySimpleService.class, immediate = true)  
public class SimpleServiceImpl implements SimpleService {  
    @Override  
    public String getMessage() {  
    }  
}
```

C)

```
@Component(service = MySimpleService.class, immediate = true)  
public class SimpleServiceImpl implements SimpleService {  
    @Override  
    public String getMessage() {  
        return "Hello from SimpleService!";  
    }  
}
```

D)

```
@Component(service = SimpleService.class, immediate = true)  
public class SimpleServiceImpl implements SimpleService {  
    @Override  
    public String getMessage() {  
        return "Hello from SimpleService!";  
    }  
}
```

- A. Option C
- B. Option B
- C. Option A

- **D. Option D**

Answer: D

NEW QUESTION # 17

A developer is creating a dialog for a component, which has a checkbox field. After saving the component configuration, the developer noticed that the checkbox value is stored as a String type in JCR.

What should be done to store the checkbox value as a Boolean type in JCR?

- **A. Add TypeHint field to the dialog**
- B. Use Switch instead of Checkbox
- C. Implement JCR Event Listener to change field type afterwards

Answer: A

NEW QUESTION # 18

A developer is asked to create an Adobe Experience Manager servlet MyServlet that listens for HTTP requests capable of handling the GET method. The servlet must be registered using Declarative Services (OSGi) and be bound to a specific resource type /my/resourcetype allowing it to serve requests for a particular component.

What is the correct way to register a servlet?

A)

```
@SlingServletResourceTypes(resourceTypes="/my/resourcetype", methods = {"get"}) public class MyServlet extends SlingSafeMethodServlet {
```

```
@Override
```

```
protected void doGet(SlingHttpServletRequest request, SlingHttpServletResponse response) throws ServletException, IOException {
```

```
// Handle get request
```

```
}
```

```
}
```

B)

```
@SlingServletResourceTypes(resourceTypes="/my/resourcetype", methods = {"GET"}) public class MyServlet extends SlingAllMethodsServlet {
```

```
@Override
```

```
protected void doGet(SlingHttpServletRequest request, SlingHttpServletResponse response) throws ServletException, IOException {
```

```
// Handle get request
```

```
}
```

```
}
```

C)

```
@SlingServletResourceTypes(resourceTypes="/my/resourcetype", methods = {"get"}) public class MyServlet extends SlingSafeMethodServlet {
```

```
@Override
```

```
protected void doGet(HttpServletRequest request, HttpServletResponse response) throws ServletException, IOException {
```

```
// Handle get request
```

```
}
```

```
}
```

- **A. Option A**
- B. Option C
- C. Option B

Answer: A

NEW QUESTION # 19

An AEM engineer is asked to write a single file for the following items:

Register a custom JCR Namespace

Create a folder named Tutorials within the dam assets

- A. Repoint
- B. Ensure Authorizable
- C. OnDeploy Scripts

2026 Latest PracticeTorrent AD0-E137 PDF Dumps and AD0-E137 Exam Engine Free Share: https://drive.google.com/open?id=1U3HAbriPh63uDu3lnk6l-CbYCj_kf03