


New SSE-Engineer Braindumps Sheet | SSE-Engineer Test Lab Questions



BTW, DOWNLOAD part of ExamsLabs SSE-Engineer dumps from Cloud Storage: https://drive.google.com/open?id=17VXQAC3_Cuckcq7cIYDRIKQIupAHYBaU

ExamsLabs is a website for Palo Alto Networks Certification SSE-Engineer Exam to provide a short-term effective training. Palo Alto Networks SSE-Engineer is a certification exam which is able to change your life. IT professionals who gain Palo Alto Networks SSE-Engineer authentication certificate must have a higher salary than the ones who do not have the certificate and their position rising space is also very big, who will have a widely career development prospects in the IT industry in.

Do you want your IT capability to be most authoritatively recognized? One of the best method is to pass the SSE-Engineer certification exam. The SSE-Engineer exam software designed by our ExamsLabs will help you master SSE-Engineer Exam skills. Besides, abundant materials, user-friendly design and one-year free update after payment are the best favor for you to pass SSE-Engineer exam.

>> New SSE-Engineer Braindumps Sheet <<

SSE-Engineer Test Lab Questions | SSE-Engineer Valid Exam Questions

Challenge is omnipresent like everywhere. By eliciting all necessary and important points into our SSE-Engineer practice materials, their quality and accuracy have been improved increasingly, so their quality is trustworthy and unquestionable. There is a bunch of

considerate help we are willing to offer. Besides, according to various predispositions of exam candidates, we made three versions for your reference. Untenable materials may waste your time and energy during preparation process.


Palo Alto Networks SSE-Engineer Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">Prisma Access Administration and Operation: This section of the exam measures the skills of IT Operations Managers and focuses on managing Prisma Access using Panorama and Strata Cloud Manager. It tests knowledge of multitenancy, access control, configuration, and version management, and log reporting. Candidates should be familiar with releasing upgrades and leveraging SCM tools like Copilot. The section also evaluates the deployment of the Strata Logging Service and its integration with Panorama and SCM, log forwarding configurations, and best practice assessments to maintain security posture and compliance.
Topic 2	<ul style="list-style-type: none">Prisma Access Troubleshooting: This section of the exam measures the skills of Technical Support Engineers and covers the monitoring and troubleshooting of Prisma Access environments. It includes the use of Prisma Access Activity Insights, real-time alerting, and a Command Center for visibility. Candidates are expected to troubleshoot connectivity issues for mobile users, remote networks, service connections, and ZTNA connectors. It also focuses on resolving traffic enforcement problems including security policies, HIP enforcement, User-ID mismatches, and split tunneling performance issues.
Topic 3	<ul style="list-style-type: none">Prisma Access Planning and Deployment: This section of the exam measures the skills of Network Security Engineers and covers foundational knowledge and deployment skills related to Prisma Access architecture. Candidates must understand key components such as security processing nodes, IP addressing, DNS, and compute locations. It evaluates routing mechanisms including routing preferences, backbone routing, and traffic steering. The section also focuses on deploying Prisma Access service infrastructure for mobile users using VPN clients or explicit proxy and configuring remote networks. Additional topics include enabling private application access using service connections, Colo-Connect, and ZTNA connectors, implementing identity authentication methods like SAML, Kerberos, and LDAP, and deploying Prisma Access Browser for secure user access.
Topic 4	<ul style="list-style-type: none">Prisma Access Services: This section of the exam measures the skills of Cloud Security Architects and covers advanced features within Prisma Access. Candidates are assessed on how to configure and implement enhancements like App Acceleration, traffic replication, IoT security, and privileged remote access. It also includes implementing SaaS security and setting up effective policies related to security, decryption, and QoS. The section further evaluates how to create and manage user-based policies using tools like the Cloud Identity Engine and User ID for proper identity mapping and authentication.

Palo Alto Networks Security Service Edge Engineer Sample Questions (Q40-Q45):

NEW QUESTION # 40

Based on the image below, which two statements describe the reason and action required to resolve the errors? (Choose two.)



Log Viewer
Your logs are automatically generated and stored in the Prisma Access database for system, configuration, and network events. Network logs record all events where Prisma Access acts on your network traffic.

View: Firewall/Decryption Error Message LIKE 'Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt'

Time Zone: Pacific Standard Time 2024-11-06 14:07:31 - 2024-11-07 14:07:31 612 results

Time Generated	Server Name Indication	Error Message
2024-11-06 17:13:57	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 16:52:08	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 16:28:14	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 14:37:59	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 13:24:58	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 13:12:55	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 12:45:13	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 11:41:47	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt
2024-11-06 11:36:27	google.com	Received fatal alert BadCertificate from client, CA Issuer URL: http://certificates.godaddy.com/repository/gdg2.crt

- A. Create a do not decrypt rule for the hostname "google.com"
- B. The server has pinned certificates.
- C. The client is misconfigured.
- D. Create a do not decrypt rule for the hostname "certificates.godaddy.com."

Answer: A,B

Explanation:

The error messages indicate that Prisma Access is encountering certificate issues while attempting to decrypt traffic to "google.com." This suggests that the server has pinned certificates, meaning it does not allow man-in-the-middle (MITM) decryption by Prisma Access. Since pinned certificates prevent traffic decryption, a solution is to create a "do not decrypt" rule for the hostname "google.com." This will allow traffic to flow without triggering certificate errors while maintaining secure communication with Google's servers.

NEW QUESTION # 41

Which policy configuration in Prisma Access Browser (PAB) will protect an organization from malicious BYOD and minimize the impact on the user experience?

- A. One that blocks file exchange
- B. One that blocks elements such as screen scrapers
- C. One for session recording
- D. One that allows access to applications with data masking or watermarking

Answer: D

Explanation:

In Prisma Access Browser (PAB), allowing access to applications while enforcing data masking or watermarking provides security for BYOD (Bring Your Own Device) users without heavily impacting the user experience. Data masking ensures that sensitive information is obscured, reducing the risk of data leakage, while watermarking can deter unauthorized screenshots or data exfiltration. This approach balances security and usability, allowing users to work efficiently while protecting corporate data.

NEW QUESTION # 42

An engineer configures User-ID redistribution from an on-premises firewall connected to Prisma Access (Managed by Panorama) using a service connection. After committing the configuration, traffic from remote network connections is still not matching the correct user-based policies.

Which two configurations need to be validated? (Choose two.)

- A. Ensure the Service_Conn_Template is selected when adding the User-ID Agent in Panorama.
- B. Confirm the Collector Pre-Shared Keys match between Prisma Access and the on-premises firewall.
- C. Confirm there is a Security policy configured in Prisma Access to allow the communication on port

5007.

- D. Ensure the Remote_Network_Template is selected when adding the User-ID Agent in Panorama.

Answer: A,D

Explanation:

Ensuring that the Remote_Network_Template is selected when adding the User-ID Agent in Panorama is crucial because User-ID information must be associated with the correct Remote Network configuration for policies to apply properly. Additionally, the Service_Conn_Template must be selected when adding the User-ID Agent in Panorama, as the service connection is responsible for distributing User-ID mappings between the on-premises firewall and Prisma Access. If either of these configurations is incorrect, the user information will not be properly mapped, and traffic will not match user-based policies.

NEW QUESTION # 43

A company has a Prisma Access deployment for mobile users in North America and Europe. Service connections are deployed to the data centers on these continents, and the data centers are connected by private links.

With default routing mode, which action will verify that traffic being delivered to mobile users traverses the service connection in the appropriate regions?

- A. Configure BGP on the customer premises equipment (CPE) to prefer the assigned community string attribute on the mobile user prefixes in its respective Prisma Access region.
- B. Configure each service connection to prepend the BGP ASN five times for mobile user pool prefixes originating from the other region.
- C. Configure BGP on the customer premises equipment (CPE) to prefer the MED attribute on the mobile user prefixes in its respective Prisma Access region.
- D. Configure each service connection to filter out the mobile user pool prefixes from the other region in the advertisements to the data center.

Answer: D

Explanation:

In Prisma Access's default routing mode, the service connections establish BGP sessions with the customer premises equipment (CPE) in the data centers. To ensure traffic destined for mobile users in a specific region (e.g., North America) traverses the service connection in that same region, you need to control the route advertisements.

Filtering out the mobile user pool prefixes from the other region on each service connection achieves this by:

* Preventing the data center in one region from learning the specific mobile user prefixes of the other region. For example, the North American service connection would filter out the mobile user pool prefixes allocated to European users.

* Ensuring that when a data center needs to send traffic to a mobile user, it will only see and use the route advertised by the service connection in the appropriate geographical region. This forces the traffic to enter the Prisma Access infrastructure through the intended regional service connection.

Let's analyze why the other options are incorrect based on official documentation regarding default routing mode:

* A. Configure BGP on the customer premises equipment (CPE) to prefer the assigned community string attribute on the mobile user prefixes in its respective Prisma Access region. While BGP communities can be used for influencing routing decisions, in the context of default routing mode and ensuring regional traffic flow, relying solely on the CPE to prefer community strings might not be the most robust or direct method to guarantee traffic traverses the correct regional service connection. The service connection itself needs to control the advertisement of prefixes.

* C. Configure BGP on the customer premises equipment (CPE) to prefer the MED attribute on the mobile user prefixes in its respective Prisma Access region. The BGP MED (Multi-Exit Discriminator) attribute is primarily used to influence the path selection between autonomous systems (AS) or within the same AS at different entry points. In this scenario, where service connections are advertising prefixes, filtering at the source (service connection) is a more direct and reliable way to ensure regional traffic flow than relying on the MED attribute on the CPE.

* D. Configure each service connection to prepend the BGP ASN five times for mobile user pool prefixes originating from the other region. BGP AS path prepending is a mechanism to make a path less desirable. While this could influence routing, it doesn't guarantee that traffic will always take the intended regional path. Filtering provides a more definitive control over which routes are advertised and learned.

Therefore, configuring each service connection to filter out the mobile user pool prefixes from the other region in the advertisements to the data center is the verified method to ensure traffic destined for mobile users traverses the service connection in the appropriate region when using Prisma Access in default routing mode.

NEW QUESTION # 44

What is the impact of selecting the "Disable Server Response Inspection" checkbox after confirming that a Security policy rule has a threat protection profile configured?

- A. The threat protection profile will override the 'Disable Server Response Inspection1 only for HTTP traffic from the server to the client.
- B. Only HTTP traffic from the server to the client will bypass threat inspection.
- C. All traffic from the server to the client will bypass threat inspection.
- D. The threat protection profile will override the 'Disable Server Response Inspection1 for all traffic from the server to the client.

Answer: C

Explanation:

Selecting the "Disable Server Response Inspection" checkbox means that traffic flowing from the server to the client will not be inspected for threats, even if a threat protection profile is applied to the Security policy rule. This setting can reduce processing overhead but may expose the network to threats embedded in server responses, such as malware or exploits.

NEW QUESTION # 45

• • • • •

For candidates who are going to prepare for the exam, they may need the training materials. The quality may be their first concern. SSE-Engineer exam bootcamp of us is famous for the high-quality, and if you buy from us, you will never regret. We also pass guarantee and money back guarantee if you fail to pass the exam. In addition, we adopt international recognition third party for the payment of SSE-Engineer Exam Dumps. Therefore, the safety of your money and account can be guarantee. Choose us, and you will never regret.

SSE-Engineer Test Lab Questions: <https://www.examslabs.com/Palo-Alto-Networks/Network-Security-Administrator/best-SSE-Engineer-exam-dumps.html>

- [illegible]

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, pastebin.com, skillslibrary.in, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

DOWNLOAD the newest ExamsLabs SSE-Engineer PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=17VXQAC3_Cuckcq7cIYDRIKQIupAHYBaU