

NSE4_FGT_AD-7.6합격보장가능시험대비자료100%시험패스덤프



Pass4Test의 Fortinet인증 NSE4_FGT_AD-7.6덤프를 선택하여Fortinet인증 NSE4_FGT_AD-7.6시험공부를 하는건 제일 현명한 선택입니다. 시험에서 떨어지면 덤프비용 전액을 환불처리해드리고Fortinet인증 NSE4_FGT_AD-7.6시험이 바뀌면 덤프도 업데이트하여 고객님의 최신버전을 발송해드립니다. Fortinet인증 NSE4_FGT_AD-7.6덤프뿐만 아니라 IT인증시험에 관한 모든 덤프를 제공해드립니다.

Fortinet인증NSE4_FGT_AD-7.6시험을 위하여 최고의 선택이 필요합니다. Pass4Test 선택으로 좋은 성적도 얻고 하면서 저희 선택을 후회하지 않을것니다.돈은 적게 들고 효과는 아주 좋습니다.우리Pass4Test여러분의 응시분비에 많은 도움이 될뿐만아니라Fortinet인증NSE4_FGT_AD-7.6시험은 또 일년무료 업데이트서비스를 제공합니다.작은 돈을 투자하고 이렇게 좋은 성과는 아주 바람직하다고 봅니다.

>> NSE4_FGT_AD-7.6합격보장 가능 시험대비자료 <<

NSE4_FGT_AD-7.6인기자격증 덤프공부문제, NSE4_FGT_AD-7.6인증 시험대비자료

Pass4Test는 오래된 IT인증시험덤프를 제공해드리는 전문적인 사이트입니다. Pass4Test의 Fortinet인증 NSE4_FGT_AD-7.6덤프는 업계에서 널리 알려진 최고품질의Fortinet인증 NSE4_FGT_AD-7.6시험대비자료입니다. Fortinet인증 NSE4_FGT_AD-7.6덤프는 최신 시험문제의 시험범위를 커버하고 최신 시험문제유형을 포함하고 있어 시험패스율이 거의 100%입니다. Pass4Test의Fortinet인증 NSE4_FGT_AD-7.6덤프를 구매하시면 밝은 미래가 보입니다.

최신 Fortinet NSE 4 NSE4_FGT_AD-7.6 무료샘플문제 (Q76-Q81):

질문 # 76

An administrator suspects that the Collector Agent is not forwarding login events to FortiGate.
What is the most effective troubleshooting step?

- A. Check ifTCP port 8000 is open between the collector agent and FortiGate.
- B. Verify ifDC agent is enabled on the FortiGate.

- C. Verify if FortiGate is set to use LDAP authentication instead of FSSO.
- D. Restart the domain controller to refresh authentication services.

정답: A

설명:

The Collector Agent communicates with FortiGate over TCP port 8000. Ensuring this port is open and reachable is essential for forwarding login events.

질문 # 77

Refer to the exhibit. A network administrator is troubleshooting an IPsec tunnel between two FortiGate devices. The administrator has determined that phase 1 status is up, but phase 2 fails to come up.

The diagram shows two FortiGate devices, HQ-NGFW and BR1-FGT, connected via an IPsec tunnel. Below the diagram are two screenshots of the FortiGate configuration interface for Phase 2 selectors.

Left Screenshot (HQ-NGFW configuration):

- Phase 2 selectors:** Table with one entry: ToBR1, Local Address: 10.0.11.0/255.255.255.0, Remote Address: 172.20.1.0/255.255.255.0.
- Edit Phase 2 Selector:**
 - Name: ToBR1
 - Encapsulation: Tunnel Mode
 - IP version: IPv4
 - Named address: On
 - Local address: 10.0.11.0 255.255.255.0
 - Remote address: 172.20.1.0 255.255.255.0
 - Advanced:
 - Encryption - authentication: AES128 - SHA1
 - Replay detection: Enable
 - Perfect forward secrecy (PFS): Enable
 - Diffie-Hellman groups: 5 (selected)
 - Local port: All
 - Remote port: All
 - Protocol: All
 - Auto-negotiate: Enable
 - Autokey keep alive: Enable
 - Key lifetime: 43200 seconds

Right Screenshot (BR1-FGT configuration):

- Phase 2 selectors:** Table with one entry: ToHQ, Local Address: 172.20.1.0/255.255.255.0, Remote Address: 10.11.0.0/255.255.255.0.
- Edit Phase 2 Selector:**
 - Name: ToHQ
 - Encapsulation: Tunnel Mode
 - IP version: IPv4
 - Named address: On
 - Local address: 172.20.1.0 255.255.255.0
 - Remote address: 10.11.0.0 255.255.255.0
 - Advanced:
 - Encryption - authentication: AES256 - SHA1
 - Replay detection: Enable
 - Perfect forward secrecy (PFS): Enable
 - Diffie-Hellman groups: 5 (selected)
 - Local port: All
 - Remote port: All
 - Protocol: All
 - Auto-negotiate: Enable
 - Autokey keep alive: Enable
 - Key lifetime: 14400 seconds

Based on the phase 2 configuration shown in the exhibit, which two configuration changes will bring phase 2 up? (Choose two.)

- A. On BR1-FGT, set Remote Address to 10.0.11.0/255.255.255.0.

- B. On BR1-FGT, set Seconds to 43200.
- C. On HQ-NGFW, set Encryption to AES256.
- D. On HQ-NGFW, enable Diffie-Hellman Group 2.

정답: A,B

설명:

The key lifetime (Seconds) must match on both sides; BR1-FGT is set to 14400, so setting it to 43200 matches HQ-NGFW.

The remote address on BR1-FGT should match the HQ-NGFW's local subnet (10.0.11.0/24), but it is currently set incorrectly as 172.20.1.0/24. Changing it to 10.0.11.0/255.255.255.0 will align the Phase 2 selectors.

질문 # 78

Which two statements are true about an HA cluster? (Choose two.)

- A. An HA cluster cannot have both in-band and out-of-band management interfaces at the same time.
- B. Link failover triggers a failover if the administrator sets the interface down on the primary device.
- C. When sniffing the heartbeat interface, the administrator must see the IP address 169.254.0.2.
- D. HA incremental synchronization includes FIB entries and IPsec SAs.

정답: B,D

설명:

Setting an interface down on the primary device triggers a failover due to link failover detection.

HA incremental synchronization includes forwarding information base (FIB) entries and IPsec security associations (SAs) to maintain session continuity.

질문 # 79

What are two features of the NGFW profile-based mode? (Choose two.)

- A. NGFW profile-based mode must require the use of central source NAT policy.
- B. NGFW profile-based mode can only be applied globally and not on individual VDOMs.
- C. NGFW profile-based mode supports applying applications and web filtering profiles in a firewall policy.
- D. NGFW profile-based mode policies support both flow inspection and proxy inspection.

정답: C,D

설명:

NGFW (Next Generation Firewall) profile-based mode in FortiGate allows policies to use both flow-based and proxy-based inspection modes, providing flexibility depending on security and performance requirements. Additionally, profile-based mode supports applying applications and web filtering profiles directly in a firewall policy, allowing granular control over the traffic.

질문 # 80

Refer to the exhibits. You have implemented the application sensor and the corresponding firewall policy as shown in the exhibits. Which two factors can you observe from these configurations? (Choose two.)



- A. YouTube search is allowed based on the Google Application and Filter override settings.
- B. Facebook access is allowed but you cannot play Facebook videos based on Video/Audio category filter settings.
- C. Facebook access is blocked based on the category filter settings.
- D. YouTube access is blocked based on Excessive-Bandwidth Application and Filter override settings.

정답: C,D

질문 # 81

.....

성공을 위해 길을 찾고 실패를 위해 구실을 찾지 않는다는 말이 있습니다. Fortinet인증 NSE4_FGT_AD-7.6시험이 영어로 출제되어 시험패스가 너무 어렵다 혹은 회사다니느라 공부할 시간이 없다는 등등은 모두 공부하기 싫은 구실에 불과합니다. Pass4Test의 Fortinet인증 NSE4_FGT_AD-7.6덤프만 마련하면 실패를 성공으로 바꿀수 있는 기적을 체험할수 있습니다.

NSE4_FGT_AD-7.6인기자격증 덤프공부문제: https://www.pass4test.net/NSE4_FGT_AD-7.6.html

Pass4Test NSE4_FGT_AD-7.6인기자격증 덤프공부문제제공되는 자료는 지식을 장악할 수 있는 반면 많은 경험도 쌓을 수 있습니다, Pass4Test는 여러분이 한번에Fortinet NSE4_FGT_AD-7.6인증시험을 패스함을 보장 드립니다, Fortinet인증 NSE4_FGT_AD-7.6덤프공부가이드로 시험준비공부를 하시면 시험패스가 쉬워집니다, 하지만 업데이트할수 없는 상황이라면 다른 적중율 좋은 덤프로 바꿔드리거나 NSE4_FGT_AD-7.6덤프비용을 환불해드립니다, Pass4Test NSE4_FGT_AD-7.6인기자격증 덤프공부문제는 정확한 문제와 답만 제공하고 또한 그 어느 사이트보다도 빠른 업데이트로 여러분의 인증시험을 안전하게 패스하도록 합니다, 만약Fortinet인증NSE4_FGT_AD-7.6시험에서 떨어지셨다고 하면 우리는 덤프비용전액 환불입니다.

금방이라도 뽕족한 그 끝으로 자신을 찢을 것만 같았다, 그러다 맹수처럼 자신을NSE4_FGT_AD-7.6응시하고 있는 주아를 발견하고는 움짱 놀라 어깨를 떨었다, Pass4Test제공되는 자료는 지식을 장악할 수 있는 반면 많은 경험도 쌓을 수 있습니다.

높은 통과율 NSE4_FGT_AD-7.6합격보장 가능 시험대비자료 시험공부

Pass4Test는 여러분이 한번에Fortinet NSE4_FGT_AD-7.6인증시험을 패스함을 보장 드립니다, Fortinet인증 NSE4_FGT_AD-7.6덤프공부가이드로 시험준비공부를 하시면 시험패스가 쉬워집니다, 하지만 업데이트할수 없는 상황이라면 다른 적중율 좋은 덤프로 바꿔드리거나 NSE4_FGT_AD-7.6덤프비용을 환불해드립니다.

Pass4Test는 정확한 문제와 답만 제공NSE4_FGT_AD-7.6최신 시험대비자료하고 또한 그 어느 사이트보다도 빠른

업데이트로 여러분의 인증시험을 안전하게 패스하도록 합니다.

- [illegible]