# NCM-MCI-6.10인증시험대비공부자료 - NCM-MCI-6.10최신업데이트버전공부문제




그 외, Fast2test NCM-MCI-6.10 시험 문제집 일부가 지금은 무료입니다: https://drive.google.com/open?id=1trag1eeXAHIkIZc4Aly6geZfbSMHAsvb

Fast2test를 검색을 통해 클릭하게된 지금 이 순간 IT인증자격증취득Nutanix NCM-MCI-6.10시험은 더는 힘든 일이 아닙니다. 다른 분들이Nutanix NCM-MCI-6.10시험준비로 수없는 고민을 할때 고객님은 저희 Nutanix NCM-MCI-6.10덤프로 제일 빠른 시일내에 시험을 패스하여 자격증을 손에 넣을수 있습니다.

Fast2test에서 출시한 Nutanix인증 NCM-MCI-6.10덤프는 실제시험문제 커버율이 높아 시험패스율이 가장 높습니다. Nutanix인증 NCM-MCI-6.10시험을 통과하여 자격증을 취득하면 여러방면에서 도움이 됩니다. Fast2test에서 출시한 Nutanix인증 NCM-MCI-6.10덤프를 구매하여Nutanix인증 NCM-MCI-6.10시험을 완벽하게 준비하지 않으실래요? Fast2test의 실력을 증명해드릴게요.

**>> NCM-MCI-6.10인증시험대비 공부자료 <<**

## 최신버전 NCM-MCI-6.10인증시험대비 공부자료 완벽한 시험대비 덤프자료

IT인증자격증은 국제적으로 승인받는 자격증이기에 많이 취득해두시면 취업이나 승진이나 이직이나 모두 편해집니다. 다른 사람이 없는 자격증을 내가 가지고 있다는것은 실력을 증명해주는 수단입니다. Nutanix인증 NCM-MCI-6.10시험은 널리 승인받는 자격증의 시험과목입니다. Nutanix인증 NCM-MCI-6.10덤프로Nutanix인증 NCM-MCI-6.10시험공부를 하시면 시험패스 난이도가 낮아지고 자격증 취득율이 높이 올라갑니다.자격증을 많이 취득하여 취업이나 승진의 문을 두드려 보시면 빈틈없이 닫힌 문도 활짝 열릴것입니다.

## 최신 Master Level NCM-MCI-6.10 무료샘플문제 (Q21-Q26):

**질문 # 21**
Task 16
An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.
* VM specifications:




* vCPUs: 2
* Memory: BGb
* Disk Size: 50Gb
* Cluster: Cluster A
* Network: default- net
The API call is falling, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_Create_VM,text
Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.
Deploy the vm through the API
Note: Do not power on the VM.

**정답：**

**설명：**
See the Explanation for step by step solution.
Explanation:
https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO
https://jsonformatter.curiousconcept.com/#
acli net.list (uuid network defult_net)
ncli cluster info (uuid cluster)
Put Call: https://Prism Central IP address : 9440/api/nutanix/v3vms
Edit these lines to fix the API call, do not add new lines or copy lines.
You can test using the Prism Element API explorer or PostMan
Body:

```
{
{
"spec": {
"name": "Test_Deploy",
"resources": {
"power_state":"OFF",
"num_vcpus_per_socket": ,
"num_sockets": 1,
"memory_size_mib": 8192,
"disk_list": [
{
"disk_size_mib": 51200,
"device_properties": {
"device_type":"DISK"
}
},
{
"device_properties": {
"device_type":"CDROM"
}
}
],
"nic_list":[
{
"nic_type": "NORMAL_NIC",
"is_connected": true,
"ip_endpoint_list": [
{
"ip_type": "DHCP"
}
],
"subnet_reference": {
"kind": "subnet",
"name": "default_net",
"uuid": "00000000-0000-0000-0000-000000000000"
}
}
],
},
"cluster_reference": {
"kind": "cluster",
"name": "NTNXDemo",
```

"uuid": "00000000-0000-0000-0000-000000000000"
}
},
"api_version": "3.1.0",
"metadata": {
"kind": "vm"
}
}
https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/ Reference

**질문 # 22**
Task 14
An administrator has been asked to configure a storage for a distributed application which uses large data sets across multiple worker VMs.
The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement.
Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase Distributed_App in the name.

**정답：**

**설명：**
See the Explanation for step by step solution.
Explanation:
To configure the storage on the cluster for the distributed application, you can follow these steps:
Log in to Prism Element of cluster A using the credentials provided.
Go to Storage > Storage Pools and click on Create Storage Pool.
Enter a name for the new storage pool, such as Distributed_App_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.
Click Save to create the storage pool.
Go to Storage > Containers and click on Create Container.
Enter a name for the new container, such as Distributed_App_Container, and select the storage pool that you just created, Distributed_App_Storage_Pool, as the source.
Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data.
You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.
Click Save to create the container.
Go to Storage > Datastores and click on Create Datastore.
Enter a name for the new datastore, such as Distributed_App_Datastore, and select NFS as the datastore type.
Select the container that you just created, Distributed_App_Container, as the source.
Click Save to create the datastore.
The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed_App_Datastore. You should see all nodes listed under Hosts.
You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster.
The datastore will provide low cost per GB and high performance for your distributed application.

**질문 # 23**
Following new security guidelines, it must be ensured that the storage of critical virtual machines will be encrypted in future.
The assignment is to be made by a new category called VM-Storage with a value of softwareencrypted in Prism Central. Make sure a second value of SEDencrypted is also created for future use.
Create the above-mentioned category and perform further configurations in Prism Central for VM-based storage encryption.
Assign the name Encrypted-Storage to the newly created policy.

**정답：**

**설명：**
See the Explanation below for detailed answer.
Explanation:

Here is the step-by-step solution to create the category and the corresponding storage encryption policy within Prism Central.
1. Create the Category
First, you must create the category and the two values requested.
* In Prism Central, navigate to Administration > Categories.
* Click New Category.
* In the Name field, enter VM-Storage.
* In the Add a Value field, type softwareencrypted and click the Add (plus) button.
* In the Add a Value field again, type SEDencrypted and click the Add (plus) button.
* Click Save.
2. Create the Encryption Policy
Next, you will create the security policy that uses the new category.
* In Prism Central, navigate to Security > Data-at-Rest Encryption.
* Click the + Create Security Policy button.
* In the Policy Name field, enter Encrypted-Storage.
* Ensure the Encryption Type is set to Software-based.
* For Target VMs, select the radio button for VMs matching a category.
* In the Select Category dropdown, choose the VM-Storage category you just created.
* In the Select Value dropdown, choose softwareencrypted.
* Click Save.
This policy will now automatically apply software-based encryption to any new or existing VMs that are assigned the VM-Storage: softwareencrypted category.

**질문 # 24**
An administrator wants to increase the performance of their Database virtual machine.
Database_VM has a database that is spread across three vDisks in the volume group Database_VM. The volume group is directly attached to the virtual machine. Previous performance analysis has indicated all storage requests are going to the same node. While this test environment has 1 node, the production environment has 3 nodes.
Configure the Volume Group Database_VM so that it's optimized for the user's VM and the production environment. The virtual machine has been powered off and moved to this test cluster for the maintenance work.
Note: Do not power on the VM.

**정답:**

**설명:**
See the Explanation below for detailed answer.
Explanation:
Here is the step-by-step solution to configure the Volume Group for optimized performance in the production environment.
This task is performed in Prism Central.
* From the main dashboard, navigate to Compute & Storage > Volume Groups.
* Find the Volume Group named Database_VM in the list.
* Select the checkbox next to Database_VM.
* Click the Actions dropdown menu and select Update.
* In the "Update Volume Group" dialog, scroll to the bottom of the "Basic Configuration" section.
* Find the checkbox labeled Enable Client Side Load Balancing and check it.
Note: This setting allows the iSCSI initiator within the guest VM to connect to all CVMs in the cluster, distributing the storage load from the three vDisks across all three nodes in the production environment instead of focusing all I/O on just one.
Click Save.

**질문 # 25**
Task 4
An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.
The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt Replacle any x in the file with the appropriate character or string Do not delete existing lines or add new lines.
Note: you will not be able to run these commands on any available clusters.
Unconfigured.txt

manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxx update_uplinks See the Explanation for step by step solution.

**정답：**

**설명：**
To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.
I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html

**질문 # 26**
.....

Fast2test는 고객님께서 첫번째Nutanix NCM-MCI-6.10시험에서 패스할수 있도록 최선을 다하고 있습니다. 만일 어떤 이유로 인해 고객이 첫 번째 시도에서 실패를 한다면, Fast2test는 고객에게Nutanix NCM-MCI-6.10덤프비용 전액을 환불 해드립니다.환불보상은 다음의 필수적인 정보들을 전제로 합니다.

**NCM-MCI-6.10최신 업데이트버전 공부문제**: https://kr.fast2test.com/NCM-MCI-6.10-premium-file.html

최강 IT전문가팀이 가장 최근의Nutanix인증 NCM-MCI-6.10 실제시험 문제를 연구하여 만든Nutanix인증 NCM-MCI-6.10덤프는 기출문제와 예상문제의 모음 공부자료입니다, Nutanix인증 NCM-MCI-6.10시험공부를 아직 시작하지 않으셨다면 망설이지 마시고Fast2test의Nutanix인증 NCM-MCI-6.10덤프를 마련하여 공부를 시작해 보세요, Fast2test의 Nutanix인증 NCM-MCI-6.10덤프로 시험을 쉽게 패스하여 자격증을 취득하면 승진이나 연봉인상에 많은 편리를 가져다드립니다, 일종의 기출문제입니다.때문에 우리Fast2test덤프의 보장 도와 정확도는 안심하셔도 좋습니다.무조건Nutanix인증NCM-MCI-6.10시험을 통과하게 만듭니다.우리Fast2test또한 끈임 없는 덤프갱신으로 페펙트한Nutanix인증NCM-MCI-6.10시험자료를 여러분들한테 선사하겠습니다.

어소시에이트 레벨 시험을 제외하고, 인증 포트폴리오 내에서NCM-MCI-6.10감독관이 배석한 필기 시험을 통과하면 스페셜리스트 인증을 받을 수 있다, 건우는 말없이 시선을 내렸다, 최강 IT전문가팀이 가장 최근의Nutanix인증 NCM-MCI-6.10 실제시험 문제를 연구하여 만든Nutanix인증 NCM-MCI-6.10덤프는 기출문제와 예상문제의 모음 공부자료입니다.

# 최신 업데이트된 NCM-MCI-6.10인증시험대비 공부자료 시험공부자료

Nutanix인증 NCM-MCI-6.10시험공부를 아직 시작하지 않으셨다면 망설이지 마시고Fast2test의Nutanix인증 NCM-MCI-6.10덤프를 마련하여 공부를 시작해 보세요, Fast2test의 Nutanix인증 NCM-MCI-6.10덤프로 시험을 쉽게 패스하여 자격증을 취득하면 승진이나 연봉인상에 많은 편리를 가져다드립니다.

일종의 기출문제입니다.때문에 우리Fast2test덤프의 보장 도와 정확도는 안심하셔도 좋습니다.무조건Nutanix인증 NCM-MCI-6.10시험을 통과하게 만듭니다.우리Fast2test또한 끈임 없는 덤프갱신으로 페펙트한Nutanix인증NCM-MCI-6.10시험자료를 여러분들한테 선사하겠습니다.

고객님께 드린 약속을 꼭 지키려고 항상 최선을 다하고 있습니다.

- NCM-MCI-6.10인증시험대비 공부자료 100% 유효한 최신 시험자료 □ 무료 다운로드를 위해{ NCM-MCI-6.10 }를 검색하려면[ www.dumptop.com ]을(를) 입력하십시오NCM-MCI-6.10인기자격증 시험 덤프자료
- NCM-MCI-6.10유효한 공부자료 □ NCM-MCI-6.10완벽한 시험덤프 ♥ NCM-MCI-6.10유효한 공부자료 !! “ www.itdumpskr.com ”은“ NCM-MCI-6.10 ”무료 다운로드를 받을 수 있는 최고의 사이트입니다NCM-MCI-6.10 시험패스 가능 공부자료
- NCM-MCI-6.10인증시험대비 공부자료 시험대비 덤프공부자료 □ 지금▷ www.exampassdump.com◁에서➥ NCM-MCI-6.10 □를 검색하고 무료로 다운로드하세요NCM-MCI-6.10덤프샘플문제 체험

- NCM-MCI-6.10시험패스 인증덤프문제 □ NCM-MCI-6.10최신 업데이트 덤프 □ NCM-MCI-6.10최신 시험 공부자료 □ 지금☀ www.itdumpskr.com □☀□에서□ NCM-MCI-6.10 □를 검색하고 무료로 다운로드하세요NCM-MCI-6.10최신 시험 공부자료
- NCM-MCI-6.10인기자격증 시험 덤프자료 □ NCM-MCI-6.10시험대비 덤프문제 □ NCM-MCI-6.10참고자료 □ □ www.dumptop.com □에서➽ NCM-MCI-6.10 □를 검색하고 무료 다운로드 받기NCM-MCI-6.10유효한 공부자료
- NCM-MCI-6.10인증시험대비 공부자료 시험대비 덤프공부자료 □ 무료로 다운로드하려면➤ www.itdumpskr.com □로 이동하여《 NCM-MCI-6.10 》를 검색하십시오NCM-MCI-6.10덤프최신문제
- NCM-MCI-6.10덤프최신문제 □ NCM-MCI-6.10유효한 공부자료 ↖ NCM-MCI-6.10참고자료 □ ➽ www.dumptop.com □을(를) 열고{ NCM-MCI-6.10 }를 검색하여 시험 자료를 무료로 다운로드하십시오NCM-MCI-6.10덤프문제집
- NCM-MCI-6.10시험패스 인증덤프문제 □ NCM-MCI-6.10덤프문제집 □ NCM-MCI-6.10완벽한 시험덤프 □ ➤ www.itdumpskr.com □을 통해 쉽게➡ NCM-MCI-6.10 □□□무료 다운로드 받기NCM-MCI-6.10덤프최신 자료
- 인기자격증 NCM-MCI-6.10인증시험대비 공부자료 시험대비자료 □ 무료로 쉽게 다운로드하려면【 www.dumptop.com 】에서□ NCM-MCI-6.10 □를 검색하세요NCM-MCI-6.10시험패스 인증덤프문제
- NCM-MCI-6.10참고자료 □ NCM-MCI-6.10시험대비 덤프문제 □ NCM-MCI-6.10덤프샘플문제 체험 □ 《 www.itdumpskr.com 》을(를) 열고➥ NCM-MCI-6.10 □를 검색하여 시험 자료를 무료로 다운로드하십시오NCM-MCI-6.10유효한 덤프
- NCM-MCI-6.10덤프최신문제 □ NCM-MCI-6.10시험패스 인증덤프문제 □ NCM-MCI-6.10최신 업데이트 덤프 □ □ www.passtip.net □을(를) 열고□ NCM-MCI-6.10 □를 입력하고 무료 다운로드를 받으십시오NCM-MCI-6.10최신 업데이트 덤프
- vinnyvova036509.signalwiki.com, nikolasrlyr350273.bloguerosa.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, thekiwisocial.com, thebookmarkfree.com, roxannjipl808445.jasperwiki.com, nikolascamn991187.bleepblogs.com, allenuarr738146.blogozz.com, myajlmd170336.blogchaat.com, sites2000.com, Disposable vapes

참고: Fast2test에서 Google Drive로 공유하는 무료 2026 Nutanix NCM-MCI-6.10 시험 문제집이 있습니다: https://drive.google.com/open?id=1trag1eeXAHIkIZc4Aly6geZfbSMHAsvb