

## 312-97 Reliable Test Online | Exam 312-97 Pattern



By these three versions of 312-97 practice materials we have many repeat orders in a long run. The PDF version helps you read content easier at your process of studying with clear arrangement, and the PC Test Engine version of 312-97 practice materials allows you to take stimulation exam to check your process of exam preparing, which support windows system only. Moreover, there is the APP version of 312-97 practice materials, you can learn anywhere at any time with it at your cellphones without the limits of installation.

The 312-97 Certification Exam is one of the top-rated and career-oriented certificates that are designed to validate an ECCouncil professional's skills and knowledge level. These EC-Council Certified DevSecOps Engineer (ECDE) (312-97) practice questions have been inspiring those who want to prove their expertise with the industrial-recognized credential. By cracking it you can gain several personal and professional benefits.

>> 312-97 Reliable Test Online <<

### 100% Pass 312-97 - Perfect EC-Council Certified DevSecOps Engineer (ECDE) Reliable Test Online

The 312-97 exam simulator plays a vital role in increasing your knowledge for exam. The PracticeVCE' ECCouncil Testing Engine provides an expert help and it is an exclusive offer for those who spend most of their time in searching relevant content in the books. It offers demos free of cost in the form of the Free 312-97 Dumps. The ECCouncil 312-97 exam questions aid its customers with updated and comprehensive information in an innovative style.

### ECCouncil EC-Council Certified DevSecOps Engineer (ECDE) Sample

## Questions (Q26-Q31):

### NEW QUESTION # 26

(Rockmond Dunbar is a senior DevSecOps engineer in a software development company. His organization develops customized software for retail industries. Rockmond would like to avoid setting mount propagation mode to share until it is required because when a volume is mounted in shared mode, it does not limit other containers to mount and modify that volume. If mounted volume is sensitive to changes, then it would be a serious security concern. Which of the following commands should Rockmond run to list out the propagation mode for mounted volumes?.)

- A. `docker ps --quiet --all | xargs docker inspect --format ': Propagation'`.
- B. `docker ps --quiet --all | xargs docker inspect --format ': Propagation='`.
- C. `docker ps -quiet -all | xargs docker inspect -format ': Propagation'`.
- D. `docker ps -quiet -all | xargs docker inspect -format ': Propagation='`.

**Answer: B**

Explanation:

To inspect mount propagation modes for Docker containers, Rockmond needs to list all container IDs and then inspect their configuration. The `docker ps --quiet --all` command outputs container IDs only, which are then passed to `docker inspect` using `xargs`. The `--format` option allows extraction of specific fields, such as mount propagation settings. Option C correctly uses valid flags (`--quiet --all`) and proper formatting syntax.

Options A and D incorrectly use single hyphens, and option B omits the equals sign, which is required to display the propagation value. Inspecting mount propagation during the Operate and Monitor stage helps prevent unintended privilege escalation or data modification by other containers, aligning with container hardening best practices.

---

### NEW QUESTION # 27

(Gabriel Bateman has been working as a DevSecOps engineer in an IT company that develops virtual classroom software for online teaching. He would like to clone the BDD security framework on his local machine using the following URL, <https://github.com/continuumsecurity/bdd-security.git>. Which of the following command should Gabriel use to clone the BDD security framework?)

- A. `github clonehttps://github.com/continuumsecurity/bdd-security.git`.
- B. `git clonehttps://github.com/continuumsecurity/bdd-security.git`.
- C. `github clonehttps://github.com/continuumsecurity/bdd-security.git`.
- D. `git clonehttps://github.com/continuumsecurity/bdd-security.git`.

**Answer: D**

Explanation:

To clone a repository from GitHub, the correct command is `git clone` followed by the accurate repository URL. The organization name `continuumsecurity` and repository name `bdd-security` must be spelled correctly for the command to succeed. Options using `github clone` are invalid because `github` is not a standard Git command-line utility. Options with misspelled organization names will result in errors. Cloning security testing frameworks during the Code stage enables DevSecOps engineers to evaluate, customize, and integrate security automation tools into development workflows, supporting secure application development and testing practices.

### NEW QUESTION # 28

(Curtis Morgan has been working as a software developer in an MNC company. His team has developed a NodeJS application. While doing peer review of the NodeJS application, he observed that there are insecure libraries in the application. Therefore, he approached, Teresa Lisbon, who is working as a DevSecOps engineer, to detect the insecure libraries in the NodeJS application. Teresa used a SCA tool to find known vulnerabilities in JavaScript libraries for NodeJS applications and detected all the insecure libraries in the application. Which of the following tools did Teresa use for detecting insecure libraries in the NodeJS application?)

- A. Tenable.io.
- B. Bandit.
- C. Retire.js.
- D. Bundler-Audit.

**Answer: C**

Explanation:

Retire.js is a Software Composition Analysis (SCA) tool designed specifically to identify known vulnerabilities in JavaScript libraries used in web and NodeJS applications. It scans dependencies and compares detected versions against a vulnerability database to identify insecure libraries. Bandit is a static analysis tool for Python, Bundler-Audit is used for Ruby dependencies, and Tenable.io focuses on infrastructure and vulnerability management rather than JavaScript libraries. Using Retire.js during the Code stage allows DevSecOps teams to identify insecure third-party dependencies early, reducing the likelihood of vulnerable libraries being deployed into production. This supports shift-left security and strengthens the application's overall security posture.

---

#### NEW QUESTION # 29

(Craig Kelly has been working as a software development team leader in an IT company over the past 8 years.

His team is working on the development of an Android application product. Sandra Oliver, a DevSecOps engineer, used DAST tools and fuzz testing to perform advanced checks on the Android application product and detected critical and high severity issues. She provided the information about the security issues and the recommendations to mitigate them to Craig's team. Which type of security checks performed by Sandra involve detection of critical and high severity issues using DAST tools and fuzz testing?)

- A. Test-time checks.
- B. Build-time checks.
- C. Commit-time checks.
- D. Deploy-time checks.

**Answer: A**

Explanation:

Dynamic Application Security Testing (DAST) and fuzz testing require a running application in order to actively probe for vulnerabilities such as injection flaws, authentication bypasses, and improper input handling. These techniques are therefore performed after the application has been built and deployed to a testing environment, categorizing them as test-time checks. Commit-time and build-time checks rely primarily on static analysis and dependency scanning and do not exercise application behavior at runtime.

Deploy-time checks focus on configuration validation rather than aggressive attack simulation. Test-time checks are specifically designed to uncover critical and high-severity vulnerabilities by mimicking real-world attack scenarios. Performing DAST and fuzz testing during this stage allows teams to detect exploitable flaws before production release, significantly strengthening application security.

---

#### NEW QUESTION # 30

(Richard Branson has been working as a DevSecOps engineer in an IT company that develops apps for Android mobiles. To manage the secret information of an application in various phases of development lifecycle and to provide fine-grained access to each secret, he would like to integrate HashiCorp Vault with Jenkins. To access the vault from Jenkins, Richard installed hashicorp-vault-plugin and ran a vault instance; he then selected the AppRole authentication method, which allows apps to access vault with a predefined role.

Which of the following commands should Richard use to enable AppRole authentication?)

- A. auth vault enable approle.
- B. enable vault auth approle.
- C. enable auth vault approle.
- D. vault auth enable approle.

**Answer: D**

Explanation:

HashiCorp Vault enables authentication mechanisms using the vault auth enable command followed by the name of the authentication method. To enable AppRole authentication, the correct command is vault auth enable approle. AppRole is specifically designed for machine-to-machine authentication, making it ideal for CI/CD tools like Jenkins. It allows applications to authenticate securely using role IDs and secret IDs instead of static credentials. The other options do not follow Vault CLI syntax and would result in command errors.

Enabling AppRole during the Build and Test stage ensures that secrets are accessed securely and dynamically, supporting least-

privilege access control and reducing the risk of credential leakage across the DevSecOps pipeline.

## NEW QUESTION # 31

.....

Society will never welcome lazy people, and luck will never come to those who do not. We must continue to pursue own life value, such as get the test ECCouncil certification, not only to meet what we have now, but also to constantly challenge and try something new and meaningful. For example, our 312-97 prepare questions are the learning product that best meets the needs of all users. There are three version of our 312-97 training prep: PDF, Soft and APP versions. And you can free download the demo of our 312-97 learning guide before your payment. Just rush to buy our 312-97 exam braindump!

**Exam 312-97 Pattern:** <https://www.practicevce.com/ECCouncil/312-97-practice-exam-dumps.html>

Dedicated efforts have been made by our colleagues to make the most reliable 312-97 dumps torrent for certification preparation, so you will find it easier to clear exam in a short time, Different candidates have different studying habits, therefore we design our 312-97 dumps torrent questions into different three formats, and each of them has its own characters for your choosing. Our ECCouncil 312-97 dumps torrent materials have three versions: PDF version, Soft version, APP version.

Software Engineering Is Designed for Large Systems Projects, If you happen to be one of them, our EC-Council Certified DevSecOps Engineer (ECDE) 312-97 learning materials will greatly reduce your burden and improve your possibility of passing the exam.

## Actual 312-97 Exam Prep 100% Valid Test Questions are The Best Products

Dedicated efforts have been made by our colleagues to make the most Reliable 312-97 Dumps torrent for certification preparation, so you will find it easier to clear exam in a short time.

Different candidates have different studying habits, therefore we design our 312-97 dumps torrent questions into different three formats, and each of them has its own characters for your choosing.

Our ECCouncil 312-97 dumps torrent materials have three versions: PDF version, Soft version, APP version, However, With PracticeVCE ECCouncil 312-97 exam training materials, the kind of mentality will disappear.

Basically you can practice and learn at the same time.

- Reliable 312-97 Braindumps Files □ 312-97 New Practice Questions □ 312-97 Free Updates □ The page for free download of ➡ 312-97 □ on ( [www.prepawayexam.com](http://www.prepawayexam.com) ) will open immediately □ Latest 312-97 Braindumps Sheet
- 100% Pass 2026 ECCouncil High Pass-Rate 312-97 Reliable Test Online □ Open ☀ [www.pdfvce.com](http://www.pdfvce.com) □ ☀ □ enter 「 312-97 」 and obtain a free download □ New 312-97 Dumps Files
- Top 312-97 Reliable Test Online - Unparalleled - Useful 312-97 Materials Free Download for ECCouncil 312-97 Exam □ The page for free download of ➡ 312-97 □ on ☀ [www.vce4dumps.com](http://www.vce4dumps.com) □ ☀ □ will open immediately □ 312-97 Free Exam Dumps
- Quiz Useful ECCouncil - 312-97 Reliable Test Online □ Enter ⇒ [www.pdfvce.com](http://www.pdfvce.com) ⇐ and search for ➡ 312-97 □ to download for free □ 312-97 Exam Blueprint
- 312-97 exams questions and answers - dumps PDF for EC-Council Certified DevSecOps Engineer (ECDE) □ Simply search for ➡ 312-97 □ □ □ for free download on ▷ [www.prepawayete.com](http://www.prepawayete.com) ◁ □ 312-97 Free Updates
- Training 312-97 Pdf □ Authentic 312-97 Exam Questions □ 312-97 Latest Test Format □ Open □ [www.pdfvce.com](http://www.pdfvce.com) □ enter ➡ 312-97 □ and obtain a free download ◀ 312-97 Exam Vce Format
- 312-97 New Practice Questions □ Reliable 312-97 Braindumps Files □ Training 312-97 Pdf □ Download “312-97” for free by simply searching on □ [www.exam4labs.com](http://www.exam4labs.com) □ □ 312-97 Latest Test Format
- Pass Guaranteed 2026 ECCouncil Accurate 312-97 Reliable Test Online □ Go to website 【 [www.pdfvce.com](http://www.pdfvce.com) 】 open and search for “312-97” to download for free □ 312-97 Exam Vce Format
- 312-97 Free Updates □ Training 312-97 Pdf □ 312-97 Reliable Test Blueprint □ Search for 《 312-97 》 and download it for free on ( [www.practicevce.com](http://www.practicevce.com) ) website □ 312-97 Latest Test Format
- Top 312-97 Reliable Test Online - Unparalleled - Useful 312-97 Materials Free Download for ECCouncil 312-97 Exam □ Simply search for □ 312-97 □ for free download on ( [www.pdfvce.com](http://www.pdfvce.com) ) □ Latest 312-97 Braindumps Sheet
- New 312-97 Test Materials □ 312-97 Reliable Test Blueprint □ 312-97 Free Exam Dumps □ Search for 《 312-97 》 and obtain a free download on 《 [www.prep4sures.top](http://www.prep4sures.top) 》 □ 312-97 Latest Test Format
- [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt)

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, qiita.com,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, Disposable vapes