


# 試験の準備方法-便利な300-835勉強方法試験-更新する 300-835トレーニング



2026年Xhs1991の最新300-835 PDFダンプおよび300-835試験エンジンの無料共有: <https://drive.google.com/open?id=1qJWAATtekc0dIFd885zZ-MeAEqj61AdS>

数千人の専門家で作成された権威ある制作チームが、300-835学習の質問を理解し、質の高い学習体験を楽しんでいます。試験概要と現在のポリシーの最近の変更に応じて、300-835テストガイドの内容を随時更新します。また、300-835試験の質問は、わかりにくい概念を簡素化して学習方法を最適化し、習熟度を高めるのに役立ちます。さらに、300-835テストガイドを使用すると、試験を受ける前に20~30時間の練習で準備時間を短縮できることは間違いありません。

なぜ受験生のほとんどはXhs1991を選んだのですか。それはXhs1991がすごく便利で、広い通用性があるからです。Xhs1991のITエリートたちは彼らの専門的な目で、最新のCiscoの300-835試験トレーニング資料に注目していて、うちのCiscoの300-835問題集の高い正確性を保証するのです。もし君はいささかな心配することがあるなら、あなたはうちの商品を購入する前に、Xhs1991は無料でサンプルを提供することができます。

>> 300-835勉強方法 <<

## 素晴らしい300-835勉強方法一回合格-有効的な300-835トレーニング

Ciscoの300-835試験は大変です。あなたは復習資料に悩んでいるかもしれません。我々Xhs1991の提供するCiscoの300-835ソフトを利用して自分の圧力を減少しましょう。我々のチームは複雑な問題集を整理するに通じて、毎年の試験の問題を分析して最高のCiscoの300-835ソフトを作成します。今まで、我々は更新を努力しています。ご購入した後の一年間で、Ciscoの300-835試験が更新されたら、あなたを理解させます。

Cisco 300-835 (Cisco Collaboration Solutionsの自動化とプログラミング) 認定試験は、Cisco Collaboration Solutionsの自動化とプログラミングに関する専門知識を実証したい人にとって貴重な資格です。これは、ネットワークのプログラム性、自動化ツール、プログラミングの概念に関連するさまざまなトピックをカバーする挑戦的な試験です。試験に合格すると、ITの専門家がキャリアを進め、コラボレーションシステムの効率を向上させるのに役立ちます。

## Cisco Automating and Programming Cisco Collaboration Solutions 認定 300-835 試験問題 (Q34-Q39):

質問 # 34

Which interface is used to obtain performance counters from Cisco UCM?

- A. Cisco Unified Reporting GUI
- B. Cisco Unified Serviceability GUI

- C. Performance Monitoring API
- D. Cisco Unified Operating System Administration GUI

正解: C

解説:

The Performance Monitoring API (Perfmon SOAP API) is the interface used to obtain performance counters from Cisco Unified Communications Manager (UCM). It allows programmatic access to metrics like CPU usage, memory, and call activity for performance monitoring.

質問 # 35

Drag and drop the git commands/steps from the left into the correct order on the right to make changes and submit code to a remote repository.

**Answer Area**

git add main.py	
git commit -m "fix for #234"	
git clone https://github.com/CiscoDevNet/repo.git	
git push origin master	
Edit file main.py	

正解:

解説:

**Answer Area**

git add main.py	git clone https://github.com/CiscoDevNet/repo.git
git commit -m "fix for #234"	Edit file main.py
git clone https://github.com/CiscoDevNet/repo.git	git add main.py
git push origin master	git commit -m "fix for #234"
Edit file main.py	git push origin master

質問 # 36

Refer to the exhibit.

```

<xsd:element name="associatedDevices" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Also known as controlled devices.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="device" type="axlapi:String50" minOccurs="0" maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation>Name of device.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="primaryExtension" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Only DNS associated with the associatedDevices of the User can be used as primary extension.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="pattern" type="axlapi:String255" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>DN or Pattern.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="routePartitionName" type="axlapi:String50" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>Route Partition to which the DN is associated.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>

```

The exhibit shows the XML schema to associate a device for the AddUser operation in AXL. Which XML snippet is correct to associate a device with name "SEP151515151515"?

- A. `<associatedDevices>`  
`<device name="SEP151515151515">`  
`</associatedDevices>`
- B. `<routePartitionName>`  
`<device>SEP151515151515</device>`  
`</routePartitionName>`
- C. `<routePartitionName>`  
`<device name="SEP151515151515">`  
`</routePartitionName>`
- D. `<associatedDevices>`  
`<device>SEP151515151515</device>`  
`</associatedDevices>`

- A. Option A
- **B. Option D**
- C. Option C
- D. Option B

正解: B

### 質問 # 37

Drag and Drop Question

Drag and drop the code to add a Webex Teams Space Widget in an existing HTML page. Not all items are used.

Answer Area

```
<body>  
  <div id="my-webexteams-widget" style="width: 500px; height: 500px;"/>  
  <script>  
    <var widgetEl = document.getElementById(' [ ] ');  
    // Init a new widget  
    ciscopark.widget(widgetEl). [ ] ({  
      accessToken: 'ACCESS_TOKEN',  
      destinationId: 'SPACE_ID',  
      destinationType: '[ ]',  
    });  
  </script>  
</body>
```

my-webexteams-widget    spaceId    mySpaceWidget  
webexteams-widget    space\_ID    spaceWidget  
RoomId    PersonEmail

正解:

解説:

Answer Area

```
<body>  
  <div id="my-webexteams-widget" style="width: 500px; height: 500px;"/>  
  <script>  
    <var widgetEl = document.getElementById(' my-webexteams-widget ');  
    // Init a new widget  
    ciscopark.widget(widgetEl). spaceWidget ({  
      accessToken: 'ACCESS_TOKEN',  
      destinationId: 'SPACE_ID',  
      destinationType: '[ ] spaceId',  
    });  
  </script>  
</body>
```

mySpaceWidget  
webexteams-widget    space\_ID  
RoomId    PersonEmail

質問 # 38

Drag and Drop Question

Drag and drop the code to create a valid Cisco Meeting Server REAST API Python script that creates a CMS coSpace and prints the URI to the console. Not all options are used.

### Answer Area

```
import requests

newSpace = {
    'name': 'Test space',
    'ownerJid': 'janedoe@example.com'
}

head = {
    'Content-Type': ' ',
    'Authorization': ' '
}

resp = requests.post(' ',
                    headers=head,
                    data=newSpace)

print( )
```

'Content-Type': 'application/x-www-form-urlencoded'

'Content-Type': 'application/json'

'Authorization': 'Basic'

'Authorization': 'Bearer'

https://cms.example.com/api/v1/coSpaces

https://cms.example.com/api/v1/addCospace

resp.headers.Location

resp.body.Location

正解:

解説:

## Answer Area

```
import requests

newSpace = {
    'name': 'Test space',
    'ownerJid': 'janedoe@example.com'
}

head = {
    'Content-Type': '\Content-Type': 'application/json',
    'Authorization': '\Authorization': 'Basic'
}

resp = requests.post(' https://cms.example.com/api/v1/coSpaces
headers=head,
data=newSpace)

print( resp.body.Location )
```

```
'Content-Type': 'application/x-www-form-urlencoded'
```

```
'Authorization': 'Bearer'
```

```
https://cms.example.com/api/v1/addCospace
```

```
resp.headers.Location
```

### 質問 #39

.....

数年間でのIT認定試験資料向けの研究分析によって、我々社はこの業界のリーダーにだんだんなっています。弊社のチームは開発される問題集はとてつて全面で、受験生をCisco 300-835試験に合格するのを良く助けます。周知のように、Cisco 300-835資格認定があれば、IT業界での発展はより簡単になります。

**300-835トレーニング** : <https://www.xhs1991.com/300-835.html>

さあ、決心して300-835試験の急流を手に入れましょう、Xhs1991のCiscoの300-835試験トレーニング資料は受験生としてのあなたが欠くことができない資料です、実際の試験に応じて、実践のために最新の300-835試験ダンプを提供します、Cisco 300-835勉強方法 一年間に無料で問題集を更新するサービスを提供します、Cisco 300-835勉強方法 安全な環境と効果的な製品については、数千人の候補者が私たちの研究の質問を選んでいますが、Cisco 300-835勉強方法 ところで、あなたにとってどんなツールが良いと言えるのですか、Cisco 300-835 勉強方法 ほぼ100%の通過率は我々のお客様からの最高のプレゼントです。

E'これはエマージェンシーのEなのかな、という具合だ、さあ、決心して300-835試験の急流を手に入れましょう、Xhs1991のCiscoの300-835試験トレーニング資料は受験生としてのあなたが欠くことができない資料です。

**試験の準備方法-便利な300-835勉強方法試験-真実的な300-835トレーニング**

