

Famous 300-410 Training Brain Dumps present the most useful Exam Materials - Prep4SureReview



DOWNLOAD the newest Prep4SureReview 300-410 PDF dumps from Cloud Storage for free: https://drive.google.com/open?id=1XZFYIA-lkE_608ueGNjyXu-rfCTbYLwp

The Cisco 300-410 Exam Questions give you a complete insight into each chapter and an easy understanding with simple and quick-to-understand language. The Cisco 300-410 exam dumps are the best choice to make. The common problem Cisco 300-410 Exam applicants face is seeking updated and real Cisco 300-410 practice test questions to prepare successfully for the cherished Implementing Cisco Enterprise Advanced Routing and Services 300-410 certification exam.

Cisco 300-410 Certification is highly respected in the IT industry and is recognized by leading companies worldwide. By passing 300-410 exam, you demonstrate your expertise in advanced routing and network services, which can lead to new career opportunities and higher pay. Employers seek out Cisco certified professionals because they know that they have the skills and knowledge needed to manage complex networking environments.

>> **300-410 Practice Engine** <<

300-410 PDF - Test 300-410 Registration

The Cisco 300-410 real exam simulation by the software helps you counter 300-410 exam anxiety. You need to install the desktop software on Windows to take the practice test. Our web-based 300-410 Practice Test has all specs of the desktop software. The only difference is that this Cisco 300-410 practice test works online using any operating system and browsers.

Cisco Implementing Cisco Enterprise Advanced Routing and Services Sample Questions (Q218-Q223):

NEW QUESTION # 218

Refer to the exhibit.

```
OSPF: Send DBD to 10.100.1.2 on GigabitEthernet0/1 seq 0x9E6 opt
0x52 flag 0x7
  len 32
OSPF: Retransmitting DBD to 10.100.1.2 on GigabitEthernet0/1
[10]
OSPF: Send DBD to 10.100.1.2 on GigabitEthernet0/1 seq 0x9E6 opt
0x52 flag 0x7
  len 32
OSPF: Retransmitting DBD to 10.100.1.2 on GigabitEthernet0/1
[11]
OSPF-5-ADJCHG: Process 1, Nbr 10.100.1.2 on GigabitEthernet0/1
from EXSTART to
  DOWN, Neighbor Down: Too many retransmissions
```

Refer to the exhibit. The OSPF neighbor relationship is not coming up. What must be configured to restore OSPF neighbor adjacency?

- A. OSPF on the remote router
- **B. matching MTU values**
- C. matching hello timers
- D. use router ID

Answer: B

NEW QUESTION # 219

Which list defines the contents of an MPLS label?

- A. 20-bit label; 3-bit flow label; 1-bit bottom stack; 8-bit hop limit
- **B. 20-bit label; 3-bit traffic class; 1-bit bottom stack; 8-bit TTL.**
- C. 32-bit label; 3-bit traffic class; 1-bit bottom stack; 8-bit TTL
- D. 32-bit label; 3-bit flow label; 1-bit bottom stack; 8-bit hop limit.

Answer: B

Explanation:

MPLS uses a 32-bit label field that contains the information that follows:

- + 20-bit label (a number)
- + 3-bit class of service (or experimental field, typically used to carry IP precedence value)
- + 1-bit bottom-of-stack indicator (indicates whether this is the last label before the IP header)
- + 8-bit TTL (equal to the TTL in the IP header)

NEW QUESTION # 220

Refer to the exhibit.

```

router# show running-config
Building configuration...
!
<output omitted ----!>
!
hostname R1
!
ip domain-name cisco.com
!
crypto key generate rsa modulus 2048
!
username admin privilege 15 secret cisco123
!
access-list 1 permit 10.1.1.0 0.0.0.255
access-list 1 deny any log
!
line vty 0 15
access-class 1 in
login local
!
<output omitted ----!>
!
end

```

A user cannot SSH to the router. What action must be taken to resolve this issue?

- A. Configure transport output ssh
- **B. Configure ip ssh version 2**
- C. Configure transport input ssh
- D. Configure ip ssh source-interface loopback0

Answer: B


Explanation:

Explanation

https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst2960x/software/15-0_2_EX/security/configuration_g

NEW QUESTION # 221

Refer to the exhibit. R4 is experiencing packet drop when trying to reach 172.16.2.7 behind R2.
Which action resolves the issue?




- A. Insert a /24 floating static route on R2 toward R3 with metric 254
- **B. Disable auto summarization on R2**
- C. Enable auto summarization on all three routers R1, R2, and R3
- D. Insert a /16 floating static route on R2 toward R3 with metric 254

Answer: B

NEW QUESTION # 222

Refer to the exhibit.



A customer reports that user traffic of bank XYZ to the AAA server is not using the primary path via the R3- R2 link. The network team observes:

id=1XZFYIA-lkE_608ueGNjyXu-rfCTbYLwp