

C-BW4H-2505在線題庫 & C-BW4H-2505最新考題

NOTE: Each correct selection is worth one point.

Required secrets:

- Certificate
- Personal access token
- Shared Access Authorization token
- Username and password

Storage location:

- Azure Data Lake
- Azure Key Vault
- Azure Storage with HTTP access
- Azure Storage with HTTPS access

Answer:

Required secrets:

- Certificate
- Personal access token
- Shared Access Authorization token
- Username and password

Storage location:

- Azure Data Lake
- Azure Key Vault
- Azure Storage with HTTP access
- Azure Storage with HTTPS access

Explanation:
 Every request made against a storage service must be authorized, unless the request is for a blob or container resource that has been made available for public or signed access. One option for authorizing a request is by using Shared Key.
 Scenario: The mobile applications must be able to call the share pricing service of the existing retirement fund management system. Until the system is upgraded, the service will only support basic authentication over HTTPS.
 The investment planning applications suite will include one multi-tier web application and two iOS mobile application. One mobile application will be used by employees; the other will be used by customers.
 Reference: <https://docs.microsoft.com/en-us/rest/api/storageservices/authorize-with-shared-key>

Question: 3

Visit us at: <https://p2pexam.com/az-400>

此外，這些KaoGuTi C-BW4H-2505考試題庫的部分內容現在是免費的：<https://drive.google.com/open?id=1PnXaJmnc2aPC5bMgfRsJTK5wEa8YZ8Tf>

每個人都有自己的人生規劃，選擇不同得到的就不同，所以說選擇很重要。KaoGuTi SAP的C-BW4H-2505考試認證培訓資料是幫助每個IT人士實現自己人生宏偉目標的最好的方式方法，它包括了試題及答案，並且和真實的考試題目不相上下，真的是所謂稱得上是最好的別無二選的培訓資料。

SAP C-BW4H-2505 考試大綱：

| 主題 | 簡介 |
|------|---|
| 主題 1 | <ul style="list-style-type: none"> Data Acquisition into SAP HANA: This section evaluates the capacity of SAP Consultants to integrate various data sources into SAP HANA. It assesses their ability to understand different ingestion techniques and ensure data accessibility for processing. |
| 主題 2 | <ul style="list-style-type: none"> Data Acquisition into SAP BW 4HANA: This section tests how Data Engineers manage data integration into SAP BW 4HANA from multiple sources. It covers essential knowledge of tools and processes used for data extraction, transformation, and loading into the SAP environment. |

| | |
|------|--|
| 主題 3 | <ul style="list-style-type: none"> • SAP BW • 4HANA Project and the Modeling Process: This section of the exam assesses how Data Engineers guide and contribute to SAP BW • 4HANA projects. It includes knowledge of modeling workflows, project lifecycle stages, and collaboration strategies within project teams. |
| 主題 4 | <ul style="list-style-type: none"> • InfoObjects and InfoProviders: This section tests the knowledge of Data Engineers in working with InfoObjects and InfoProviders in SAP BW • 4HANA. It involves handling data structures used for organizing, storing, and accessing analytical data. |
| 主題 5 | <ul style="list-style-type: none"> • Fundamentals: This section of the exam measures the foundational understanding of SAP Consultants and covers essential terms and concepts related to SAP BW • 4HANA and SAP Business Data Cloud. It focuses on the core framework and architecture necessary to navigate and work with these platforms. |

>> C-BW4H-2505在線題庫 <<

準確的SAP C-BW4H-2505在線題庫是行業領先材料&最優良的C-BW4H-2505最新考題

當然，當你在尋找C-BW4H-2505考試資料的時候，肯定也會找到其他很多不同的資料。但是，經過調查或者親身試用你就會發現，KaoGuTi的資料是最適合你的考試準備工具。KaoGuTi的資料是專門為了沒有足夠的時間準備C-BW4H-2505考試的考生們而開發的。它可以讓你在準備考試時節省更多的時間。而且，這個資料可以保證你一次通過考試。另外，KaoGuTi的資料是隨時在更新的。如果考試大綱和內容有變化，KaoGuTi可以給你最新的消息。

最新的 SAP Certified Associate C-BW4H-2505 免費考試真題 (Q74-Q79):

問題 #74

You are involved in an SAP BW/4HANA project focusing on General Ledger reporting want to use the SAP ERP standard DataSource OFI_GL_14 (New GL Items) which is not active in your SAP ERP system. Which transactions can be used to activate this DataSource? Note: There are 2 correct answers to this question.

- **A. Transaction RSA5 (Installation of DataSource from Business Content) in the SAP ERP system**
- B. Transaction RSDS (DataSource Repository) in the SAP BW/4HANA system
- **C. Transaction RSA2 (DataSource Repository) in the SAP ERP system**
- D. Transaction RSORBCT (Data Warehousing Workbench: BI Content) in the SAP BW/4HANA system

答案: A,C

解題說明:

To activate a standard DataSource like OFI_GL_14 (New GL Items) in an SAP ERP system, you need to use transactions that are specifically designed for managing and activating DataSources within the ERP system.

Below is a detailed explanation of the correct answers:

* Explanation: This transaction is used in the SAP BW/4HANA system to activate or install BI Content objects such as InfoProviders, Transformations, and DTGs. However, it does not activate DataSources in the source SAP ERP system. Activation of DataSources must occur in the ERP system itself.

* RSORBCT is part of the BW/4HANA environment and is unrelated to activating DataSources in the ERP system.

Option B: Transaction RSA5 (Installation of DataSource from Business Content) in the SAP ERP system
Explanation: RSA5 is used in the SAP ERP system to activate standard DataSources delivered by SAP. When you run this transaction, you can search for and activate specific DataSources, such as OFI_GL_14, from the Business Content. This ensures that the DataSource becomes available for extraction.

Reference: RSA5 is a key transaction for enabling standard DataSources in SAP ERP systems. It is essential for preparing the ERP system to deliver data to SAP BW/4HANA.

Option C: Transaction RSA2 (DataSource Repository) in the SAP ERP system
Explanation: RSA2 provides access to the DataSource repository in the SAP ERP system. While it does not directly activate DataSources, it allows you to view, maintain, and manage the status of DataSources. You can also trigger the activation of DataSources from this transaction.

Reference: RSA2 is often used alongside RSA5 to verify the status of DataSources and ensure they are correctly configured for

extraction.

Option D: Transaction RSDS (DataSource Repository) in the SAP BW/4HANA system

Explanation: RSDS is used in the SAP BW/4HANA system to view and manage DataSources that have been replicated from the source system. However, it cannot activate DataSources in the SAP ERP system. Activation must occur in the ERP system using transactions like RSA5 or RSA2.

Reference: RSDS is limited to managing DataSources within the BW/4HANA environment and does not interact with the ERP system's DataSource activation process.

Summary To activate the OFI_GL_14 DataSource in the SAP ERP system:

RSA5: Activates standard DataSources from Business Content.

RSA2: Provides access to the DataSource repository and supports maintenance tasks.

These transactions ensure that the DataSource is properly enabled in the ERP system, allowing it to deliver data to SAP BW/4HANA.

問題 #75

What are the prerequisites for deleting business partner attribute master data in SAP BW/4HANA? Note:

There are 2 correct answers to this question.

- A. There must be no BW query as InfoProvider in SAP BW/4HANA that uses business partner as a free characteristic.
- **B. There must be no transaction data in a DataStore Object (advanced) referring to business partner values that should be deleted.**
- C. In SAP BW/4HANA there must be no analysis authorizations related to business partner values that should be deleted.
- **D. In SAP BW/4HANA there must be no hierarchy data related to business partner values that should be deleted.**

答案: **B,D**

問題 #76

Which tasks are part of the Business Blueprint phase in an SAP BW/4HANA project? Note: There are 2 correct answers to this question.

- A. Activate SAP business content objects that comply with the layered scalable architecture (LSA++) architecture
- **B. Analyze key performance indicators of the business processes**
- C. Associate an InfoObject to a field in an Open ODS view
- **D. Collect central individual information requirements**

答案: **B,D**

解題說明:

The Business Blueprint phase in an SAP BW/4HANA project is a critical step in the implementation process. It focuses on understanding and documenting the business requirements, defining key performance indicators (KPIs), and gathering detailed information about the data and reporting needs of the organization. This phase lays the foundation for designing the technical solution in subsequent phases.

* Analyze key performance indicators of the business processes (Option A): During the Business Blueprint phase, it is essential to identify and analyze the key performance indicators (KPIs) that are critical for measuring the success of business processes. KPIs help define the metrics and reporting requirements that will guide the design of the SAP BW/4HANA system.

* This task involves collaborating with business stakeholders to understand their goals and translating them into measurable KPIs.

* For example, KPIs could include sales revenue, customer satisfaction scores, or inventory turnover rates.

* Collect central individual information requirements (Option D): Gathering detailed information requirements from stakeholders is a core activity in the Business Blueprint phase. This includes identifying the specific data elements, reports, and dashboards needed by different users across the organization.

* Centralizing these requirements ensures that the solution design aligns with the needs of all stakeholders and avoids gaps in functionality.

* For example, finance teams may require profitability reports, while supply chain teams may need inventory forecasts.

* Associate an InfoObject to a field in an Open ODS view (Option B): Associating InfoObjects to fields in Open ODS views is a technical modeling task that occurs during the Realization phase, not the Business Blueprint phase. This phase focuses on implementing the solution based on the requirements gathered earlier.

* Activate SAP business content objects that comply with the layered scalable architecture (LSA++) architecture (Option C): Activating SAP business content objects is also part of the Realization phase.

While LSA++ principles guide the overall architecture, the Business Blueprint phase focuses on understanding requirements rather than implementing technical components.

* Purpose: The Business Blueprint phase aims to document the business processes, KPIs, and reporting requirements that will drive the SAP BW/4HANA implementation.

* Deliverables:

* Business process documentation.

* List of KPIs and reporting requirements.

* Information models and data flow diagrams.

* SAP Activate Methodology for SAP BW/4HANA: This methodology provides a structured approach to implementing SAP BW/4HANA, including detailed guidance on the Business Blueprint phase.

* Link: SAP Activate for SAP BW/4HANA

* SAP Best Practices for SAP BW/4HANA Implementation: This resource outlines the tasks and deliverables for each phase of the implementation, including the Business Blueprint phase.

Correct Answers: Why Other Options Are Incorrect: Key Points About the Business Blueprint Phase:

References to SAP Data Engineer - Data Fabric: By focusing on analyzing KPIs and collecting information requirements, you ensure that the SAP BW/4HANA solution is aligned with the business needs and delivers value to stakeholders.

問題 #77

You use InfoObject B as a display attribute for InfoObject A.

Which object properties prevent you from changing InfoObject B into a navigational attribute for InfoObject A? Note: There are 3 correct answers to this question.

- A. Data Type "Character String" is set in InfoObject A.
- B. InfoObject B is defined as a Key Figure.
- C. Attribute Only is set in InfoObject B.
- D. Conversion Routine "ALPHA" is set in InfoObject A.
- E. High Cardinality is set in InfoObject B.

答案: B,C,E

解題說明:

In SAP BW/4HANA, when using InfoObjects and their attributes, certain properties of the objects can restrict or prevent specific configurations. Let's analyze each option to determine why B, C, and D are correct:

* Explanation: If an InfoObject is flagged as "Attribute Only," it means that this object is designed exclusively to serve as an attribute for another InfoObject. Such objects cannot be used as navigational attributes because navigational attributes require additional functionality, such as being part of reporting and navigation paths.

* In SAP BW/4HANA, the "Attribute Only" property is a restriction that prevents an InfoObject from being used in ways other than as a display attribute. This ensures that the object remains lightweight and focused on its intended purpose.

2. High Cardinality is set in InfoObject B (Option C) Explanation: High cardinality indicates that the InfoObject has a large number of unique values relative to the dataset size. Navigational attributes typically require efficient indexing and aggregation, which becomes challenging with high-cardinality fields.

Therefore, SAP BW/4HANA does not allow high-cardinality attributes to be used as navigational attributes.

Reference: High-cardinality attributes are better suited for use cases like drill-downs or detailed analysis rather than navigation. The system enforces this restriction to optimize performance and avoid excessive memory consumption.

3. InfoObject B is defined as a Key Figure (Option D) Explanation: Key Figures are numeric measures (e.

g., sales amount, quantity) and are fundamentally different from characteristics (descriptive attributes). Since navigational attributes must be characteristics, an InfoObject defined as a Key Figure cannot be converted into a navigational attribute.

Reference: In SAP BW/4HANA, Key Figures and Characteristics serve distinct roles in data modeling. Key Figures are used for calculations and aggregations, while Characteristics provide context and descriptive information.

4. Data Type "Character String" is set in InfoObject A (Option A) Explanation: The data type of InfoObject A (the primary InfoObject) does not influence whether InfoObject B can be converted into a navigational attribute. The data type of InfoObject B (the attribute) is more relevant in this context.

Reference: While the data type of InfoObject A may affect how the attribute is displayed or processed, it does not impose restrictions on converting InfoObject B into a navigational attribute.

5. Conversion Routine "ALPHA" is set in InfoObject A (Option E) Explanation: Conversion routines like

"ALPHA" are used to format or transform data during input/output operations. These routines do not impact the ability to convert an attribute into a navigational attribute.

Reference: Conversion routines are applied at the field level and do not interfere with the structural properties required for navigational attributes.

Conclusion The correct answers are B (Attribute Only is set in InfoObject B), C (High Cardinality is set in InfoObject B), and D

(InfoObject B is defined as a Key Figure). These properties directly conflict with the requirements for navigational attributes in SAP BW/4HANA.

問題 #78

You created an Open ODS view of type Facts. With which object types can you associate a field in the Characteristics folder? Note: There are 2 correct answers to this question.

- A. HDI Calculation View of data category Dimension
- B. Open ODS view of type Facts
- C. Open ODS view of type Master Data
- D. InfoObject of type Characteristic

答案: C,D

問題 #79

.....

SAP的C-BW4H-2505考試是IT行業之中既流行也非常重要的一個考試，我們準備了最優質的學習指南和最佳的線上服務，特為IT專業人士提供捷徑，KaoGuTi SAP的C-BW4H-2505考題涵蓋了所有你需要知道的考試內容和答案，如果你通過我們KaoGuTi的考題模擬，你就知道這才是你千方百計想得到的東西，並且認為這樣才真的是為考試做準備的

C-BW4H-2505最新考題: https://www.kaoguti.com/C-BW4H-2505_exam-pdf.html

- C-BW4H-2505套裝 C-BW4H-2505認證指南 C-BW4H-2505測試 到《tw.fast2test.com》搜尋“C-BW4H-2505”以獲取免費下載考試資料C-BW4H-2505證照考試
- C-BW4H-2505證照信息 C-BW4H-2505考證 C-BW4H-2505 PDF 透過《www.newdumps.pdf.com》搜索[C-BW4H-2505]免費下載考試資料C-BW4H-2505證照考試
- C-BW4H-2505 PDF C-BW4H-2505套裝 C-BW4H-2505套裝 在 [tw.fast2test.com](https://www.fast2test.com) 網站上查找 [▶](#) C-BW4H-2505 的最新題庫C-BW4H-2505認證指南
- 新版C-BW4H-2505題庫上線 C-BW4H-2505新版題庫上線 !! 新版C-BW4H-2505題庫上線 “www.newdumps.pdf.com”上的免費下載【C-BW4H-2505】頁面立即打開C-BW4H-2505新版題庫上線
- 新版C-BW4H-2505題庫上線 C-BW4H-2505考試內容 C-BW4H-2505試題 複製網址 [tw.fast2test.com](https://www.fast2test.com) [▶](#) 打開並搜索 [▶](#) C-BW4H-2505 免費下載C-BW4H-2505認證資料
- C-BW4H-2505軟件版 C-BW4H-2505考證 C-BW4H-2505考題套裝 在 { www.newdumps.pdf.com } 網站上查找 [▶](#) C-BW4H-2505 的最新題庫C-BW4H-2505新版題庫上線
- C-BW4H-2505最新題庫資源 C-BW4H-2505證照信息 C-BW4H-2505證照信息 打開 www.vcesoft.com 搜尋 (C-BW4H-2505) 以免費下載考試資料新版C-BW4H-2505題庫上線
- 完整的C-BW4H-2505在線題庫和資格考試中的領導者和最佳的C-BW4H-2505: SAP Certified Associate - Data Engineer - SAP BW/4HANA (www.newdumps.pdf.com) 最新 [▶](#) C-BW4H-2505 問題集合C-BW4H-2505考題套裝
- 最新版的C-BW4H-2505在線題庫, SAP SAP Certified Associate認證C-BW4H-2505考試題庫提供免費下載 到【www.pdfexamdumps.com】搜索 [▶](#) C-BW4H-2505 輕鬆取得免費下載C-BW4H-2505證照考試
- 只有最好的C-BW4H-2505在線題庫才能提供SAP Certified Associate - Data Engineer - SAP BW/4HANA的最高通過率 進入【www.newdumps.pdf.com】搜尋 [▶](#) C-BW4H-2505 免費下載C-BW4H-2505熱門證照
- 最實用的C-BW4H-2505認證考試的參考資料 來自網站 www.vcesoft.com [▶](#) 打開並搜索 [C-BW4H-2505] 免費下載C-BW4H-2505熱門證照
- philipgxah513764.luwebs.com, www.stes.tyc.edu.tw, thebookmarknight.com, lulushex141102.luwebs.com, card-directory.com, ammargcmf587493.thenerdsblog.com, laylaelxa527637.blognody.com, wearthelist.com, www.stes.tyc.edu.tw, roxamkgqi767654.bleepblogs.com, Disposable vapes

P.S. KaoGuTi在Google Drive上分享了免費的2026 SAP C-BW4H-2505考試題庫: <https://drive.google.com/open?id=1PnXaJmnc2aPC5bMgfrsJTK5wEa8YZ8Tf>