


Fortinet FCSS_SDW_AR-7.6 for the latest training materials

 PDF	
Section	Objectives
Monitoring and troubleshooting	<ul style="list-style-type: none">• Configure automatic and manual quarantine• Manage FortiAOPs configuration• Troubleshoot FortiGate communication with FortiSwitch and FortiAP• Use widgets and tools to monitor wireless connectivity

What type of questions are on the Fortinet FCSS_LED_AR-7.6 exams?

- Single answer multiple choice
- Multiple answer multiple choice
- Drag and Drop (DND)
- Router Simulation
- Testlet

LAN Edge Architect FCSS_LED_AR-7.6 Practice Exam Questions.

Grab an understanding from these Fortinet FCSS_LED_AR-7.6 [sample questions](#) and answers and improve your FCSS_LED_AR-7.6 exam preparation towards attaining a Fortinet FCSS - LAN Edge 7.6 Architect Certification. Answering these sample questions will make you familiar with the types of questions you can expect on the actual exam. Doing practice with LAN Edge Architect questions and answers before the exam as much as possible is the key to passing the Fortinet FCSS_LED_AR-7.6 certification exam.

FCSS_LED_AR-7.6 Fortinet FCSS - LAN Edge 7.6 Architect Sample Questions:

01. You need to deploy a security policy on a FortiSwitch port connected to legacy printers that do not support 802.1X authentication. How can you configure the network to ensure these printers have access while maintaining security?

a) Enable MAC Authentication Bypass (MAB) on the FortiSwitch port.
b) Configure the FortiSwitch port to operate in promiscuous mode.
c) Assign the printers to a high-priority VLAN that bypasses security policies.
d) Use port mirroring to copy traffic from the printer to another secured port for authentication.

FCSS_LED_AR-7.6 LAN Edge Architect Sample Questions 3

Actual4test provides you with free demos of its FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 exam product. You can try a free demo to eliminate any confusion regarding the authenticity of our FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 PDF and practice tests (web-based & desktop software). It is also our policy to facilitate you with FCSS_SDW_AR-7.6 free actual dumps updates in case of new FCSS - SD-WAN 7.6 Architect FCSS_SDW_AR-7.6 test changes within three months of your shopping. Contact us any time, if you need any guidance about our Fortinet FCSS_SDW_AR-7.6 exam product. There is only one way to get all these amazing FCSS_SDW_AR-7.6 exam dumps offers and that is purchasing our product today.

It was never so easy to make your way to the world's most rewarding professional qualification as it has become now! Actual4test' FCSS_SDW_AR-7.6 practice test questions answers are the best option to secure your success in just one go. You can easily answer all exam questions by doing our FCSS_SDW_AR-7.6 exam dumps repeatedly. For further sharpening your skills, practice mock tests using our FCSS_SDW_AR-7.6 Brain Dumps Testing Engine software and overcome your fear of failing exam. Our FCSS - SD-WAN 7.6 Architect dumps are the most trustworthy, reliable and the best helpful study content that will prove the best alternative to your time and money.

>>> FCSS_SDW_AR-7.6 Discount <<<

Latest FCSS_SDW_AR-7.6 Study Materials | Dumps FCSS_SDW_AR-7.6 Reviews

It's better to hand-lit own light than look up to someone else's glory. Actual4test Fortinet FCSS_SDW_AR-7.6 exam training materials will be the first step of your achievements. With it, you will be pass the Fortinet FCSS_SDW_AR-7.6 Exam Certification


which is considered difficult by a lot of people. With this certification, you can light up your heart light in your life. Start your new journey, and have a successful life.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q40-Q45):

NEW QUESTION # 40

Refer to the exhibit. Two hub-and-spoke groups are connected through redundant site-to-site IPsec VPNs between Hub 1 and Hub 2.


Which two configuration settings are required for the spoke A1 to establish an ADVPN shortcut with the spoke B2? (Choose two.)



- A. On hubs, auto-discovery-receiver must be enabled on the IPsec VPNs to spokes.
- B. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to hubs.
- C. On hubs, auto-discovery-sender must be enabled on the IPsec VPNs to spokes.
- D. On hubs, auto-discovery-forwarder must be enabled on the IPsec VPNs to spokes.

Answer: B,C

Explanation:



NEW QUESTION # 41

Refer to the exhibits. The exhibits show the configuration for SD-WAN performance. SD-WAN rule, the application IDs of Facebook and YouTube along with the firewall policy configuration and the underlay zone status. Which two statements are true about the health and performance of SD-WAN members 3 and 4? (Choose two.)

Configuration for SD-WAN performance SLA, SD-WAN rule configuration, and application IDs of Facebook and YouTube.

```
config system sdwan
    configure health-check
        edit "Passive"
            set detect-mode passive
            set members 3 4
        next
    end
end

config system sdwan
    config service
        edit 1
            set name "Facebook-Youtube"
            set src "all"
            set internet-service enable
            set internet-service-app-ctrl 15832 31077
            set health-check "Passive"
            set priority-member 3 4
            set passive-measurement enable
        next
    end

branch_fgt # get application name status | grep "id:15832" -B1
app-name: "Facebook"
id: 15832

branch_fgt # get application name status | grep "id: 31077" -B1
app-name: "Youtube"
id: 31077
```

Underlay zone status

```
branch1_fgt # diagnose sys sdwan zone | grep underlay -A1
Zone underlay index=3
members (2): 3 (port1) 4 (port2)
```

- A. Only related TCP traffic is used for performance measurement.
- B. Encrypted traffic is not used for the performance measurement.
- C. The performance is an average of the metrics measured for Facebook and YouTube traffic passing through the member.
- D. FortiGate identifies the member as dead when there is no Facebook and YouTube traffic passing through the member.

Answer: A,C

Explanation:

Based on the SD-WAN configuration exhibit for health checks and service with application IDs for Facebook (15832) and YouTube (31077) and health-check set to "Passive" mode for members 3 and 4, the following conclusions about the health and performance of SD-WAN members 3 and 4 are true:

Only related TCP traffic is used for performance measurement

The passive health-check mode measures performance based on real application traffic, which generally includes TCP traffic affecting the monitored applications.

The performance is an average of the metrics measured for Facebook and YouTube traffic passing through the member. The configured service includes both Facebook and YouTube app IDs, and performance measurement aggregates data from these applications.

NEW QUESTION # 42

Which three characteristics apply to provisioning templates available on FortiManager? (Choose three.)

- A. A CLI template can be of type CLI script or Perl script.
- B. CLI templates are applied in order, from top to bottom.
- C. A CLI template group can contain CLI templates of both types.
- D. Each template group can contain up to three IPsec tunnel templates.
- E. A template group can include a system template and an SD-WAN template.

Answer: B,C,E

Explanation:

Template groups can include both system and SD-WAN templates to streamline configuration deployment.

A CLI template group can include both CLI Script and CLI Snippet types.

CLI templates are applied in top-to-bottom order, which affects configuration precedence.

NEW QUESTION # 43

When you configure FortiGate for SD-WAN, what is the impact when you assign a priority to the SD-WAN members?

- A. It is used by the SD-WAN rules configured with the lowest cost strategy to select between members with similar performances.
- B. It is used by the SD-WAN rules configured with the manual strategy to determine the preferred member when all are alive.
- C. It is used by SD-WAN rules that allow load balancing to determine the proportion of traffic steered to each link.
- D. It is used to prioritize one static route over another in the case of ECMP routes.

Answer: D

Explanation:

SD-WAN priority acts similarly to static route priority. It is used to assign an order of preference among SD-WAN members and affects routing decisions including static routes under ECMP scenarios.

NEW QUESTION # 44

Refer to the exhibits. You use FortiManager to configure SD-WAN on three branch devices.

When you install the device settings, FortiManager prompts you with the error "Copy Failed" for the device branch1_fat. When you click the log button, FortiManager displays the message shown in the exhibit.

Based on the exhibits, which statement best describes the issue and how you can resolve it?

SD-WAN template zones and rules configuration

SD-WAN Zones							
<div> <div>+ Create New</div> <div>Edit</div> <div>Delete</div> <div>Q Where Used</div> <div>Search...</div> </div>							
<input type="checkbox"/>	ID	Interface	Gateway	Cost	Priority	Status	Installation Target
<input type="checkbox"/>	virtual-wan-link						
<input type="checkbox"/>	underlay						
<input type="checkbox"/>	1	port1	\$(sdwan_port1_gw)	0	1	Enable	
<input type="checkbox"/>	2	port2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	WAN3						
<input type="checkbox"/>	3	port4	\$(sdwan_port4_gw)	0	1	Enable	1 Device in Total branch1_fgt (root)
<input type="checkbox"/>	HUB1						
<input type="checkbox"/>	4	HUB1-VPN1	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	5	HUB1-VPN2	0.0.0.0	0	1	Enable	
<input type="checkbox"/>	6	HUB1-VPN3	0.0.0.0	0	1	Enable	

SD-WAN Rules										
<div> <div>+ Create New</div> <div>Edit</div> <div>Delete</div> <div>More</div> <div>Search...</div> </div>										
<input type="checkbox"/>	ID	Name	Source	Destination	Criteria	Members	Performance SLA	Port	Protocol	Status
<input type="checkbox"/>	1	Critical-DIA	LAN-r	Salesforce Microsoft		port1 port2			any	Enable
<input type="checkbox"/>	2	Non-Critical-DIA	LAN-r	Facebook LinkedIn Game		port2			any	Enable
<input type="checkbox"/>	3	Corp	LAN-r	Corp-net		HUB1-VPN1 HUB1-VPN2 HUB1-VPN3			any	Enable
<input type="checkbox"/>	sd-wan	All	All	Source IP	All				any	

FortiManager error message

Install Wizard - Validate Devices (3/4)

Task finished with errors.

Installation Preparation

Total: 4/4

Success: 3

Warning: 0

Error: 1

Show Details

100%

Ready to Install

Only successfully validated device may be installed. Please confirm and click "Install" button to continue.

Install Preview

Search...

<input checked="" type="checkbox"/>	Device Name	Status	Action
<input type="checkbox"/>	branch1_fgt	Copy Failed	Log
<input checked="" type="checkbox"/>	branch2_fgt	Connection Up	
<input checked="" type="checkbox"/>	branch3_fgt	Connection Up	



- A. Check the metadata variable definitions, and review the per-device mapping configuration.
- B. Check the connection between branch1_fgt and FortiManager
- C. Gateways for all members in a zone must be defined the same way. Specify the gateway of the SD-WAN member port! without metadata variables.
- D. Remove the installation target for the SD-WAN member port4. You cannot combine metadata variable and installation targets.

Answer: A

Explanation:

The error message clearly states invalid ip addr for the metadata variable \${sdwan_port1_gw}, which means the per-device value for this variable is not defined or is incorrectly mapped. You must verify the metadata mapping for branch1_fgt to ensure that \${sdwan_port1_gw} is assigned a valid IP address.

NEW QUESTION # 45

.....

Since the childhood, we seem to have been studying and learning seems to take part in different kinds of the purpose of the test, at the same time, we always habitually use a person's score to evaluate his ability. And our FCSS_SDW_AR-7.6 real study braindumps can help you get better and better reviews. This is a very intuitive standard, but sometimes it is not enough comprehensive, therefore, we need to know the importance of getting the test FCSS_SDW_AR-7.6 Certification, qualification certificate for our future job and development is an important role. Only when we have enough qualifications to prove our ability can we defeat our opponents in the harsh reality. We believe our FCSS_SDW_AR-7.6 actual question will help you pass the qualification examination and get your qualification certificate faster and more efficiently.

Latest FCSS_SDW_AR-7.6 Study Materials: https://www.actual4test.com/FCSS_SDW_AR-7.6_examcollection.html

Thousands of Fortinet Certified Solution Specialist professionals have already used these to the point FCSS_SDW_AR-7.6 Q&As and have achieved their dream certification in the first attempt, you will succeed, Fortinet FCSS_SDW_AR-7.6 Discount Pay full attention to latest version, For example, if you are a college student, you can study and use online resources through the student column of our FCSS_SDW_AR-7.6 study materials, and you can choose to study in your spare time, In order to let you have a better understanding of our company's products, I list some of the advantages of our FCSS_SDW_AR-7.6 practice exam files for you.

We can build a lot of flexibility into this shader by FCSS_SDW_AR-7.6 Book Free parameterizing the different aspects of our brick algorithm, Easier maintenance of graphical effects, Thousands of Fortinet Certified Solution Specialist professionals have already used these to the point FCSS_SDW_AR-7.6 Q&As and have achieved their dream certification in the first attempt.

High Quality FCSS_SDW_AR-7.6 Test Torrent to Get FCSS - SD-WAN 7.6 Architect Certification

you will succeed, Pay full attention to latest FCSS_SDW_AR-7.6 version, For example, if you are a college student, you can study and use online resources through the student column of our FCSS_SDW_AR-7.6 study materials, and you can choose to study in your spare time.

In order to let you have a better understanding of our company's products, I list some of the advantages of our FCSS_SDW_AR-7.6 practice exam files for you.

- [illegible]