

# AD0-E725試題 - AD0-E725考試重點



順便提一下，可以從雲存儲中下載KaoGuTi AD0-E725考試題庫的完整版：<https://drive.google.com/open?id=1YZhcMFox7dibXavoT20L5NpXap6-zBAI>

我們的Adobe AD0-E725題庫是由專業的IT團隊以最好的技術水準制作而得到的學習資料，其中整合最新的AD0-E725考試問題得到而來，以確保您購買我們的題庫資料是真實有效的，即使是新手也可以快速輕鬆獲得Adobe AD0-E725認證。對於如此有效的考古題，趕快加入購物車吧！付款之后您就可以立即下載所購買的AD0-E725題庫，這將會讓您在您的考試中獲得高分，並順利的通過AD0-E725考試。

我們KaoGuTi Adobe的AD0-E725考試培訓資料使你在購買得時候無風險，在購買之前，你可以進入KaoGuTi網站下載免費的部分考題及答案作為試用，你可以看到考題的品質以及我們KaoGuTi網站介面的友好，我們還提供一年的免費更新，如果沒有通過，我們將退還全部購買費用，我們絕對保障消費者的權益，我們KaoGuTi提供的培訓資料實用性很強，絕對適合你，並且能達到不一樣的效果，讓你有意外的收穫。

>> AD0-E725試題 <<

## AD0-E725考試重點，AD0-E725考試備考經驗

在這個資訊時代，IT行業被很多人關注，但是在如今人才濟濟的社會裏任然比較缺乏IT人。很多公司都招聘IT人才，他們一般考察IT人才的能力會參考他們擁有的IT相關認證證書，所以擁有一些IT相關的認證證書是受很多公司歡迎的。但是這些認證證書也不是很容易就能拿到的。Adobe AD0-E725 就是一個相當有難度的認證考試，雖然很多人報名參加Adobe AD0-E725考試，但是通過率並不是很高。

## 最新的 Adobe Commerce AD0-E725 免費考試真題 (Q40-Q45):

### 問題 #40

An Adobe Commerce Expert is tasked with configuring different pricing for products across multi-site installation. Each website requires independent control of its prices while using the same catalog data.

What is the minimum store hierarchy structure required to achieve this?

- A. Multiple stores and a single store view for each store
- B. One website, one store, and multiple store views

- C. Multiple websites, each with one store and at least one store view

答案： C

#### 問題 #41

An Adobe Commerce Developer is tasked with configuring a custom module to allow for different behaviors of a core class without altering the original class code.

How should the Developer achieve this flexibility by leveraging Magento's dependency injection system?

- A. Use constructor arguments in the di.xml file.
- B. Use a transient object in the di.xml file.
- C. Use virtual types in the di.xml file.

答案： C

解題說明：

Comprehensive and Detailed Explanation (with official references):

The correct method is A. Use virtual types in the di.xml file.

Virtual types in Magento's Dependency Injection (DI) system allow developers to reuse existing classes while supplying different constructor arguments. They are not physical PHP classes but are defined in di.xml. This approach avoids modifying the core code and ensures flexibility when you want the same class to behave differently in different contexts.

\* Option B (transient object): Not a valid DI configuration in Magento.

\* Option C (constructor arguments): While constructor arguments are part of DI, they don't allow you to create alternate reusable versions of the same class. Virtual types extend this concept properly.

Official Documentation Extracts:

\* "Virtual types let you configure an existing class with different constructor arguments. They are not actual PHP classes but are declared in the dependency injection configuration."- Adobe Commerce DevDocs: Virtual types

\* "Use virtual types to avoid code duplication and to configure class behavior without extending or overriding Magento core classes."- Adobe Commerce PHP Developer Guide: Dependency Injection

#### 問題 #42

A Developer creates daily cron jobs to automate a client's business processes, including automated stock imports via CSV files once per day. After a few days, it is noted that the cron jobs do not run daily. The Developer discovers the cron jobs are sometimes assigned a missed status and do not execute, and other cron jobs become stuck during the execution time of the custom cron jobs. Which option should the Developer use to ensure the cron jobs consistently run each day?

- A. Set the cron jobs to run multiple times per day instead of once daily.
- B. In the execute() function, implement a lock checker to make sure the cron runs alone.
- C. Implement a custom group for the cron jobs in the crontab.xml.

答案： C

解題說明：

The correct solution is to create a custom cron group.

By default, Magento cron jobs run in shared groups (default, index, etc.). If a heavy/long-running job blocks the queue, other jobs in the same group may become delayed or marked as "missed." By assigning heavy processes (such as stock imports) to a dedicated group, developers ensure that the job is managed separately, avoiding conflicts.

Option B does not solve the root scheduling issue; it just increases runs.

Option C (lock checker) prevents overlaps but does not prevent the missed status caused by shared cron queue congestion.

Reference:

Adobe Commerce DevDocs - Configure cron groups

#### 問題 #43

A client requests changes to their Pro Staging and Production environments. They supply a Developer with different domains for new websites to be created with the goal of expanding operations to multiple countries, doubling the current number of SKUs, and adding more customer groups.

Which two issues should the Developer anticipate based on the requested changes? (Choose two.)

- A. Recreate hierarchy navigation for every new website.
- **B. Catalog data expands as the number of websites and stores are increased.**
- C. Multiple websites may require duplicating custom functionality for each store, which increases code redundancy.
- **D. Additional stores can lead to a longer indexing process and slower response times for noncached catalog pages.**

答案: B,D

#### 問題 #44

A multi-source merchant asks an Adobe Commerce Developer to prioritize inventory source selection based on shipping address and minimal delivery cost.

How should the Developer implement this task functionality?

- **A. Register new Source Selection Algorithms (SSA) via di.xml and implement SourceSelectionInterface.**
- B. Configure Distance Priority Algorithm and implement PlaceReservationsForSalesEventInterface.
- C. Use Source Priority Algorithm and utilize GetSourceSelectionAlgorithmList.

答案: A

解題說明:

To customize how inventory sources are prioritized, developers must create a new Source Selection Algorithm (SSA). This is done by registering a new SSA in di.xml and implementing SourceSelectionInterface. This allows developers to define rules such as shipping address proximity or delivery cost.

B is partially correct: Distance Priority Algorithm exists, but implementing PlaceReservationsForSalesEventInterface is not the right way to customize selection logic.

C Source Priority Algorithm is fixed (based on predefined priority), not custom.

Reference:

Adobe Commerce DevDocs - Inventory Source Selection Algorithm

Official Documentation Extracts:

"To customize source selection behavior, implement a custom Source Selection Algorithm (SSA). The algorithm must implement SourceSelectionInterface and be registered via dependency injection (di.xml)."- Adobe Commerce DevDocs: Custom Source Selection Algorithm

"Adobe Commerce provides default SSAs: Source Priority Algorithm and Distance Priority Algorithm.

Custom SSAs can be created to satisfy specific business requirements such as delivery costs."- Adobe Commerce Inventory Management Guide

#### 問題 #45

.....

隨著21世紀資訊時代的洪流到來，人們不斷提高自己的知識來適應這個時代，但遠遠不夠，就IT行業來說，Adobe的AD0-E725考試認證是IT行業必不可少的認證，想要通過這項考試培訓是必須的，因為這項考試是有所困難的，通過了它，就可以受到國際的認可及接受，你將有一個美好的前程及拿著受人矚目的高薪，KaoGuTi網站有全世界最可靠的IT認證培訓資料，有了它你就可以實現你美好的計畫，我們保證你100%通過認證，參加Adobe的AD0-E725考試認證的考生們，你們還在猶豫什麼呢，趕緊行動吧！

**AD0-E725考試重點:** [https://www.kaoguti.com/AD0-E725\\_exam-pdf.html](https://www.kaoguti.com/AD0-E725_exam-pdf.html)

我們的 Adobe Commerce Developer Expert 考古題是由專家團隊為了滿足大部分IT人士的需求，利用他們自己的經驗和知識努力地研究過去的幾年的 AD0-E725 認證考試題目，因此，最新的 Adobe Commerce Developer Expert 模擬測試題和答案就問世了，Adobe AD0-E725試題 這個考古題包含了實際考試中一切可能出現的問題，一旦我們的日常生活被打亂了，我們就能難保證能夠以較好的身體和精神狀態投入到AD0-E725問題集練習中，在以後的練習中，一旦沒有答案做提示，我們很可能就無法單獨解決這些AD0-E725考題，考生需要是多做我們的 Adobe 的 AD0-E725 考古題，將特別需要記憶或比較的題型做標註，這不僅能檢測出自己理解的多，也能在 Adobe AD0-E725 考試前作最快速的瀏覽，增加內容的熟悉度，有效提高學習效率，Adobe AD0-E725試題 命運的鐵拳擊中要害的時候，只有大勇大智的人才能夠處之泰然。

到不知他們來此作甚，我在壹邊保護，壹邊告訴她的動作，我們的 Adobe Commerce Developer Expert 考古題是由專家團隊為了滿足大部分IT人士的需求，利用他們自己的經驗和知識努力地研究過去的幾年的 AD0-E725 認證考試題

**熱門的AD0-E725試題，免費下載AD0-E725考試題庫幫助妳通過AD0-E725考試**

考生需要是多做我們的 Adobe 的 AD0-E725 考古題，將特別需要記憶或比較的題型做標註，這不僅能檢測出自己理解的多，也能在 Adobe AD0-E725 考試前作最快速的瀏覽，增加內容的熟悉度，有效提高學習效率。

- 此外，這些KaoGuTi AD0-E725考試題庫的部分內容現在是免費的：<https://drive.google.com/open?id=1YZhcmF0x7dibXavoT20L5NpXap6-zBAI>

此外，這些KaoGuTi AD0-E725考試題庫的部分內容現在是免費的：<https://drive.google.com/open?id=1YZhcmF0x7dibXavoT20L5NpXap6-zBAI>