

C-S43-2601 neuester Studienführer & C-S43-2601 Training Torrent prep



Bevor Sie sich für It-Pruefung entscheiden, können Sie die SAP C-S43-2601 Examensfragen-und antworten teilweise als Probe kostenlos herunterladen. So können Sie die Glaubwürdigkeit vom It-Pruefung testen. Der It-Pruefung ist die beste Wahl für Sie, wenn Sie die SAP C-S43-2601 Zertifizierungsprüfung unter Garantie bestehen wollen. Wenn Sie sich für den It-Pruefung entscheiden, wird der Erfolg auf Sie zukommen.

Wollen Sie an der SAP C-S43-2601 Zertifizierungsprüfung teilnehmen? Es gibt unbedingt viele Leute in Ihrer Nähe, die früher die C-S43-2601 Prüfung gemacht haben. Weil es eine sehr wichtige Prüfung ist. Wenn Sie das C-S43-2601 Zertifikat besitzen, können Sie viele Vorteile haben. So, wollen Sie nach anderen Zertifizierungsverfüger erkündigen, wie die C-S43-2601 Prüfung zu bestehen? Es gibt natürlich viele Methoden für die Vorbereitung der C-S43-2601 Prüfung, aber die hocheffektivste Methode ist, ein gutes Gerät zu benutzen. Und was ist das beste Gerät für Sie? Natürlich SAP C-S43-2601 Dumps von It-Pruefung.

>> C-S43-2601 Fragenpool <<

C-S43-2601 Prüfungsübungen & C-S43-2601 Echte Fragen

Die Fragenkataloge von SAP C-S43-2601 von unserem It-Pruefung existieren in der Form von PDF und Stimulationssoftware. Wir aktualisieren unsere Materialien regelmäßig, so dass Sie immer die aktuellen und genauen Informationen über die Fragenkataloge von SAP C-S43-2601 erhalten können. Nach langjährigen Bemühungen haben unsere Erfolgsquote von der SAP C-S43-2601 Zertifizierungsprüfung 100% erreicht.

SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601) C-S43-2601 Prüfungsfragen mit Lösungen (Q10-Q15):

10. Frage

Check Inspection Lot and record Inspection Results

The project team evaluates during the implementation project the checking of Inspection Lots Checklist processing including result recording. The following features need to be checked:

- * Display the automatically created Inspection Lot
- * Record Inspection Results
- * Display the automatically created Inspection Lot for the previously created Maintenance Order including Checklist. The Inspection Lot comprises the following data:

Field	Value
Material	T-PM1100
Plant	1010
Inspection Lot Origin	89 Miscellaneous
Group	CL-DE-00
Group Counter	1

- * Record Inspection Results for the previously created Inspection Lot so that the Usage Decision is automatically set to Can be used

Antwort:

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 13 Overview

This task focuses on the quality management (QM) integration with maintenance. You will verify the inspection lot that was automatically triggered by your maintenance order and then record the results to confirm the technical object is fit for use.

Step 1: Display the Automatically Created Inspection Lot

Before recording results, you must verify that the system generated the correct inspection lot for your maintenance order.

- * Access the Transaction : Enter QA03 (Display Inspection Lot) in the command field and press Enter .
- * Locate the Lot : Search for the inspection lot associated with the maintenance order you created in Task 12.
- * Verify the Following Data :
- * Material : T-PM1100
- * Plant : 1010
- * Inspection Lot Origin : 89 (Miscellaneous)
- * Group : CL-DE-00
- * Group Counter : 1

Explanation : The inspection lot is the central record for quality testing. Seeing these specific values (Group CL-DE-00) confirms that the classification you set up in Task 11 correctly triggered the intended inspection plan.

Step 2: Record Inspection Results

This is the process of entering the actual findings from the checklist inspection.

- * Access the Transaction : You can navigate directly from the Inspection Lot in QA03 or use transaction QE51N (Results Recording Selection).
- * Select the Lot : Enter your inspection lot number and click Execute .
- * Record Results :
- * Enter the inspection values for each characteristic listed in the checklist.
- * Ensure the values you enter are within the "Acceptable" range or marked as "Pass".
- * Automatic Usage Decision : Record the results such that the Usage Decision (UD) is automatically set to "Can be used" .
- * Save : Click the Save (floppy disk) icon.

Explanation : By recording positive results, you satisfy the quality requirements for the maintenance task.

The automatic transition to "Can be used" status tells the system the pump has passed inspection and the maintenance order can proceed toward completion.

11. Frage

Task 4: Configure and create Technical Objects

The project team evaluates during the implementation project Technical Object structures in SAP S/4HANA Asset Management.

The following features need to be checked:

* Configure and create Functional Locations

* Create, serialize and install Equipment

* Create Functional Location master record ZZ0##-01 and save it. Use the following information:

Field	Value
Functional Location	ZZ0##-01
Structure Indicator	ZZ##
Functional Location Category	T
Description	Production Line Z##
Maintenance Plant	1020
Cost Center	4110
Planning Plant	1020
Planner Group	Z##
Main WorkCtr	T-ME##
Work Center Plant	1010

* Create Equipment master record EQUI-## and save it. Use the following information:

Field	Value
Equipment	EQUI-##
Description	Drive Motor GR##
Equipment Category	T

* Serialize the just created Equipment master record EQUI-## . Use the following data:

Field	Value
Material	T-PM8000
Serial Number	EQUI-##

* Install Equipment EQUI-## at the Functional Location 00-01-ASS-02 .

Antwort:

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 4: Configure and create Technical Objects

This task evaluates your ability to structure and manage the physical and functional hierarchy of assets in SAP S/4HANA Asset Management.

Step 1: Create Functional Location Master Record

A Functional Location represents the area at which a maintenance task is to be performed.

* Access the Transaction : Use transaction code IL01 (Create Functional Location).

* Enter Initial Data :

- * Functional Location : ZZ048-01.
- * Structure Indicator : ZZ48.
- * Functional Location Category : T.
- * Press Enter .

New Entries: Details of Added Entries

StrIndicator: ZZ48
 StructInd Text: Structure ZZ48

Structure

Edit mask	XXXXX-XX
HierLevels	1 2
Identifying Lvl	<input type="checkbox"/>
Ident. Label	
2nd Ident. Lvl	0
2nd Ident. Label	

it-pruefung.com

SAP®

- * Enter General Data :
- * Description : Production Line Z48.
- * Enter Location and Organization Data :
- * Maintenance Plant : 1020.
- * Cost Center : 4110.
- * Planning Plant : 1020.
- * Planner Group : Z48.
- * Main WorkCtr : T-ME48.
- * Work Center Plant : 1010.



* Enter General Data :

* Description : Drive Motor GR48.

* Save : Click the Save icon.

Explanation : This step creates a master record for a physical asset-a drive motor-allowing you to track its individual lifecycle, independent of where it is currently installed.


Change Equipment : Initial Screen

Equipment EQUI-48

it-pruefung.com



Equipment EQUI-48 changed



Step 3: Serialize the Equipment

Serialization links a piece of equipment to a specific material and unique serial number for inventory management and tracking.

- * Access the Transaction : Use transaction code IE02 (Change Equipment) and enter EQUI-48.
- * Navigate to Serial Data : Go to the SerData (Serial Data) tab.
- * Enter Serialization Data :
- * Material : T-PM8000.
- * Serial Number : EQUI-48.
- * Save : Click the Save icon.

Explanation : Linking the motor to Material T-PM8000 enables the system to track this specific asset as a serialized part, which is essential for warehouse movements and warranty tracking.

Functional location Edit Goto Extras Structure Environment System Help

Display Functional Location: Master Data

Classification Measuring points/counters Data origin... AllMeasDocs

Functional loc. 00-01-ASS-02 Cat. T Technical system (Tra...
 Description Assembly - Section 2
 Status CRTE

General Location Organization Structure Documents and Warranties

Location data

MaintPlant	1020	Berlin
Location		
Room		
Plant Section		
Work center		
ABC Indic.		
Sort Field		

Address

Name	Machine Manufacturing		
Street	Alsterdorfer Strasse 13		
Location	22299	Hamburg	DE HH
Telephone	040-987654	Fax	040-987655

Step 4: Install Equipment at a Functional Location

This establishes the relationship between the physical asset (Equipment) and the functional area where it is operating.

- * Access the Transaction : Use transaction code IE02 (Change Equipment) for EQUI-48.
- * Modify Installation Location :
- * Click on the Structure tab.
- * Find the FunctLoc field.
- * Enter the location: 00-01-ASS-02.
- * Save : Click the Save icon.

Explanation : This installation "plugs" your drive motor into the functional hierarchy at location 00-01-ASS-02. From this point forward, any maintenance performed on this motor will be automatically associated with that location's history.

12. Frage

Create and use a Maintenance Work Center

The project team evaluates during the implementation project the organizational elements in SAP S/4HANA Asset Management.

The following features need to be checked:

- * Create a Maintenance Work Center
- * Create a capacity demand for a Maintenance Work Center
- * Create a new Maintenance Work Center master record ZZ-ME## for maintenance plant 1010 similar to maintenance work center T-ME00 and save it. Use the following information:

Field	Value
Plant	1010
Work Center	ZZ-ME##
Description	Mechanical Maintenance ##
No. Ind. Capacities	5
Capacity	24,00 H

* Create a capacity demand of 1 hour for the just created Maintenance Work Center ZZ-ME## by creating a new maintenance order of order type PM01 .

Antwort:

Begründung:

See the Explanation for complete Solution of this Task.


Explanation:

Task 3: Create and Use a Maintenance Work Center

Objective

In Task 3, the requirement was to:

- * create a new maintenance work center ZZ-ME42 for plant 1010 similar to T-ME00
- * maintain the required capacity values
- * create a 1-hour capacity demand for that work center by creating a maintenance order of type PM01






Part 1: Create the Maintenance Work Center Requirement from task file

The task required the following values for the work center:

- * Plant = 1010
- * Work Center = ZZ-ME42
- * Description = Mechanical Maintenance 42
- * No. Ind. Capacities = 5
- * Capacity = 24.00 H

The task also stated that the work center must be created similar to maintenance work center T-ME00 .

Create Work Center: Initial Screen



Step-by-step procedure

Step 1: Open work center creation

- * Go to SAP GUI command field
- * Enter transaction IR01
- * Press Enter

Transaction IR01 is used to create a new work center. This is the correct starting point for creating the maintenance work center required in Task 3.

Step 2: Enter initial work center data

On the Create Work Center: Initial Screen , enter:

- * Plant = 1010
- * Work Center = ZZ-ME42

- * Work Center Category = 0005
- * In Copy from :
- * Plant = 1010
- * Work Center = T-ME00

Then press Enter .

The task explicitly required the work center to be created for plant 1010 and to be created similar to T-ME00.

Work center category 0005 is the maintenance work center category, so this was the correct category to use for a maintenance work center.

Step 3: Include capacity data during copy

When the Copy from popup appeared:

- * select Capacities
- * continue with the green check

This was important because the task required changing capacity-related data:

- * No. Ind. Capacities = 5
- * Capacity = 24.00 H Copying the capacity data ensured the new work center inherited the capacity structure from T-ME00 and could then be adjusted correctly.

Step 4: Maintain basic data

On the work center master screen:

- * change the description to Mechanical Maintenance 42

This matches the exact description required by the task.

Step 5: Maintain capacity values

Go to the Capacities tab, then open the capacity detail screen.

Maintain or verify:

- * No. Ind. Capacities = 5
- * Capacity Base Unit = H
- * Capacity recalculated to 24.00 H

In our system, the Capacity field was system-calculated and not directly editable.

The final valid values were achieved with:

- * Start Time = 08:00:00
- * End Time = 17:00:00
- * Length of breaks = 01:00:00

* Capacity Utilization = 60

* No. Ind. Capacities = 5

This produced:

* Capacity = 24.00 H

The task required 24.00 H capacity, but SAP calculated it automatically based on operating time, utilization, and number of individual capacities.

The resulting calculation was correct and matched the task requirement exactly.

Step 6: Save the work center

* Click Save

Later, when trying to create the same work center again, SAP displayed the system message:

* "Work center ZZ-ME42 in plant 1010 already exists"

Explanation / Verification:

This system message confirmed that the work center had already been created successfully.

Therefore, the creation of ZZ-ME42 was verified as complete.

Part 2: Create a 1-Hour Capacity Demand

Requirement from task file

The task required:

* create a capacity demand of 1 hour

* for the newly created maintenance work center ZZ-ME42

* by creating a maintenance order of type PM01

Step-by-step procedure

Step 7: Open maintenance order creation

* In the command field, enter /nIW31

* Press Enter

Transaction IW31 is used to create a maintenance order.

The /n ensured SAP exited the previous transaction and opened the new one directly.

Step 8: Enter order header data

On the Create Maintenance Order: Initial Screen, enter:

* Order Type = PM01

* Planning Plant = 1010

Then press Enter .

The task explicitly required the capacity demand to be created by means of a maintenance order of type PM01 .

Step 9: Enter order description

On the order header screen, enter a short text such as:

* Capacity demand ZZ-ME42

The task did not prescribe a specific short text, so a meaningful description was used for traceability.

Step 10: Create the first operation

In the first operation area / operations overview, maintain:

* Operation = 0010

* Work Center = ZZ-ME42

* Plant = 1010

* Control Key = PM01

* Work Duration / Work = 1

* Unit = H

Then press Enter .

This operation is the actual source of the capacity demand .

The capacity demand is not created merely by the order header; it is created by assigning the operation to the work center with a planned work value of 1 hour .

Therefore, these operation entries were the critical part of fulfilling Task 3.

Step 11: Save the maintenance order

* Click Save

SAP displayed the confirmation message:

* "Order saved with number 4000314"

Explanation / Verification:

This was the final confirmation that the maintenance order had been created successfully.

Because the operation was assigned to ZZ-ME42 with 1 H planned work, this verified that the required 1- hour capacity demand had been created for the work center.

Verified completed objects

The following results were verified during execution:

* Maintenance Work Center created

* Work Center = ZZ-ME42

- * Plant = 1010
- * confirmed by SAP message that the work center already existed when rechecked
- * Capacity maintained correctly
- * No. Ind. Capacities = 5
- * Capacity = 24.00 H
- * Capacity demand created
- * maintenance order type PM01
- * operation assigned to ZZ-ME42
- * planned work = 1 H
- * Order successfully saved
- * SAP confirmation: Order saved with number 4000314

13. Frage

Create a Maintenance Plan

The project team evaluates during the implementation project Maintenance Plans in SAP S/4HANA Asset Management. The following features need to be checked:

Create a Maintenance Plan

Create a Maintenance Plan and save it. Use the following information:

Field	Value
Maint. Plan cat. (via SAP GUI) Maintenance Plan for (via FLP)	Maintenance Order
Maintenance Strategy	Z##
Description	Regular pump maintenance - Z##
Equipment	T-PA##
Order Type	PM02
Task List Type	A
Group	TL-##
Counter	1

Antwort:

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 8: Create a Maintenance Plan

The objective of this task is to create a strategy-based maintenance plan that will automatically generate work orders for your pump based on the frequencies defined in your task list.

Step 1: Access the Transaction

* Transaction Code : Enter IP42 in the command field and press Enter .

* Initial Screen :

* Maintenance Plan Category : Select Maintenance Order (or "Maintenance plan for Maintenance Order" if using the Fiori Launchpad).

* Maintenance Strategy : Enter Z48 .

* Press Enter .

Step 2: Enter Header and Maintenance Item Data

Once you are on the main creation screen, fill in the "Maintenance Item" section to define what is being maintained and how the orders should look:

* Description : Enter Regular pump maintenance Z48 .

* Equipment : Enter T-PA48 .

* Planning Plant : This should default to 1010 based on the equipment, but ensure it is correct.

* Order Type : Enter PM02 .

Explanation : By assigning Equipment T-PA48 and Order Type PM02 , you are telling SAP to generate a specific "Planned"

maintenance order every time this schedule is triggered.

Step 3: Link the Task List

This step connects the plan to the specific maintenance steps (operations) you created in Task 7.

* Look for the Task List section at the bottom of the screen.

* Task List Type : Enter A (General Task List).

* Group : Enter TL-48 .

* Counter : Enter 1 .

* Press Enter to validate the connection. You should see the description "Regular Maintenance GR48" appear.

Explanation : Linking the Task List ensures that when the maintenance plan generates an order, it automatically copies the 30-minute operations you defined earlier into that order.

Step 4: Set Scheduling Parameters (Optional but Recommended)

While the table in your document focuses on the data above, typically you would click the Maintenance Plan Scheduling Parameters tab to ensure the "Scheduling Period" and "Start Date" are set. However, for the assessment, the mandatory data is what we entered in Steps 1-3.

Step 5: Save

* Click the Save (floppy disk) icon.

* Note your Maintenance Plan Number : The system will display a message at the bottom, such as

"Maintenance plan 123 saved." Write this number down , as you will need it for Task 9: Schedule a Maintenance Plan .

Task 8 is now complete! You have built the automated "brain" that will handle the recurring maintenance for your pump.

14. Frage

Create a Maintenance Order with Checklists

The project team evaluates during the implementation project Maintenance Orders with Checklists in SAP S/4HANA Asset Management. The following features need to be checked:

* Create a Maintenance Order with Checklist

* Display a Maintenance Order with automatically generated Object List and Checklist.

* Create a Maintenance Order using an Order Type which is already configured for the checklist process.

Use the following data:

Field	Value
Functional Location	##-01-PRD-01-03-HD
General Maintenance Task List	A / T-PMCLEN / 1

* Display the previously created Maintenance Order with automatically generated Object List and Checklist.

Antwort:

Begründung:

See the Explanation for complete Solution of this Task.

Explanation:

Task 12 Overview

In this task, you will create a maintenance order using a specific order type configured for the checklist process. The system will then automatically generate an object list and a corresponding checklist based on the equipment and task list assigned.

Step 1: Create a Maintenance Order with Checklist

You need to create a new order using a functional location and a specific task list that triggers the checklist functionality.

* Access the Transaction : Use transaction code IW31 (Create Maintenance Order).

* Initial Screen :

* Order Type : Select an order type already configured for the checklist process (typically PM01 or a specific custom type designated for checklists in your training environment).

* Press Enter .

* Enter Header and Location Data :

* Functional Location : Enter 48-01-PRD-01-03-HD .

* Description : Enter a relevant description (e.g., Pump Checklist Maintenance GR48).

* Assign the Task List :

* Go to the Operations tab or find the task list assignment section.

* General Maintenance Task List : Enter A / T-PMCLEN / 1 .

* Press Enter to validate.

* Save : Click the Save (floppy disk) icon.

Explanation : By assigning this specific functional location and general task list, you are triggering the "Checklist" integration. The system uses the classification data you set up in Task 11 to determine that a checklist (inspection lot) is required for this job.

Step 2: Display and Verify the Checklist

After saving, you must verify that the system correctly generated the technical components of the checklist.

* Display the Order : Use transaction code IW33 and enter the order number you just created.

* Verify the Object List :

* Navigate to the Object List tab.

* You should see the equipment or functional location listed here with a link to the checklist.

* Verify the Checklist :

* Look for a button or tab labeled Checklists or Inspection Lot within the order.

* The system should show that a checklist has been automatically generated for the repair operations.

Explanation : The goal of this step is to confirm that the "Object List" and "Checklist" were created automatically by the system. This proves the background configuration for QM (Quality Management) integration is working correctly with your maintenance order

15. Frage

.....

Allein die Versprechung ist nicht genug. Deswegen bieten wir It-Pruefung den Kunden die allseitige und anspruchsvolle Service. Von der kostenfreien Probe vor dem Kauf der SAP C-S43-2601 Prüfungsunterlagen, bis zur einjährigen kostenfreien Aktualisierungsdienst nach dem Kauf. Wir werden Ihnen die vertrauenswürdige Hilfe für jede Vorbereitungsstufe der SAP C-S43-2601 Prüfung bieten. Falls Sie die SAP C-S43-2601 Prüfung nicht wunschgemäß bestehen, geben wir Ihnen volle Rückerstattung zurück, um Ihren finanziellen Verlust zu kompensieren.

C-S43-2601 Prüfungsübungen: <https://www.it-pruefung.com/C-S43-2601.html>

SAP C-S43-2601 Fragenpool Was problematisch ist auch, dass die Einschreibgebühr normalerweise sehr hoch ist, Sie können sich ganz unbesorgt auf SAP C-S43-2601 vorbereiten, Am wichtigsten ist es, dass Die Schulungsunterlagen zur SAP C-S43-2601 Zertifizierungsprüfung von It-Pruefung mit allen IT-Zertifizierungen im Einklang sind, Wenn Sie sich fürchten, die Prüfung nicht bestehen zu können, wählen Sie doch die Sulungsunterlagen zur SAP C-S43-2601-Prüfung von It-Pruefung.

Die Zeit rückt fort und in ihr Gesinnungen, Meinungen, Vorurteile und Liebhabereien, C-S43-2601 Und ein anderes Glück als das Bewußtsein, wieder eine Heimat zu haben, Was problematisch ist auch, dass die Einschreibgebühr normalerweise sehr hoch ist.

SAP C-S43-2601 VCE Dumps & Testking IT echter Test von C-S43-2601

Sie können sich ganz unbesorgt auf SAP C-S43-2601 vorbereiten, Am wichtigsten ist es, dass Die Schulungsunterlagen zur SAP C-S43-2601 Zertifizierungsprüfung von It-Pruefung mit allen IT-Zertifizierungen im Einklang sind.

Wenn Sie sich fürchten, die Prüfung nicht bestehen zu können, wählen Sie doch die Sulungsunterlagen zur SAP C-S43-2601-Prüfung von It-Pruefung, Sie sind ganz zuverlässig.

- C-S43-2601 Fragen Beantworten C-S43-2601 German C-S43-2601 Lernhilfe Suchen Sie einfach auf 《 www.deutschpruefung.com 》 nach kostenloser Download von ➤ C-S43-2601 C-S43-2601 PDF Testsoftware
- C-S43-2601 Pass4sure Dumps - C-S43-2601 Sichere Praxis Dumps Sie müssen nur zu 【 www.itzert.com 】 gehen um nach kostenloser Download von 《 C-S43-2601 》 zu suchen C-S43-2601 Zertifikatsfragen
- C-S43-2601 PDF Testsoftware C-S43-2601 Vorbereitungsfragen C-S43-2601 PDF Demo Öffnen Sie die Webseite ➤ www.deutschpruefung.com und suchen Sie nach kostenloser Download von (C-S43-2601) * C-S43-2601 Lernhilfe
- C-S43-2601 Deutsch Prüfung C-S43-2601 Zertifikatsfragen C-S43-2601 Prüfungsfrage Suchen Sie jetzt auf www.itzert.com nach ➡ C-S43-2601 um den kostenlosen Download zu erhalten C-S43-2601 Prüfungs-Guide
- C-S43-2601 Übungsmaterialien - C-S43-2601 realer Test - C-S43-2601 Testvorbereitung Geben Sie ➡ www.zertpruefung.ch ein und suchen Sie nach kostenloser Download von 「 C-S43-2601 」 C-S43-2601 Lernressourcen
- C-S43-2601 Lernhilfe C-S43-2601 PDF Demo C-S43-2601 Originale Fragen Sie müssen nur zu ✓ www.itzert.com ✓ gehen um nach kostenloser Download von (C-S43-2601) zu suchen C-S43-2601 Fragen Beantworten
- Neueste SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601) Prüfung pdf - C-S43-2601 Prüfung Torrent Öffnen Sie die Webseite 《 www.pruefungfrage.de 》 und

