

C_S43_2601최신버전시험대비공부자료최신버전덤프 공부자료



학원다니면서 많은 지식을 장악한후SAP C_S43_2601시험보시는것도 좋지만 회사다니느라 야근하라 시간이 부족한 분들은SAP C_S43_2601덤프만 있으면 엄청난 학원수강료 필요없이 20~30시간의 독학만으로도SAP C_S43_2601시험패스가 충분합니다. 또한 취업생분들은 우선 자격증으로 취업문을 두드리고 일하면서 실무를 익혀가는방법도 좋지 않을까 생각됩니다.

SAP C_S43_2601인증시험을 패스하고 자격증 취득으로 하여 여러분의 인생은 많은 인생역전이 이루어질 것입니다. 회사, 생활에서는 물론 많은 업그레이드가 있을 것입니다. 하지만C_S43_2601시험은SAP인증의 아주 중요한 시험으로서C_S43_2601시험패스는 쉬운 것도 아닙니다.

>> C_S43_2601최신버전 시험대비 공부자료 <<

C_S43_2601퍼펙트 덤프데모, C_S43_2601퍼펙트 인증공부

네트웨크시대인 지금 인터넷에 검색하면 수많은SAP인증 C_S43_2601시험공부자료가 검색되는데 그중에서도 KoreaDumps에서 출시한 SAP인증 C_S43_2601덤프가 가장 높은 인지도를 지니고 있습니다. SAP인증 C_S43_2601덤프에는SAP인증 C_S43_2601시험문제의 기출문제와 예상문제가 수록되어있어 덤프에 있는 문제만 잘 공부하시면 시험은 가볍게 패스가 가능합니다. SAP인증 C_S43_2601시험을 통과하여 자격증취득하는 꿈에 더욱 가까이 다가가세요.

최신 SAP Certified Application Associate C_S43_2601 무료샘플문제 (Q11-Q16):

질문 # 11

Create and use a Maintenance Work Center

The project team evaluates during the implementation project the organizational elements in SAP S/4HANA Asset Management.

The following features need to be checked:

- * Create a Maintenance Work Center
- * Create a capacity demand for a Maintenance Work Center
- * Create a new Maintenance Work Center master record ZZ-ME## for maintenance plant 1010 similar to maintenance work center T-ME00 and save it. Use the following information:
 - Create a capacity demand of 1 hour for the just created Maintenance Work Center ZZ-ME## by creating a new maintenance order of order type PM01 .

정답 :

설명:

See the Explanation for complete Solution of this Task.

Explanation:

Task 3: Create and Use a Maintenance Work Center

Objective

In Task 3, the requirement was to:

- * create a new maintenance work center ZZ-ME42 for plant 1010 similar to T-ME00
- * maintain the required capacity values
- * create a 1-hour capacity demand for that work center by creating a maintenance order of type PM01

□ Part 1: Create the Maintenance Work Center

Requirement from task file

The task required the following values for the work center:

- * Plant = 1010
- * Work Center = ZZ-ME42
- * Description = Mechanical Maintenance 42
- * No. Ind. Capacities = 5
- * Capacity = 24.00 H

The task also stated that the work center must be created similar to maintenance work center T-ME00 .

□ Step-by-step procedure

Step 1: Open work center creation

- * Go to SAP GUI command field
- * Enter transaction IR01
- * Press Enter

Transaction IR01 is used to create a new work center. This is the correct starting point for creating the maintenance work center required in Task 3.

Step 2: Enter initial work center data

On the Create Work Center: Initial Screen , enter:

- * Plant = 1010
- * Work Center = ZZ-ME42
- * Work Center Category = 0005
- * In Copy from :
- * Plant = 1010
- * Work Center = T-ME00

Then press Enter .

The task explicitly required the work center to be created for plant 1010 and to be created similar to T-ME00.

Work center category 0005 is the maintenance work center category, so this was the correct category to use for a maintenance work center.

Step 3: Include capacity data during copy

When the Copy from popup appeared:

- * select Capacities
- * continue with the green check

This was important because the task required changing capacity-related data:

- * No. Ind. Capacities = 5

* Capacity = 24.00 H Copying the capacity data ensured the new work center inherited the capacity structure from T-ME00 and could then be adjusted correctly.

Step 4: Maintain basic data

On the work center master screen:

* change the description to Mechanical Maintenance 42

This matches the exact description required by the task.

Step 5: Maintain capacity values

Go to the Capacities tab, then open the capacity detail screen.

Maintain or verify:

* No. Ind. Capacities = 5

* Capacity Base Unit = H

* Capacity recalculated to 24.00 H

In our system, the Capacity field was system-calculated and not directly editable.

The final valid values were achieved with:

* Start Time = 08:00:00

* End Time = 17:00:00

* Length of breaks = 01:00:00

* Capacity Utilization = 60

* No. Ind. Capacities = 5

This produced:

* Capacity = 24.00 H

The task required 24.00 H capacity, but SAP calculated it automatically based on operating time, utilization, and number of individual capacities.

The resulting calculation was correct and matched the task requirement exactly.

Step 6: Save the work center

* Click Save

Later, when trying to create the same work center again, SAP displayed the system message:

* "Work center ZZ-ME42 in plant 1010 already exists"

Explanation / Verification:

This system message confirmed that the work center had already been created successfully.

Therefore, the creation of ZZ-ME42 was verified as complete.

Part 2: Create a 1-Hour Capacity Demand

Requirement from task file

The task required:

* create a capacity demand of 1 hour

* for the newly created maintenance work center ZZ-ME42

* by creating a maintenance order of type PM01

Step-by-step procedure

Step 7: Open maintenance order creation

* In the command field, enter /nIW31

* Press Enter

Transaction IW31 is used to create a maintenance order.

The /n ensured SAP exited the previous transaction and opened the new one directly.

Step 8: Enter order header data

On the Create Maintenance Order: Initial Screen, enter:

* Order Type = PM01

* Planning Plant = 1010

Then press Enter.

The task explicitly required the capacity demand to be created by means of a maintenance order of type PM01.

Step 9: Enter order description

On the order header screen, enter a short text such as:

* Capacity demand ZZ-ME42

The task did not prescribe a specific short text, so a meaningful description was used for traceability.

Step 10: Create the first operation

In the first operation area / operations overview, maintain:

* Operation = 0010

* Work Center = ZZ-ME42

* Plant = 1010

* Control Key = PM01

* Work Duration / Work = 1

* Unit = H

Then press Enter .

This operation is the actual source of the capacity demand .

The capacity demand is not created merely by the order header; it is created by assigning the operation to the work center with a planned work value of 1 hour .

Therefore, these operation entries were the critical part of fulfilling Task 3.

Step 11: Save the maintenance order

* Click Save

SAP displayed the confirmation message:

* "Order saved with number 4000314"

Explanation / Verification:

This was the final confirmation that the maintenance order had been created successfully.

Because the operation was assigned to ZZ-ME42 with 1 H planned work, this verified that the required 1- hour capacity demand had been created for the work center.

Verified completed objects

The following results were verified during execution:

* Maintenance Work Center created

* Work Center = ZZ-ME42

* Plant = 1010

* confirmed by SAP message that the work center already existed when rechecked

* Capacity maintained correctly

* No. Ind. Capacities = 5

* Capacity = 24.00 H

* Capacity demand created

* maintenance order type PM01

* operation assigned to ZZ-ME42

* planned work = 1 H

* Order successfully saved

* SAP confirmation: Order saved with number 4000314

질문 # 12

Task 6: Configure Maintenance Order Types and work with Maintenance Orders The project team evaluates during the implementation project Maintenance Orders in SAP S/4HANA Asset Management. The following features need to be checked:

* Configure a Maintenance Order Type and create a Maintenance Order

* Create a Time Confirmation a Maintenance Order

* Prepare a Maintenance Order for Completion

* Create a Maintenance Order and save it.

Note:

Make sure that you have maintained all required customizing settings for the Maintenance Order Type.

Use the following information at header level:

Plan a Maintenance Order Operation and use the following information:

* Create a Time Confirmation for the just created Maintenance Order. Use the following information:

* Display the Actual Costs assigned to the just created Maintenance Order and set it to Technically Completed. Display the Settlement Rule.

정답 :

설명 :

See the Explanation for complete Solution of this Task.

Explanation:

Task 6 Overview

The goal of this task is to process a repair from start to finish. You will convert the "leaking pump" notification into a work order, plan the labor, record the work performed, and technically close the file.

Step 1: Create the Maintenance Order from Notification

Instead of starting from scratch, we link the order to the notification you created in Task 5.

* Access the Transaction : Use transaction code IW31 .

* Initial Screen :

* Order Type : PM01.

* Notification : Enter your notification number (e.g., 10000147).

- * Press Enter .
- * Header Data :
- * The description "Pump is leaking" should pull in automatically.
- * Main Work Center : Ensure it is T-ME48.

Explanation : By entering the notification number, SAP automatically pulls in the equipment, functional location, and problem description, ensuring "data integrity" across the maintenance process.

Step 2: Plan the Operations (Labor)

You must tell the system how much effort the repair requires.

* Go to the Operations Tab .

* Enter Planning Data :

* Work : 2.

* Unit (Un) : H (Hours).

* Number : 1 (One person).

* Duration (Dur.) : 2 / Unit : H.

* Add Enhancement Data :

* Click the Additional Data tab - > Enhancement sub-tab.

* In the Field Key box, use the search (F4) to select 0000001 (User-defined fields).

* In the first text box (Text 1), type: Industrial Z48.

Explanation : Planning the work allows the system to calculate the estimated cost of the repair. The

"Enhancement" data is used to store specific technical details (like the motor type) that aren't in the standard SAP fields.

Step 3: Release the Order

An order in "Created" (CRTD) status is just a plan. To start work, it must be "Released" (REL).

* Release : Look at the top toolbar and click the Green Flag icon .

* Verify Status : The "Sys.Status" field should now include REL.

* Save : Click the Save (floppy disk) icon.

Explanation : Releasing the order is the "Green Light" for the shop floor. It allows technicians to charge time to the job and warehouse staff to issue parts.

Step 4: Time Confirmation (Recording the Work)

Now we record that the repair is physically finished.

* Access the Transaction : Use transaction code IW41 .

* Enter Data :

* Order : Enter your order number (e.g., 4000395).

* Actual Work : 2 H.

* Check the boxes for Final Confirmation and No Remaining Work .

* Confirmation Text : Pump repaired and tested.

* Save : Click the Save icon.

Explanation : This step captures the "Actual Cost." SAP multiplies the 2 hours of labor by the hourly rate of work center T-ME48 to calculate exactly how much this repair cost the company.

Step 5: Technical Completion (TECO)

The final administrative step to close the repair file.

* Access the Transaction : Use transaction code IW32 .

* Complete Technically :

* Go to menu: Order > Functions > Complete > Complete (technically) .

* Click the Green Checkmark on the popup window.

* Save : Click the Save icon.

Explanation : TECO (Technical Completion) locks the order. It tells the system the asset is back in service and prevents any further labor or parts from being charged to this specific job.

질문 # 13

Check Inspection Lot and record Inspection Results

The project team evaluates during the implementation project the checking of Inspection Lots Checklist processing including result recording. The following features need to be checked:

* Display the automatically created Inspection Lot

* Record Inspection Results

* Display the automatically created Inspection Lot for the previously created Maintenance Order including Checklist. The Inspection Lot comprises the following data:

* Record Inspection Results for the previously created Inspection Lot so that the Usage Decision is automatically set to Can be used

정답 :

설명:

See the Explanation for complete Solution of this Task.

Explanation:

Task 13 Overview

This task focuses on the quality management (QM) integration with maintenance. You will verify the inspection lot that was automatically triggered by your maintenance order and then record the results to confirm the technical object is fit for use.

Step 1: Display the Automatically Created Inspection Lot

Before recording results, you must verify that the system generated the correct inspection lot for your maintenance order.

- * Access the Transaction : Enter QA03 (Display Inspection Lot) in the command field and press Enter .
- * Locate the Lot : Search for the inspection lot associated with the maintenance order you created in Task 12.
- * Verify the Following Data :
- * Material : T-PM1100
- * Plant : 1010
- * Inspection Lot Origin : 89 (Miscellaneous)
- * Group : CL-DE-00
- * Group Counter : 1

Explanation : The inspection lot is the central record for quality testing. Seeing these specific values (Group CL-DE-00) confirms that the classification you set up in Task 11 correctly triggered the intended inspection plan.

Step 2: Record Inspection Results

This is the process of entering the actual findings from the checklist inspection.

- * Access the Transaction : You can navigate directly from the Inspection Lot in QA03 or use transaction QE51N (Results Recording Selection).
- * Select the Lot : Enter your inspection lot number and click Execute .
- * Record Results :
- * Enter the inspection values for each characteristic listed in the checklist.
- * Ensure the values you enter are within the "Acceptable" range or marked as "Pass".
- * Automatic Usage Decision : Record the results such that the Usage Decision (UD) is automatically set to "Can be used" .
- * Save : Click the Save (floppy disk) icon.

Explanation : By recording positive results, you satisfy the quality requirements for the maintenance task.

The automatic transition to "Can be used" status tells the system the pump has passed inspection and the maintenance order can proceed toward completion.

질문 # 14

Task 11: Classify a piece of Equipment

The project team evaluates during the implementation project the classification of Technical Objects in order to use Checklists in SAP S/4HANA Asset Management. The following features need to be checked:

- * Assign a class to a Technical Object
- * Assign characteristic values to a class
- * Assign class EQ11 value to Technical Object T-PA## .
- * Assign a characteristic value, so that Inspection Plan Q / CL-DE-00 / 1 is automatically found during the checklist process

정답 :

설명:

See the Explanation for complete Solution of this Task.

Explanation:

Task 11 Overview

This task involves classifying a piece of equipment so it can be used in the Checklist process . By assigning a specific class and characteristic values, you enable the system to automatically find the correct inspection plan when a maintenance order is created.

Step 1: Access the Equipment Master Record

To classify the equipment, you must first open its master record in "Change" mode.

- * Transaction Code : Enter IE02 (Change Equipment) in the command field and press Enter .
- * Equipment : Enter T-PA48 .
- * Action : Press Enter to open the record.

Step 2: Assign the Class to the Equipment

Now you will link the equipment to a class that contains the required technical characteristics.

- * Navigate : Click the Classification button in the top toolbar (or go to the Classes tab if available).
- * Class Assignment :

- * Class Type : Ensure this is set to 002 (Equipment Class).
 - * Class : Enter EQ11 .
 - * Action : Press Enter . The system will now display the characteristics associated with class EQ11 in the bottom half of the screen.
- Explanation : Assigning a class is like giving the equipment a "category". Class EQ11 is specifically configured in this system to hold the data needed for checklist processing.
- Step 3: Assign Characteristic Values
- This is the critical step that tells the system exactly which inspection plan to use for this specific pump.
- * Locate the Characteristic : In the values table, look for a characteristic related to "Inspection Plan" or "Checklist Group."
 - * Enter the Value : Assign the value so that Inspection Plan CL-DE-00 / 1 is automatically found.
 - * Note: Typically, you will enter CL-DE-00 in the "Inspection Plan Group" field and 1 in the "Group Counter" field.
 - * Action : Press Enter to validate the values.
- Explanation : Characteristic values are the specific details for this asset. By entering these values, you "tag" the equipment so that whenever it is added to a maintenance order, the system knows to look for the CL-DE-00 checklist automatically.
- Step 4: Save
- * Action : Click the Save (floppy disk) icon.
 - * Confirmation : The system should display a message at the bottom saying: "Equipment T-PA48 changed."

질문 # 15

Task: 5

Configure and create a Maintenance Notification

The project team evaluates during the implementation project the Maintenance Notifications in SAP S/4HANA Asset Management. The following features need to be checked:

- * Configure and create a Maintenance Notification
- * Assign catalog specific data to a Maintenance Notification
- * Create a Maintenance Notification and save it. Use the following information:
 - * Assign the following data to the just created notification:
 -

정답 :

설명 :

See the Explanation for complete Solution of this Task.

Explanation:

Task 5 Overview

The project team is evaluating Maintenance Notifications in SAP S/4HANA Asset Management. This task involves creating a notification and assigning catalog-specific data to it.

Step 1: Create the Maintenance Notification

In this step, you will record a technical problem in the system.

- * Access the Transaction : Use transaction code IW21 (Create Maintenance Notification) in the SAP GUI or the corresponding Fiori app.
- * Initial Screen :
- * Notification Type : Enter Z1 .
- * Press Enter .
- * Enter General Data :
- * Description : Enter Pump is leaking .
- * Priority : Select High .
- * Equipment : Enter T-PA48 .
- * Save : Click the Save (floppy disk) icon to generate a notification number.

Explanation : Creating a notification is the first step in the maintenance process. It documents the "what" (leaking pump), the "how critical" (high priority), and the "where" (Equipment T-PA48).

Step 2: Assign Catalog Specific Data

Now you must assign technical codes to describe the damage precisely for future reporting and analysis.

- * Access the Transaction : Use transaction code IW22 (Change Maintenance Notification) to open your recently created notification.
- * Navigate to Item Data : Go to the Items tab or the relevant section for damage and causes.
- * Enter Damage Details :
- * Damage Code Group : PMP-100 .

- * Damage Code : 1000 .
- * Description : Leaking .
- * Enter Object Part Details :
- * Object Part Code Group : PMP-Z48 .
- * Object Part Code : 1001 .
- * Description : Inlet/Outlet .
- * Enter Cause Details :
- * Cause Code Group : PMP-248 .
- * Cause Code : 2000 .
- * Description : Material fatigue .
- * Save : Click the Save icon to finalize the notification.

Explanation : Assigning catalog data categorizes the issue using standardized codes. This allows the company to run "Bad Actor" reports later to see, for example, how many pumps are failing due to "Material fatigue" versus "Operator error".

질문 # 16

IT업계에 계속 종사하고 싶은 분이라면 자격증 취득은 필수입니다. SAP C_S43_2601시험은 인기 자격증을 필수 시험과목인데 SAP C_S43_2601시험부터 자격증 취득에 도전해보지 않으실래요? SAP C_S43_2601덤프는 이 시험에 대비한 가장 적합한 자료로서 자격증을 제일 빠르게 간편하게 취득할 수 있는 지름길입니다. 구매전 덤프구매사이트에서 DEMO부터 다운받아 덤프의 일부분 문제를 체험해보세요.

C_S43_2601퍼펙트 덤프데모 : https://www.koreadumps.com/C_S43_2601_exam-braindumps.html

인기가 높은 만큼 SAP C_S43_2601시험을 패스하여 취득하게 되는 자격증의 가치가 높습니다, SAP C_S43_2601최신버전 시험대비 공부자료 문제가 있으시면 온라인서비스나 메일로 연락주시면 한국어로 상담을 받으실 수 있습니다, KoreaDumps의 SAP인증 C_S43_2601덤프를 공부하시면 가능합니다, 하지만 우리KoreaDumps를 선택함으로써 SAP C_S43_2601인증시험은 그렇게 어렵지 않다는 것을 알게 될 것입니다, SAP C_S43_2601최신버전 시험대비 공부자료 시험을 쉽게 패스한 원인은 저희 사이트에서 가장 적응을 높은 자료를 제공해드리기 때문입니다. 덤프구매 후 1년 무료 업데이트를 제공해드립니다, 이렇게 어려운 시험은 우리SAP인증C_S43_2601덤프로 여러분의 고민과 꿈을 한방에 해결해드립니다.

궁금해 졌소, 정식은 우리를 품에 안고 가만히 손잡지를 졌다, 인기가 높은 만큼 SAP C_S43_2601시험을 패스하여 취득하게 되는 자격증의 가치가 높습니다, 문제가 있으시면 온라인서비스나 메일로 연락주시면 한국어로 상담을 받으실 수 있습니다.

C_S43_2601최신버전 시험대비 공부자료 인증덤프는 SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C_S43_2601) 시험 기출문제모음집

KoreaDumps의 SAP인증 C_S43_2601덤프를 공부하시면 가능합니다, 하지만 우리KoreaDumps를 선택함으로써 SAP C_S43_2601인증시험은 그렇게 어렵지 않다는 것을 알게 될 것입니다, 시험을 쉽게 패스한 원인은 저희 사이트에서 가장 적응을 높은 자료를 제공해드리기 때문입니다. 덤프구매 후 1년 무료 업데이트를 제공해드립니다.

- C_S43_2601퍼펙트 인증공부자료 □ C_S43_2601최신 시험 최신 덤프 □ C_S43_2601인기시험 □ 「 www.koreadumps.com 」을 통해 쉽게 * C_S43_2601 □ * □ 무료 다운로드 받기 C_S43_2601최신 업데이트 덤프 문제
- C_S43_2601시험덤프 □ C_S43_2601최신 시험 최신 덤프 □ C_S43_2601유효한 최신버전 덤프 □ 「 www.itdumps.com 」에서 □ C_S43_2601 □를 검색하고 무료 다운로드 받기 C_S43_2601유효한 최신버전 덤프
- 시험대비 C_S43_2601최신버전 시험대비 공부자료 공부문제 □ (www.exampassdump.com) 웹사이트에서 ✓ C_S43_2601 □ ✓ □를 열고 검색하여 무료 다운로드 C_S43_2601최신버전덤프
- 시험대비 C_S43_2601최신버전 시험대비 공부자료 공부문제 □ (www.itdumps.com) 웹사이트를 열고 ⇒ C_S43_2601 ◀를 검색하여 무료 다운로드 C_S43_2601최신버전덤프
- C_S43_2601퍼펙트 덤프공부문제 □ C_S43_2601높은 통과율 시험공부자료 □ C_S43_2601퍼펙트 인증공부자료 □ (kr.fast2test.com) 의 무료 다운로드 * C_S43_2601 □ * □ 페이지가 지금 열립니다 C_S43_2601인증문제
- 높은 통과율 C_S43_2601최신버전 시험대비 공부자료 인증시험 덤프자료 □ > C_S43_2601 <를 무료로 다운

