

認定する Cisco 350-601 | 素敵な350-601資格受験料試験 | 試験の準備方法Implementing Cisco Data Center Core Technologies (350-601 DCCOR)関連日本語内容



無料でクラウドストレージから最新のJpexam350-601 PDFダンプをダウンロードする：<https://drive.google.com/open?id=1uAoAoe1LhhUBRXJdbZecmj2S2UUBEJAT>

弊社のIT業で経験豊富な専門家たちが正確で、合理的なCisco 350-601認証問題集を作り上げました。弊社の勉強の商品を選んで、多くの時間とエネルギーを節約することもできます。

Cisco 350-601試験を難しく感じる人に「やってもいないのに、できないと言わないこと」を言いたいです。我々JpexamへのCisco 350-601試験問題集は専門化のチームが長時間で過去のデータから分析研究された成果で、あなたを試験に迅速的に合格できるのを助けます。依然躊躇うなら、弊社の無料のCisco 350-601デモを参考しましょう。そうしたら、Cisco 350-601試験はそんなに簡単なことだと知られます。

>> 350-601資格受験料 <<

最高の Cisco 350-601資格受験料 & 合格スムーズ350-601関連日本語内容 | 便利な350-601試験合格攻略

350-601テストガイドのサービスは非常に優れています。開発プロセスにおける顧客のニーズを常に考慮します。350-601学習質問には、PDF、PC、およびAPPの3つのバージョンがあります。必要に応じて選択できます。もちろん、事前に350-601試験トレーニングの試用版を使用できます。それを使用した後、あなたはより深い経験を持つことになります。あなたの気持ちに応じて、お気に入りの350-601学習教材バージョンを選択できます。350-601学習質問など、優れたサービス製品を選択する傾向があると思います

Cisco Implementing Cisco Data Center Core Technologies (350-601 DCCOR) 認定 350-601 試験問題 (Q144-Q149):

質問 # 144

An engineer implements an Application Performance Monitoring (APM) solution. The solution runs in a vSphere infrastructure where the vSwitch support for promiscuous mode is disabled for security reasons. As a result, the final implementation must receive a copy of bidirectional traffic to a load balancer that is connected to a Cisco Nexus 93108 Series Switch. The APM solution supports GRE encapsulated traffic. Which configuration must be applied to the switch to meet this requirement?

- A. interface vlan1
switchport monitor
destination ip 10.1.1.1
exit
monitor session 1 rx
monitor session 1 tx

- source interface ethernet1/9
- B. monitor session 1 both
source interface ethernet 1/9
destination interface ethernet 1/12
erspan-id 1
vrf mgmt0
filter vlan 3
no shut
- C. interface ethernet 1/9
erspan-id 1
monitor session 1 type erspan-source
interface mgmt0
monitor session 1 type erspan-destination
destination ip 10.1.1.1
no shut
- D. configure terminal
monitor session 1 type erspan-source
erspan-id 1
destination ip 10.1.1.1
source interface ethernet 1/9 both
vrf default
no shut

正解: D

解説:

APM supports ERSPAN. This will be ERSPAN destination. We need source session from switch.

[https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3850/software/release/16-](https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3850/software/release/16-3/configuration_guide/b_163_consolidated_3850_cg/b_163_consolidated_3850_cg_chapter_0101010.pdf)

[3/configuration_guide/b_163_consolidated_3850_cg/b_163_consolidated_3850_cg_chapter_0101010.pdf](https://www.cisco.com/c/en/us/td/docs/switches/lan/catalyst3850/software/release/16-3/configuration_guide/b_163_consolidated_3850_cg/b_163_consolidated_3850_cg_chapter_0101010.pdf)

質問 # 145

Refer to the exhibit.

```
NEXUS(config)# feature tacacs+
NEXUS(config)# tacacs-server timeout 5
NEXUS(config)# tacacs-server directed-request
NEXUS(config)# tacacs-server deadtime 0
NEXUS(config)# tacacs server host 10.1.50.20 port 49
NEXUS(config)# tacacs-server host 10.1.50.20 key 7 "Flwhg123" timeout 1
NEXUS(config)# aaa group server tacacs+ ISE
NEXUS(config-tacacs+)# server 10.1.50.20
NEXUS(config-tacacs+)# deadtime 10
NEXUS(config-tacacs+)# use-vrf management
NEXUS(config-tacacs+)# source-interface mgmt 0
NEXUS(config)# aaa authentication login default group ISE
```

What is the result of implementing this configuration?

- A. The timeout value on the TACACS+ server is 10 seconds.
- B. The switch queries the TACACS+ server by using a clear text PAP login.
- C. The TACACS+ server uses the type-6 encrypted format.
- D. The switch queries the TACACS+ server by using an encrypted text PAP login.

正解: A

解説:

Section: Security

質問 # 146




Refer to the exhibit. An engineer must build the VXLAN for a new customer. BGP is configured for Layer 3 connectivity and is confirmed to work as expected. The deployment must meet these criteria:

- *All VNI IDs must contain the VLAN that they represent
- *Multicast must be used to transport ARP messages between the pods

Drag and drop the code snippets from the bottom onto the boxes in the code to complete the remaining Layer 2 connectivity.

Not all code snippets are used.



Refer to the exhibit. An engineer must build the VXLAN for a new customer. BGP is configured for Layer 3 connectivity and is confirmed to work as expected. The deployment must meet these criteria:

- All VNI IDs must contain the VLAN that they represent.
- Multicast must be used to transport ARP messages between the pods.

Drag and drop the code snippets from the bottom onto the boxes in the code to complete the remaining Layer 2 connectivity. Not all code snippets are used.

```

interface 
  no shutdown
  description Network Virtual Interface
   protocol 
  source-interface loopback0
  member vni 900001 associate-vrf
!
  member vni 
  no 
  mcast-group 225.4.0.10
            
```

spine-anycast-

2002001

suppress-arp

nve1

host-reachability


bgp



正解:

解説:

1



Refer to the exhibit. An engineer must build the VXLAN for a new customer. BGP is configured for Layer 3 connectivity and is confirmed to work as expected. The deployment must meet these criteria:

- All VNI IDs must contain the VLAN that they represent
- Multicast must be used to transport ARP messages between the pods.

Drag and drop the code snippets from the bottom onto the boxes in the code to complete the remaining Layer 2 connectivity. Not all code snippets are used.

```

interface 
no shutdown
description Network Virtual Interface
 protocol 
source-interface loopback0
member vni 900001 associate-vrf
!
member vni 
no 
multicast-group 225.4.0.10
  
```

spine-anycast-

2002001

suppress-arp

nve1


host-reachability

bgp

Explanation:

- 1) nve1
- 2) host-reachability 3) bgp
- 4) 2002001
- 5) suppress-arp

質問 # 147



Refer to the exhibit The communication between the web server and the application server experiences poor performance The network engineer must collect the traffic between the two servers, including the payload for more investigation The collected data must be sent from the remote site to the headquarters. Which action accomplishes this goal?

- A. Configure a SPAN session between N5K-1 and N5K-2
- B. Configure NetFlow on N5K-1 to send the data to the monitor server
- **C. Configure an ERSPAN session between N5K-1 and N5K-2.**
- D. Configure SNMP on N5K-1 to send the data to the monitor server

正解: C

解説:

Configuring an ERSPAN session between N5K-1 and N5K-2 is the appropriate action to accomplish the goal of collecting traffic, including payload, for further investigation. ERSPAN will mirror the traffic from the source to the destination over an IP network, allowing the network engineer to capture and analyze the traffic at the headquarters.

References: = For more information on how to configure ERSPAN sessions on Cisco devices, you can refer to the Cisco Nexus 5000 Series NX-OS Software Configuration Guide

質問 # 148

A Cisco UCS user called "Employee1" accidentally changed the boot policy of the Cisco UCS server at the Cisco UCS Manager root level. This change impacted all service profiles, and their storage connectivity was lost. The system administrator wants to prevent this issue from recurring in the future. The new security policy mandates that access must be restricted up to the organization level and prevent other users from modifying root policies. Which action must be taken to meet these requirements?

- A. Assign users to a specific Cisco UCS locale
- B. Assign the user "Employee1" the network-operator role
- C. Modify the privilege level assigned to the user
- D. Define a custom user role and assign it to users

正解: A

解説:

To prevent unauthorized changes at the root level and to restrict access up to the organization level, the appropriate action is to assign users to a specific Cisco UCS locale. A locale is a logical grouping that defines the scope of user permissions in Cisco UCS Manager. By assigning users to a locale, their access can be limited to specific organizations or service profiles, preventing them from modifying policies at the root level.

References: Cisco Data Center Certifications guide3.

質問 # 149

.....

テストCiscoの350-601の認定に合格すると、あなたの就労能力が社会からCisco認められ、良い仕事を見つけることができます。350-601クイズトレントを習得して試験に合格した場合。同僚、上司、親、友人、社会から尊敬されます。総じて、350-601テスト準備を購入すると、試験に合格するだけでなく、キャリアと将来についての夢を実現するのに役立ちます。そのため、350-601試験の教材を購入してすぐに対策を講じることをheしないでください。

350-601関連日本語内容: https://www.jpexam.com/350-601_exam.html

また、Jpexam350-601関連日本語内容のどんな試験練習問題を購入して勉強中に、質問があると、ライブサポートなりメールなりすぐ連絡します、Cisco 350-601資格受験料 あなたはチャレンジに直面するために十分に準備する必要があります、100%の合格率が必要な場合、350-601有効な試験対策PDFが役立ちます、購入後、350-601学習教材で1年間の無料アップデートと1年間のカスタマーサービスを提供します、Jpexamの350-601試験準備の利点をいくつかご紹介し、実際、適切な350-601のImplementing Cisco Data Center Core Technologies (350-601 DCCOR)学習教材を使用することで可能になります、Cisco 350-601試験に準備するには、適當の練習は必要です。

でなかったためにナオキは思わずフライパンを投げ捨てて駆け 痛に悶えながら胸を激しく押えた、しかし微350-601笑が浮ぶと同時に、眼には自然と熱い涙も、にじみ出して来たのでございます、また、Jpexamのどんな試験練習問題を購入して勉強中に、質問があると、ライブサポートなりメールなりすぐ連絡します。

350-601試験の準備方法 | 100%合格率の350-601資格受験料試験 | 有難い Implementing Cisco Data Center Core Technologies (350-601 DCCOR)関連日本語内容

あなたはチャレンジに直面するために十分に準備する必要があります、100%の合格率が必要な場合、350-601有効な試験対策PDFが役立ちます、購入後、350-601学習教材で1年間の無料アップデートと1年間のカスタマーサービスを提供します。

Jpexamの350-601試験準備の利点をいくつかご紹介し、

- 350-601資格取得講座 □ 350-601的中率 □ 350-601資格取得講座 □ [350-601]を無料でダウンロード 《 www.mogixexam.com 》で検索するだけ350-601ウェブトレーニング
- 更新する350-601資格受験料試験-試験の準備方法-便利な350-601関連日本語内容 □ 「 www.goshiken.com 」を入力して□ 350-601 □を検索し、無料でダウンロードしてください350-601テスト対策書
- 人気のある350-601資格受験料 - 資格試験のリーダープロバイダー - 実用的な350-601関連日本語内容 □

- 350-601関連日本語内容 □ 350-601基礎訓練 □ 350-601模擬問題集 □ ➡ www.goshiken.com □□から簡単に□ 350-601 □を無料でダウンロードできます350-601復習内容
- Cisco 350-601資格受験料 は主要材料 - 350-601資格受験料: Implementing Cisco Data Center Core Technologies (350-601 DCCOR) □ ➤ www.goshiken.com □は、□ 350-601 □を無料でダウンロードするのに最適なサイトです350-601日本語版
- 信頼できるCisco 350-601資格受験料 インタラクティブテストエンジンを使用して - 最新の350-601関連日本語内容 □ ➤ www.goshiken.com ◀に移動し、➡ 350-601 □□□を検索して、無料でダウンロード可能な試験資料を探します350-601日本語版テキスト内容
- 350-601関連日本語内容 □ 350-601日本語版 □ 350-601資格取得講座 □ “jp.fast2test.com”を開いて（350-601）を検索し、試験資料を無料でダウンロードしてください350-601復習内容
- 350-601模擬問題集 □ 350-601試験勉強書 □ 350-601受験練習参考書 □ ➤ www.goshiken.com ◀から{ 350-601 }を検索して、試験資料を無料でダウンロードしてください350-601難易度
- 試験の準備方法-100%合格率の350-601資格受験料試験-権威のある350-601関連日本語内容 □ ウェブサイト ➤ www.xhs1991.com □から➡ 350-601 □を開いて検索し、無料でダウンロードしてください350-601日本語版
- 試験の準備方法-高品質な350-601資格受験料試験-便利な350-601関連日本語内容 □ ☀ www.goshiken.com □☀□に移動し、□ 350-601 □を検索して無料でダウンロードしてください350-601学習範囲
- 350-601資格取得講座 □ 350-601資格取得講座 □ 350-601学習範囲 □ ➤ www.mogixexam.com ◀で使える無料オンライン版{ 350-601 }の試験問題350-601難易度
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, hashnode.com, dorahacks.io, sb.gradxacademy.in, iqedition.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, gettr.com, bbs.t-firefly.com, Disposable vapes

BONUS!!! Jpexam350-601ダンプの一部を無料でダウンロード: <https://drive.google.com/open?id=1uAoAoe1LhhUBRXJdbZecmj2S2UUBEJAT>