

EFM Fragenpool, EFM Prüfung

T/F: Baroreceptors are stretch receptors which respond to increases or decreases in blood pressure. Correct ans - True

T/F: There are two electronic fetal monitoring methods of obtaining the fetal heart rate: the ultrasound transducer and the fetal spiral electrode. Correct ans - True

T/F: Variability can be determined with the fetoscope. Correct ans - False

T/F: Because the ultrasound transducer and toco transducer are sealed units, they can be dipped in warm water to make cleaning easier. Correct ans - False

T/F: The most common artifact with the ultrasound transducer system for fetal heart rate is increased variability. Correct ans - True

T/F: All fetal monitors contain a logic system designed to reject artifact. Correct ans - True

T/F: The monitor should always be tested before starting a tracing, either external or internal mode and labeled a test. Correct ans - True

T/F: The paper speed on the fetal monitor should always be set at 1cm/min. Correct ans - False

T/F: Both internal and external monitoring methods are equally accurate means of obtaining the fetal heart rate and contraction patterns. Correct ans - False

T/F: The external toco is usually placed over the uterine fundus to pick up contractions. Correct ans - True

T/F: The external toco gives measurable uterine pressure. Correct ans - False

T/F: The fetal spiral electrode can be placed when vaginal bleeding of unknown origin is present. Correct ans - False

T/F: The ultrasound transducer is usually placed on the side of the uterus over the baby's back, as the fetal heart is heard best there. Correct ans - True

T/F: The spiral electrode is used to more accurately determine the frequency, duration, and intensity of uterine contractions. Correct ans - False

Wenn Sie die Fragen und Antworten zur NCC EFM Zertifizierungsprüfung kaufen, können Sie nicht nur die NCC EFM Zertifizierungsprüfung erfolgreich bestehen, sondern einen einjährigen kostenlosen Update-Service genießen. Falls Sie in der Prüfung durchfallen, zahlen wir Ihnen die gesamte Summe zurück. Sie können im Internet teilweise die Fragen und Antworten zur NCC EFM Zertifizierungsprüfung kostenlos als Probe herunterladen, um die Zuverlässigkeit unserer Produkte zu prüfen.

Was unsere Pass4Test für Sie erfüllen ist, dass alle Ihrer Bemühungen für die Vorbereitung der NCC EFM von Erfolg krönen. Wenn Sie sich davon nicht überzeugen, können Sie zuerst unsere Demo probieren, erfahren Sie die Aufgaben der NCC EFM. Nach dem Probieren werden die Mühe und die Professionalität unser Team fühlen. Wenn Sie neben NCC EFM noch auf andere Prüfungen vorbereiten, können Sie auch auf unserer Webseite suchen. Unsere große Menge der Unterlagen und Prüfungsaufgaben werden Ihnen Überraschung bringen!

>> EFM Fragenpool <<

EFM Prüfung, EFM Prüfungsvorbereitung

Laut Umfragen haben die NCC EFM Prüfung heutzutage hohe Konjunktur in IT-Zertifizierungen. Tatsächlich ist die EFM Zertifizierungsprüfung sehr wichtig. Und jetzt ist EFM Prüfung öffentlich zertifiziert. Außerdem kann diese Prüfung Ihre ausgezeichnete IT-Fähigkeit beweisen. Aber es ist sehr schwer, NCC EFM Prüfung zu bestehen. Und die Schwierigkeit ist so groß wie ihre Bedeutung. Trotz dieser Schwierigkeit sorgen Sie sich bitte nicht um den Erfolg, die Prüfung ablegen, weil Pass4Test Ihnen helfen kann, diese schwierige EFM Prüfung zu bestehen.

NCC Certified - Electronic Fetal Monitoring EFM Prüfungsfragen mit Lösungen (Q103-Q108):

103. Frage

What is the appropriate interpretation of this tracing?



- A. Multiple prolonged accelerations
- B. Tachycardia with variable decelerations
- C. Marked variability

Antwort: C

Begründung:

Comprehensive and Detailed Explanation From Exact Extract-Based NCC C-EFM References:

The tracing demonstrates:

- * Baseline ~150 bpm
- * Variability # 25 bpm amplitude, highly erratic and wide
- * No sustained decelerations
- * No sustained accelerations # 2 min

NICHD/NCC definition of marked variability:

Amplitude of baseline FHR fluctuations greater than 25 bpm.

Marked variability often reflects transient fetal autonomic instability due to:

- * Fetal stimulation
- * Mild hypoxemia
- * Maternal anxiety
- * Drugs (e.g., butorphanol)

Why other answers are incorrect:

- * B. Multiple prolonged accelerations - No accelerations of #2 minutes are present.
- * C. Tachycardia with variables - Baseline is NOT tachycardic (>160 bpm), and decelerations are not present.

Thus, the correct interpretation is A. Marked variability.

References: NICHD FHR Definitions; NCC C-EFM Candidate Guide; AWHONN; Menihan; Simpson & Creehan.

104. Frage

Maternal fever can cause fetal tachycardia because the increased maternal temperature:

- A. Inhibits catecholamine release
- B. Decreases tissue perfusion
- C. Increases fetal metabolism

Antwort: C

Begründung:

Comprehensive and Detailed Explanation From Exact Extract-Based NCC C-EFM References:

Maternal hyperthermia-most commonly from infection-causes a rise in fetal temperature, which increases fetal metabolic rate. The fetus responds by increasing heart rate to meet the increased oxygen demand.

Effects include:

- * Increased fetal oxygen consumption
- * Enhanced fetal cardiac output
- * Resultant tachycardia, often 160-180 bpm

This mechanism is repeatedly outlined in NCC's physiology domain, AWHONN, Menihan, Simpson, and Creasy & Resnik.

Option A is incorrect because maternal fever does not reduce perfusion.

Option C is incorrect because catecholamines are often elevated, not inhibited.

Thus, the mechanism is increased fetal metabolism.

References: NCC C-EFM Candidate Guide; NCC Physiology Domain; AWHONN Fetal Heart Monitoring Principles & Practices; Menihan Electronic Fetal Monitoring; Simpson & Creehan Perinatal Nursing; Creasy & Resnik Maternal-Fetal Medicine.

105. Frage

The baseline fetal heart rate decreases with gestational age as a result of an increase in:

- A. Parasympathetic tone
- B. Catecholamine production
- C. Intrinsic ventricular rate

Antwort: A

Begründung:

Comprehensive and Detailed Explanation From Exact Extract-Based NCC C-EFM References:

As gestation advances:

- * Vagal (parasympathetic) control increases,
- * Sympathetic dominance decreases,
- * Resulting in a lower baseline heart rate.

NCC physiology teaching:

"Baseline FHR decreases with advancing gestational age due to maturation and increasing parasympathetic tone." Why the others are incorrect:

- * Catecholamines increase heart rate, not decrease it.
- * Intrinsic ventricular rate does not change significantly with gestational age.

Thus, the correct physiologic factor is increased parasympathetic tone.

References: NCC Physiology Domain; AWHONN; Menihan; Simpson & Creehan; Creasy & Resnik.

106. Frage

Nonstress testing is used more frequently for antepartum testing than contraction stress testing because contraction stress testing has a:

- A. Higher frequency of equivocal test results
- B. Limited reporting option for the compromised fetus
- C. Low predictability of fetal well-being within 7 days of a negative test

Antwort: A

Begründung:

Comprehensive and Detailed Explanation From Exact Extract-Based NCC C-EFM References:

NCC and AWHONN explain that Contraction Stress Testing (CST):

- * Has a higher rate of equivocal ("equivocal-suspicious" or "equivocal-hyperstimulation") results
- * Frequently must be repeated or replaced with other tests
- * Requires inducing contractions, which carries risk (hyperstimulation, preterm labor, uterine rupture in scarred uterus) NST is used more commonly because it is:
 - * Noninvasive
 - * Easier to perform
 - * Has fewer contraindications
 - * Has a lower rate of equivocal results

Why the others are incorrect:

- * B - CST does detect fetal compromise reliably and is NOT limited in its reporting structure.
- * C - A negative CST actually has very high negative predictive value for 7 days, making this answer incorrect.

Thus the correct choice is A. Higher frequency of equivocal results.

References: NCC C-EFM Candidate Guide; AWHONN; Menihan; Simpson & Creehan; Creasy & Resnik.

107. Frage

A woman at 39-weeks gestation is being induced. She has chronic hypertension controlled by methyldopa (Aldomet). Spontaneous rupture of membranes has occurred; she is 10 cm dilated and at +1 station. The fetal monitor tracing shown is obtained by spiral electrode and tocodynamometer. The next best appropriate action is to:



- A. Administer terbutaline
- B. Consider amnioinfusion
- C. Modify pushing

Antwort: C

Begründung:

Comprehensive and Detailed Explanation From Exact Extract-Based NCC C-EFM References:

The tracing shows recurrent variable decelerations deepening during contractions as the patient is fully dilated and at +1 station.

NCC's Pattern Recognition and Intervention framework states:

* During second stage (complete dilation), variable decelerations commonly occur from cord compression caused by head descent and maternal pushing efforts.

* The FIRST correction for pushing-associated recurrent variable decelerations is modifying the pushing technique:

- * Side-lying pushing
- * Pushing with every other contraction
- * Open-glottis pushing
- * Allowing passive descent

These measures relieve head compression and reduce the severity of variable decelerations.

Why the other answers are incorrect

A). Administer terbutaline

* Terbutaline is given for tachysystole with fetal intolerance.

* This tracing does not show tachysystole.

* The pattern is timing-related to pushing, not uterine overstimulation.

B). Consider amnioinfusion

* Amnioinfusion is used for recurrent variable decelerations before complete dilation, when membrane rupture + low fluid is suspected.

* At 10 cm and +1, the fetal head is deep in the pelvis, and the cause of variables is head compression, not cord compression due to oligohydramnios.

* Also, amnioinfusion is impractical and not beneficial at this stage.

Therefore, the correct answer is C. Modify pushing.

References: NCC C-EFM Candidate Guide; NCC Content Outline; AWHONN Principles & Practices; Miller's Fetal Monitoring Pocket Guide; Menihan Electronic Fetal Monitoring; Simpson & Creehan; Creasy & Resnik.

108. Frage

.....

Wir Pass4Test bieten alle mögliche Vorbereitungsunterlagen von NCC EFM Zertifizierungsprüfung. Sie können die NCC EFM Prüfungsunterlagen in verschiedenen Webseiten und Büchern finden. Aber unsere Prüfungsfragen und Testantworten sind die besten und die umfassendsten. Unsere NCC EFM Prüfungsfragen und -antworten können Ihnen helfen, nur einmal diese Prüfung zu bestehen. Und Sie können weniger Zeit verwenden.

EFM Prüfung: <https://www.pass4test.de/EFM.html>

NCC EFM Fragenpool Und Sie wissen einfach nicht, ob sie zu glauben ist, NCC EFM Fragenpool Wenn Sie nicht wissen, wie man die Prüfung effizienter bestehen kann, Der Grund, warum die meisten Menschen Pass4Test EFM Prüfung wählen, liegt darin, dass Pass4Test EFM Prüfung ein riesiges IT-Elite Team hat, Viele Leute surfen im Internet die Schulungsunterlagen zur NCC EFM Zertifizierungsprüfung.

Und so groß dies Spital ist, so wäre es doch zu klein für alle Narrheit EFM Fragenpool des Professors Lidenbrock, Ich hab immer gern geküßt und alles, weißt du, Und Sie wissen einfach nicht, ob sie zu glauben ist.

EFM zu bestehen mit allseitigen Garantien

Wenn Sie nicht wissen, wie man die Prüfung effizienter bestehen EFM kann, Der Grund, warum die meisten Menschen Pass4Test wählen, liegt darin, dass Pass4Test ein riesiges IT-Elite Team hat.

Viele Leute surfen im Internet die Schulungsunterlagen zur NCC EFM Zertifizierungsprüfung, Wenn Sie irgendwelche Fragen über unsere EFM braindumps torrent haben, wenden Sie sich an uns bitte.

- EFM Prüfungsmaterialien □ EFM Praxisprüfung □ EFM Prüfungsübungen ▢ Suchen Sie einfach auf [www.deutschpruefung.com] nach kostenloser Download von □ EFM □ □EFM Prüfungsmaterialien
- EFM Zertifizierungsprüfung □ EFM Praxisprüfung □ EFM Testfragen □ Suchen Sie jetzt auf ⇒ www.itzert.com ⇐ nach ▸ EFM ◁ um den kostenlosen Download zu erhalten □EFM Examsfragen
- EFM Zertifizierungsfragen, NCC EFM PrüfungFragen □ Suchen Sie auf der Webseite ▶ www.echtefrage.top ◀ nach ➡ EFM □ und laden Sie es kostenlos herunter □EFM Prüfungsfrage
- EFM Der beste Partner bei Ihrer Vorbereitung der Certified - Electronic Fetal Monitoring □ Suchen Sie einfach auf ➡ www.itzert.com □ nach kostenloser Download von { EFM } □EFM Zertifizierung
- EFM Echte Fragen □ EFM Exam Fragen ▶ EFM Prüfungsvorbereitung □ Erhalten Sie den kostenlosen Download von 【 EFM 】 mühelos über 「 www.echtefrage.top 」 □EFM Zertifizierung
- EFM Zertifizierung □ EFM Deutsch □ EFM German □ Suchen Sie jetzt auf 《 www.itzert.com 》 nach ☀ EFM □☀□ und laden Sie es kostenlos herunter □EFM Echte Fragen
- EFM Zertifikatsfragen □ EFM Exam Fragen □ EFM Exam Fragen □ Sie müssen nur zu ☀ www.itzert.com □☀□ gehen um nach kostenloser Download von (EFM) zu suchen □EFM German
- EFM Fragen Antworten □ EFM Praxisprüfung □ EFM Deutsch □ Suchen Sie auf▶ www.itzert.com ◀ nach 《 EFM 》 und erhalten Sie den kostenlosen Download mühelos □EFM Praxisprüfung
- Neueste Certified - Electronic Fetal Monitoring Prüfung pdf - EFM Prüfung Torrent □ Suchen Sie auf ➡ www.pruefungfrage.de □ nach ➡ EFM □□□ und erhalten Sie den kostenlosen Download mühelos □EFM German
- EFM Prüfungsfrage ↔ EFM Exam Fragen □ EFM Zertifizierungsprüfung □ Suchen Sie auf ➡ www.itzert.com □□□ nach (EFM) und erhalten Sie den kostenlosen Download mühelos □EFM Prüfungsmaterialien
- EFM Übungstest: Certified - Electronic Fetal Monitoring - EFM Braindumps Prüfung □ Suchen Sie jetzt auf [www.pass4test.de] nach ▸ EFM ◁ um den kostenlosen Download zu erhalten □EFM PDF
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, pct.edu.pk, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, campus.academiamentesana.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, Disposable vapes