


# AD0-E724勉強時間、AD0-E724トレーニング学習



P.S. MogiExamがGoogle Driveで共有している無料かつ新しいAD0-E724ダンプ: <https://drive.google.com/open?id=1mk-UThB20YJM8pjyeVnxvNpER4W0STKK>

ほとんどの人がAD0-E724ガイド急流を入手するのは容易ではありませんが、製品を選択する限り、資格AD0-E724証明書を簡単かつ効率的に取得できると思います。教材を選択したら、AD0-E724ガイドの質問から試験ポイントをマスターできます。その後、試験に合格するのに十分な自信があります。安全な環境と効果的な製品については、AD0-E724の質問トレントを試してみてください。

誰もが異なる学習習慣を持っているため、AD0-E724試験シミュレーションでは、PDFバージョン、ソフトウェアバージョン、およびAPPバージョンのさまざまなシステムバージョンが提供されます。特定の状況に基づいて、最適なバージョンを選択するか、複数のバージョンを同時に使用できます。結局のところ、AD0-E724準備質問の各バージョンには独自の利点があります。非常に忙しい場合は、AD0-E724学習資料を使用するために非常に断片化された時間の一部しか使用できません。また、AD0-E724試験の各質問は、確実に試験に合格するのに役立ちます。

>> AD0-E724勉強時間 <<

## 高品質なAD0-E724勉強時間試験-試験の準備方法-有効的なAD0-E724トレーニング学習

AD0-E724参考資料を使用したお客様からいい評価をもらいました。AD0-E724参考資料は多くの人の絶対いい選択です。AD0-E724参考資料の難点については、弊社の専門家ガ例を挙げて説明します。そうすれば、わかりやすく、覚えやすいです。弊社のAD0-E724参考資料は実践に基づいて、専門的な知識の蓄積です。だから、AD0-E724試験のために、弊社の商品を選ばれば、後悔することがないです。

## Adobe Commerce Developer Professional 認定 AD0-E724 試験問題 (Q118-Q123):

### 質問 # 118

A developer needs to initialize the jQuery UI widget for a specific HTML tag. Which HTML attribute is used for this?

- A. data-ui
- B. data-mage-init
- C. x-magento-init

正解: B

解説:

The data-mage-init HTML attribute is used to initialize the jQuery UI widget for a specific HTML tag. This attribute specifies the name of the widget and its configuration options as a JSON object.

The x-magento-init HTML attribute is used to initialize RequireJS modules for a specific HTML tag. The data-ui HTML attribute does not exist in Adobe Commerce.

Verified References: [Adobe Commerce Developer Guide - Initialize JavaScript components using the data-mage-init attribute] To initialize the jQuery UI widget in Adobe Commerce, the data-mage-init attribute is used in the HTML tag. This attribute allows specifying the widget's component and its configuration in a JSON format. The data-mage-init is used for initializing JavaScript components in a similar manner but is typically used within <script> tags. There's no standard data-ui attribute used for this purpose in Magento 2.

#### 質問 # 119

What is one purpose of a customer data JS library?

- A. It stores the customer's credit card info for usage in the checkout.
- **B. It stores private customer data in local storage**
- C. It stores the customer's username and password for easier frontend login.

正解: B

解説:

The customer data JS library is used to store private customer data in local storage. This data can be used to improve the customer's experience on the store, such as by remembering their shipping address or their preferred payment method.

The customer data JS library in Adobe Commerce is used for managing customer data on the client side, such as the shopping cart, comparison list, and wishlist. It does not store sensitive information like credit card details or usernames and passwords. Instead, it utilizes local storage to keep a private data section where customer-specific data is stored securely and accessed via JavaScript, making option B correct.

#### 質問 # 120

How can a custom CMS Page be set as a store home page?

- **A. In the store configuration, set a custom CMS Page to be a CMS home page**
- B. In the CMS Page admin grid, select the checkbox for the page under the "Home Page" column.
- C. In the CMS Page admin form, set the "Default Home Page" value to "yes"

正解: A

解説:

To set a custom CMS Page as a store home page, the developer or merchant should follow these steps:

\* In the Admin panel, go to Content > Pages and create or edit a CMS Page that will be used as a home page.

\* In the Admin panel, go to Stores > Configuration > General > Web > Default Pages.

\* In the CMS Home Page field, select the CMS Page that was created or edited in step 1.

\* Save the configuration.

There is no "Home Page" column in the CMS Page admin grid or "Default Home Page" value in the CMS Page admin form.

Verified References: [Adobe Commerce User Guide - Set up your home page] In Adobe Commerce, to set a custom CMS page as the store's homepage, you need to go to the store configuration. Specifically, navigate to Content > Design > Configuration, select the relevant store view, and then under the "Default Pages" tab, set the "CMS Home Page" option to your custom CMS page.

Options A and B do not exist in the Adobe Commerce admin panel for setting a home page.

#### 質問 # 121

An Adobe Commerce developer has created a module that adds a product attribute to all product types via a Data Patch. According to best practices, how would the developer ensure this product attribute is removed in the event that the module is uninstalled at a later date?

- **A. Make the Data Patch implement `\Magento\Framework\setup\Patch\PatchRevertableInterface` and implement the `revert` method to remove the product attribute.**
- B. Add instructions to the module's README.md file instructing merchants and developers that they must manually remove this attribute if they want to uninstall the module.
- C. Add an `Uninstall.php` file extending `\Magento\Framework\Setup\UninstallInterface` to the module's Setup directory and implement the `uninstall` method.

正解: A

解説:

According to the Develop data and schema patches guide for Magento 2 developers, data patches can also implement PatchRevertableInterface to provide rollback functionality for their changes. The revert() method contains the instructions to undo the data modifications made by the patch. To ensure that the product attribute is removed when the module is uninstalled, the developer should make the data patch implement PatchRevertableInterface and implement the revert method to remove the product attribute using EavSetupFactory or AttributeRepositoryInterface. Verified References:<https://devdocs.magento.com/guides/v2.3/extension-dev-guide/declarative-schema/data-patches.html>

According to Adobe Commerce (Magento) best practices, when creating modules that add database schema changes or data through Data Patches, it's crucial to consider the reversibility of these changes for module uninstallation. Here's how each option relates to this practice:

\* Option A: Adding an Uninstall.php file that extends \Magento\Framework\Setup\UninstallInterface is indeed a method to handle module uninstallation in Magento. This interface requires the implementation of an uninstall method where you could write the logic to remove the product attribute.

However, this approach is more commonly used for broader setup/teardown operations beyond simple data patches. The official Magento documentation discusses this approach under module uninstallation:

\* Magento DevDocs - Uninstalling a Module

But for data patches specifically, the recommended approach is different.

\* Option B: Adding instructions in the README.md file for manual removal by merchants or developers is not a best practice for module management in Magento. This approach relies on human action which can be error-prone and inconsistent, especially in a production environment. Magento encourages automated processes for module lifecycle management to ensure reliability and consistency.

\* Option C: This is the correct and recommended approach according to Magento best practices for data patches. By implementing \Magento\Framework\Setup\Patch\PatchRevertableInterface in your Data Patch class, you ensure that the patch can be reverted. This interface requires you to implement a revert method, which should contain the logic to remove the changes made by the patch, in this case, the product attribute. Here's how it works:

\* When creating a Data Patch, you extend \Magento\Framework\Setup\Patch\DataPatchInterface.

To make it reversible, you also implement

\Magento\Framework\Setup\Patch\PatchRevertableInterface.

\* In the revert method, you would write the code to remove the product attribute that was added by the patch.

This approach ensures that your module's changes can be automatically undone if the module is uninstalled, maintaining the integrity of the Magento installation. Here's a reference from Magento documentation:

\* Magento DevDocs - Data Patches

Example implementation:

```
php
use Magento\Framework\Setup\Patch\DataPatchInterface;
use Magento\Framework\Setup\Patch\PatchRevertableInterface;
use Magento\Eav\Setup\EavSetup;
use Magento\Eav\Setup\EavSetupFactory;
use Magento\Framework\Setup\ModuleDataSetupInterface;
class AddProductAttribute implements DataPatchInterface, PatchRevertableInterface
{
    private $eavSetupFactory;
    private $moduleDataSetup;
    public function __construct(
        EavSetupFactory $eavSetupFactory,
        ModuleDataSetupInterface $moduleDataSetup
    ) {
        $this->eavSetupFactory = $eavSetupFactory;
        $this->moduleDataSetup = $moduleDataSetup;
    }
    public function apply()
    {
        /** @var EavSetup $eavSetup */
        $eavSetup = $this->eavSetupFactory->create(['setup' => $this->moduleDataSetup]);
        $eavSetup->addAttribute(
            \Magento\Catalog\Model\Product::ENTITY,
            'custom_attribute',
            [
                'type' => 'varchar',
                'label' => 'Custom Attribute',
                'input' => 'text',
```

```

'required' => false,
'sort_order' => 100,
'global' => \Magento\Eav\Model\Entity\Attribute\ScopedAttributeInterface::SCOPE_GLOBAL,
'group' => 'General',
]
);
}
public function revert()
{
/** @var EavSetup $eavSetup */
$eavSetup = $this->eavSetupFactory->create(['setup' => $this->moduleDataSetup]);
$eavSetup->removeAttribute(\Magento\Catalog\Model\Product::ENTITY, 'custom_attribute');
}
public static function getDependencies()
{
return [];
}
public function getAliases()
{
return [];
}
}
}

```

This ensures that if the module is uninstalled, the product attribute will be automatically removed, adhering to Magento's modular and reversible development practices.

## 質問 # 122

An Adobe Commerce developer adds a new extension attribute to add an array of values to the invoices that are fetched through the APIs.

After a while, their technical manager reviews their work and notices something wrong with the `extension_attributes.xml` file that the developer created in their module:

What is the problem with this xml snippet?

- A. The extension attribute references the wrong interface, it should have referenced the `\Magento\saies\Api\data\invoiceinterface`.
- B. The extension attribute references the repository instead of the interface it implements (`\Magento\saies\Api\invoiceRepositorymterface`).
- C. The type is wrong, `string []` should be replaced with array.

正解: A

解説:

When adding extension attributes in Adobe Commerce, it's essential to reference the correct interface in the `extension_attributes.xml` file. Extension attributes in Magento are used to add custom data fields to existing entities, and these should extend the core entity interfaces, not their repositories.

In this case:

\* The developer needs to reference `\Magento\Sales\Api\Data\InvoiceInterface`, which represents the data structure of invoices, rather than any repository or incorrect interfaces.

\* The `extension_attributes.xml` should specify the data interface (e.g., `\Magento\Sales\Api\Data\InvoiceInterface`) to ensure the extension attribute is correctly applied to the invoice entity and is accessible when fetching invoices through APIs.

Correct XML format:

```

<?xml version="1.0"?>
<config
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:noNamespaceSchemaLocation="urn:
magento:module:Magento_ExtensionAttributes/etc/extension_attributes.xsd"
>
<extension_attributes for="Magento\Sales\Api\Data\InvoiceInterface">
<attribute code="your_custom_attribute" type="string[]" />
</extension_attributes>
</config>

```

Additional Resources:

\* Adobe Commerce Developer Guide: Using Extension Attributes

\* Extension Attributes XML Reference

## 質問 # 123

.....

当社のAD0-E724実践教材は一流の専門家によって編集され、AD0-E724スタディガイドは思いやりのあるサービスとアクセス可能なコンテンツのパッケージ全体を提供します。さらに、AD0-E724 Actual Testは、さまざまな側面で効率を改善します。専門的な知識を十分に身に付けることは、あなたの人生に大いに役立ちます。知識の時代の到来により、私たちはすべて、AD0-E724などの専門的な証明書を必要としています。

**AD0-E724トレーリング学習:** <https://www.mogixexam.com/AD0-E724-exam.html>

この期間、我々はAD0-E724問題集に関するサービスを提供します、ユーザーは簡単にテストキーと質問と回答の難しさを習得できますAD0-E724準備ガイド、Adobe AD0-E724勉強時間 また、圧力は間違いなく最後のわらと呼ばれることが言いたい、では、私たちのAD0-E724試験参考書のデモをダウンロードしてみませんか、Adobe AD0-E724勉強時間 私たちは現在、競争の激しい世界に住んでいます、AdobeのAD0-E724試験はIT領域で人気がある重要な試験です、Adobe AD0-E724勉強時間 後者はより緊急であり、すぐに実行する必要があります、Adobe AD0-E724勉強時間 私の夢は最高のIT専門家になることです。

セネカの人生は壮大で矛盾に満ちていましたが、彼は尊厳を保ち、亡くなったときはとても勇敢でした、やっぱカギかかってるし すぐにここから入ることを諦め、Kは裏庭の先にある墓地へ 向かった、この期間、我々はAD0-E724問題集に関するサービスを提供します。

## AD0-E724試験勉強資料、AD0-E724試験合格率、Commerce Developer Professional模擬テストエンジン

ユーザーは簡単にテストキーと質問と回答の難しさを習得できますAD0-E724準備ガイド、また、圧力は間違いなく最後のわらと呼ばれることが言いたい、では、私たちのAD0-E724試験参考書のデモをダウンロードしてみませんか？

私たちは現在、競争の激しい世界に住んでいます。

- Adobe AD0-E724勉強時間: Commerce Developer Professional - [www.jpexam.com](http://www.jpexam.com) 100%安全なショッピング体験  
□ □ [www.jpexam.com](http://www.jpexam.com) □ サイトで ⇒ AD0-E724 □ □ □ の最新問題が使えるAD0-E724日本語版対策ガイド
- 100%合格率のAD0-E724勉強時間一回合格-権威のあるAD0-E724トレーリング学習 □ ▶ [www.goshiken.com](http://www.goshiken.com)  
◀ サイトにて最新 ▶ AD0-E724 □ 問題集をダウンロードAD0-E724日本語版対策ガイド
- AD0-E724資格トレーニング □ AD0-E724参考書内容 □ AD0-E724参考書内容 { [www.shikenpass.com](http://www.shikenpass.com) } には無料の▷ AD0-E724 ◀ 問題集がありますAD0-E724入門知識
- AD0-E724日本語的中対策 □ AD0-E724受験資格 □ AD0-E724リンクグローバル □ 今すぐ ✓ [www.goshiken.com](http://www.goshiken.com) □ ✓ □ で 《 AD0-E724 》 を検索し、無料でダウンロードしてくださいAD0-E724日本語版対策ガイド
- AD0-E724日本語版復習資料 □ AD0-E724合格対策 □ AD0-E724リンクグローバル □ [ [www.it-passports.com](http://www.it-passports.com) ] から 《 AD0-E724 》 を検索して、試験資料を無料でダウンロードしてくださいAD0-E724資格トレーニング
- AD0-E724ファンデーション □ AD0-E724対応資料 □ AD0-E724試験参考書 □ ▶ [www.goshiken.com](http://www.goshiken.com) ◀ を開いて [ AD0-E724 ] を検索し、試験資料を無料でダウンロードしてくださいAD0-E724参考書内容
- 100%合格率のAD0-E724勉強時間一回合格-権威のあるAD0-E724トレーリング学習 □ 「 [www.goshiken.com](http://www.goshiken.com) 」 で □ AD0-E724 □ を検索して、無料でダウンロードしてくださいAD0-E724受験資格
- Adobe AD0-E724 Exam | AD0-E724勉強時間 - プロのオファーAD0-E724トレーリング学習 □ ウェブサイト ▶ [www.goshiken.com](http://www.goshiken.com) ◀ から { AD0-E724 } を開いて検索し、無料でダウンロードしてくださいAD0-E724勉強ガイド
- AD0-E724日本語版復習資料 □ AD0-E724認定デベロッパー □ AD0-E724日本語版対策ガイド □ ウェブサイト □ [www.xhs1991.com](http://www.xhs1991.com) □ を開き、 ⇒ AD0-E724 □ を検索して無料でダウンロードしてくださいAD0-E724合格対策
- AD0-E724日本語版対策ガイド □ AD0-E724ファンデーション □ AD0-E724日本語版参考書 □ [ [www.goshiken.com](http://www.goshiken.com) ] サイトで ⇒ AD0-E724 ◀ の最新問題が使えるAD0-E724資格トレーニング
- AD0-E724一発合格 □ AD0-E724合格対策 □ AD0-E724試験対応 □ ▶ [www.xhs1991.com](http://www.xhs1991.com) ◀ には無料の☀ AD0-E724 □ ☀ □ 問題集がありますAD0-E724ファンデーション
- [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt)

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
learnerssuccess.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,  
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw,  
www.stes.tyc.edu.tw, ncon.edu.sa, global.edu.bd, www.stes.tyc.edu.tw, Disposable vapes

BONUS!!! MogiExam AD0-E724ダンプの一部を無料でダウンロード: <https://drive.google.com/open?id=1mk-UThB20YJM8pjyeVnxvNpER4W0STKK>