

ACD201試験の準備方法 | 実用的なACD201テストトレーニング試験 | 真実的なAppian Senior Developerリンクグローバル

ACD201

Option C : Create a custom plug-in that can write an audit trail to a log file.

Correct Answer: B

QUESTION: 6

You are code-checking your colleague's process model before marking it as Ready for Deployment. Which three best practices should be applied? (Choose three.)

Option A : All nodes should have exception flows

Option B : All XOR/OR gateways should have a single incoming ow.

Option C : All outgoing flows from a gateway should be labeled

Option D : Node inputs should not make the same query call more than once.

Option E : Activity chaining should be added to the majority of flows.

Correct Answer: B,C,D

QUESTION: 7

During a sprint retrospective meeting, you need to get the team thinking about the outcomes of the last sprint. Which two basic questions should you ask? (Choose two.)

Option A : What didn't go well and can be improved?

Option B : What are the blockers?

Option C : Who did well in this sprint?

Option D : What went well?

Correct Answer: A,D

<https://www.dumpslink.com/ACD201-pdf-dumps.html>

www.dumpslink.com

無料でクラウドストレージから最新のIt-Passports ACD201 PDFダンプをダウンロードする：<https://drive.google.com/open?id=1AuquFb2SwQm5JV1i78LmrFWx2eikXnN3>

Appian試験問題は専門家によって編集され、認定された担当者によって承認され、さまざまな機能を強化するため、ACD201テストトレントを便利かつ効率的に学習できます。購入前に無料ダウンロードと試用を提供しています。ACD201試験の問題では、学生がシミュレーション問題を提供するプラットフォームで20〜30時間練習する必要があり、Appian Senior DeveloperのACD201試験に合格する自信を持たせることができます。ACD201試験に合格して目標を達成するための最良のツールでなければなりません。

Appian ACD201 認定試験の出題範囲:

トピック	出題範囲
トピック 1	データ管理: 試験のこのセクションでは、ソリューション アーキテクトのスキルを測定します。データ モデルの設計とドキュメント化、最適化とセキュリティのためのレコードタイプの推奨、リレーショナル データの操作、サポート オブジェクトを使用した複雑なモデルの実装などが対象となります。
トピック 2	パフォーマンスとスケーラビリティ: 試験のこのセクションでは、Appian 開発者のスキルを測定し、パフォーマンスの高いコンポーネントの設計、メモリ効率の高いモデルの構築、データベースの負荷と自動テストの実施、サーバー メモリとログのリスクの分析、エンド ユーザーのパフォーマンスに関する懸念の解決などをカバーします。
トピック 3	高度な Appian 概念: 試験のこのセクションでは、ソリューション アーキテクトのスキルを測定し、認証方法の作成と構成、統合オブジェクトのセットアップ、API の設計、スマート サービスとプラグインの評価、SAML と LDAP を使用した SSO メカニズムの適用などをカバーします。
トピック 4	アプリケーションの設計と開発: 試験のこのセクションでは、Appian 開発者のスキルを測定し、ビジネス要件をユーザー ストーリーに変換すること、エンドツーエンドのアプリケーションを構築すること、オブジェクトのセキュリティを管理すること、設計のベストプラクティスを適用すること、適切な UX 設計を通じてユーザー中心のエクスペリエンスを確保することなどがカバーされます。

>> ACD201テストトレーニング <<

試験の準備方法-有効的なACD201テストトレーニング試験-便利なACD201リンクグローバル

ACD201試験の準備は精巧にまとめられており、非常に効率的です。時間と労力を節約できます。合格率とヒット率も非常に高く、数千人の受験者が当社のACD201ガイドトレントを信頼し、試験に合格しています。候補者には非常に多くの保証を提供しており、ACD201学習教材を心配なく購入できます。そのため、当社Appianが提供するACD201試験トレントを十分に理解し、最初の試行でACD201試験に合格できることを願っています。

Appian Senior Developer 認定 ACD201 試験問題 (Q32-Q37):

質問 # 32

You need to assign a user input task to three different groups of users: Group A, Group B, and Group C.

Each task form shares some common components with the following key differences:

Group B will receive a task that includes an additional section.

Group C will only view and enter data for one section.

What should you do?

- A. Within the process model, utilize an XOR gateway to conditionally select between the three different user input tasks.
- B. Configure the version setting on the user input task node to conditionally display the correct form.
- C. Utilize conditional logic on the form along with the showWhen parameter for interface components.

正解: C

解説:

Using conditional logic with the showWhen parameter on the form allows you to display or hide specific sections for each group within a single user input task, making the solution flexible and maintainable.

質問 # 33

You're creating an application which has integrations with multiple systems using different protocols.

Match each process model component or node to the appropriate protocol.

Note: Each protocol will be used once. To change your responses, you may deselect your response by clicking the blank space at the top of the selection list.

☐

正解:

解説:

☐

質問 # 34

You run a report on different employee transactions by using a View.

You encounter the following error: "a!queryEntity: An error occurred while retrieving the data." What is the most likely root cause of this error?

- A. The view doesn't have a column mapped as a primary key in its corresponding CDT.
- B. The view contains a large number of rows, requiring more time to fetch the data.
- C. The rule contains a missing syntax.

正解: A

解説:

The most likely root cause is that the view doesn't have a column mapped as a primary key in its corresponding CDT. Appian requires a primary key mapping for querying views to ensure data integrity and identification.

質問 # 35

You're building an order management system.

You need to create a field that displays the total number of days it took to deliver each order, and show and sort by this data in a read-only grid. The data must be available in real-time.

Which function is the most appropriate for calculating this value?

- A. a!subtractDateTime()
- B. calworkdays()
- C. a!customFieldDateDiff()

正解: C

解説:

a!customFieldDateDiff() is specifically designed for calculating date differences as custom record fields, enabling sorting and real-time calculation in read-only grids.

質問 # 36

You're designing an integration object with JSON (application/json) as the content type.

Which two data types can be automatically converted to JSON in Appian? (Choose two.)

- A. Primitive data types
- B. Appian Custom data type
- C. HTML file type
- D. Base64 documents inline with JSON

正解: A、B

解説:

Appian Custom data types (CDTs) can be automatically converted to JSON for integration.

Primitive data types such as text, number, and boolean are also automatically converted to JSON.

質問 # 37

.....

ACD201リンクグローバル: <https://www.it-passports.com/ACD201.html>

- ちなみに、It-Passports ACD201の一部をクラウドストレージからダウンロードできます：<https://drive.google.com/open?id=1AuquFb2SwOm5JV1i78LmrFWx2eikXnN3>