


NCM-MCI-6.10덤프공부자료 - NCM-MCI-6.10높은통과율시험공부자료



ExamPassdump에서는Nutanix 인증NCM-MCI-6.10시험대비덤프를 발췌하여 제공해드립니다. Nutanix 인증NCM-MCI-6.10시험대비덤프에는 시험문제의 모든 예상문제와 시험유형이 포함되어있어 시험준비자료로서 가장 좋은 선택입니다. ExamPassdump에서 제공해드리는 전면적인Nutanix 인증NCM-MCI-6.10시험대비덤프로Nutanix 인증 NCM-MCI-6.10시험준비공부를 해보세요. 통과율이 100%입니다.

여러분이 어떤 업계에서 어떤 일을 하든지 모두 항상 업그레이드되는 자신을 원할 것입니다.,it업계에서도 이러합니다.모두 자기자신의 업그레이드는 물론 자기만의 공간이 있기를 바랍니다.전문적인 IT인사들은 모두 아시다싶이 Nutanix NCM-MCI-6.10인증시험이 여러분의 이러한 요구를 만족시켜드립니다.그리고 우리 ExamPassdump는 이러한 꿈을 이루어드립니다.

>> NCM-MCI-6.10덤프공부자료 <<

NCM-MCI-6.10덤프공부자료 시험대비 덤프공부

IT인증자격증을 취득하려고 마음먹었으면 끝까지 도전해봐야 합니다. Nutanix인증 NCM-MCI-6.10시험이 아무리 어려워도ExamPassdump의Nutanix인증 NCM-MCI-6.10덤프가 동반해주면 시험이 쉬워지는 법은 많이 알려져 있습니다. ExamPassdump의Nutanix인증 NCM-MCI-6.10덤프는 100% 패스보장 가능한 덤프자료입니다.한번만 믿어주시고 ExamPassdump제품으로 가면 시험패스는 식은 죽 먹기처럼 간단합니다.

최신 Master Level NCM-MCI-6.10 무료샘플문제 (Q26-Q31):

질문 # 26

The Infosec team has requested that all operational tasks performed within Cluster 1 be properly logged to include the top 4 severity levels and pushed to their syslog system using highest reliability possible for analysis. This is to include any Virtual Machine changes only.

The Infosec team has also requested that monitor logs for the given RSyslog Server Module be included for now. No extra logs should be included.

No other clusters should connect to this syslog server.

Syslog configuration:

- * Syslog Name: Corp_Syslog

- * Syslog IP: 34.142.155.231

- * Port: TCP/514

Ensure only Cluster 1 is configured to meet these requirements.

정답 :

설명 :

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to configure syslog for Cluster 1.

1. Access Cluster 1 Prism Element

Since the requirement is to only configure Cluster 1 and not other clusters, this task must be performed in the Prism Element (PE) interface for Cluster 1.

- * From the main Prism Central dashboard, navigate to Hardware > Clusters.

- * Find Cluster 1 in the list and click its name. This will open the specific Prism Element login page for that cluster.

- * Log in to Cluster 1's Prism Element interface.

2. Add the Syslog Server

- * In the Cluster 1 PE interface, click the gear icon (Settings) in the top-right corner.

- * From the left-hand menu, select Syslog.

- * In the "Remote Syslog Server" section, click the + Add Syslog Server button.

- * Fill in the server details as required:

- * Name: Corp_Syslog

- * IP Address: 34.142.155.231

- * Port: 514

- * Protocol: TCP (This provides the highest reliability, as requested).

- * Click Save.

3. Configure Log Modules and Severities

Now, we must specify which logs to send to the new server.

- * On the same Syslog settings page, find the "Syslog Configuration" section and click the Configure button (or Modify if a default is present).

- * A dialog box "Select Modules and Levels" will appear.

- * Uncheck all modules to ensure no extra logs are sent.

- * Check the box for the RSyslog Server Module (or rsyslog_forwarder).

- * For this module, check the boxes for the severities: Critical, Warning, and Info.

- * Check the box for the ApiServer module.

- * This module logs all operational tasks and audit trails, which includes all Virtual Machine changes.

- * For this module, check the boxes for the top severity levels: Critical, Warning, and Info.

- * Ensure no other modules (like Stargate, Cerebro, Zookeeper, etc.) are checked.

- * Click Save.

Cluster 1 is now configured to send its audit logs (including VM changes) and its own syslog monitoring logs to the Corp_Syslog server via TCP, fulfilling all security requirements.

Topic 2, Performance Based Questions Set 2

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

- * Windows Server 2019

- * All software/tools/etc to perform the required tasks

- * Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

- * Note that the workstation is the system you are currently logged into Nutanix Cluster

- * There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question

Please make sure you are working on the correct cluster for each item Please ignore any licensing violations

- * Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

- * Cluster B is a one-node cluster and has one syslog item and one security item to perform

- * Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform Important Notes

- * If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL + , and CTRL + (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery:

The browser can be scaled to Improve visibility and fit all the content on the screen.

- Copy and paste hot-keys will not work Use your mouse for copy and paste.
- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for
- Make sure you are performing tasks on the correct components.
- Changing security or network settings on the wrong component may result in a falling grade.
- Do not change credentials on an component unless you are instructed to.
- All necessary documentation is contained in the Desktop\Files\Documentation directory

질문 # 27

Task 11

Running NCC on a cluster prior to an upgrade results in the following output FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%) Identify the CVM with the issue, remove the file causing the storage bloat, and check the health again by running the individual disk usage health check only on the problematic CVM do not run NCC health check Note: Make sure only the individual health check is executed from the affected node

정답 :

설명:

See the Explanation for step by step solution.

Explanation:

To identify the CVM with the issue, remove the file causing the storage bloat, and check the health again, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and find the NCC health check output file from the list.

You can use the date and time information to locate the file. The file name should be something like ncc- output-YYYY-MM-DD-HH-MM-SS.log.

Open the file and look for the line that says FAIL: CVM System Partition /home usage at 93% (greater than threshold, 90%). Note down the IP address of the CVM that has this issue. It should be something like X.X.X.

X.

Log in to the CVM using SSH or console with the username and password provided.

Run the command `du -sh /home/*` to see the disk usage of each file and directory under /home. Identify the file that is taking up most of the space. It could be a log file, a backup file, or a temporary file. Make sure it is not a system file or a configuration file that is needed by the CVM.

Run the command `rm -f /home/<filename>` to remove the file causing the storage bloat. Replace <filename> with the actual name of the file.

Run the command `ncc health_checks hardware_checks disk_checks disk_usage_check --cvm_list=X.X.X.`

X to check the health again by running the individual disk usage health check only on the problematic CVM.

Replace X.X.X.X with the IP address of the CVM that you noted down earlier.

Verify that the output shows PASS: CVM System Partition /home usage at XX% (less than threshold, 90%).

This means that the issue has been resolved.

#access to CVM IP by Putty

`allssh df -h #look for the path /dev/sdb3 and select the IP of the CVM`

`ssh CVM_IP`

`ls`

`cd software_downloads`

`ls`

`cd nos`

`ls -l -h`

`rm files_name`

`df -h`


`ncc health_checks hardware_checks disk_checks disk_usage_check`

질문 # 28

Task 16

An administrator is working to create a VM using Nutanix V3 API calls with the following specifications.

* VM specifications:



- * vCPUs: 2
- * Memory: 8Gb
- * Disk Size: 50Gb
- * Cluster: Cluster A
- * Network: default- net

The API call is failing, indicating an issue with the payload:

The body is saved in Desktop/ Files/API_Create_VM,text

Correct any issues in the text file that would prevent from creating the VM. Also ensure the VM will be created as speeded and make sure it is saved for re-use using that filename.

Deploy the vm through the API

Note: Do not power on the VM.

정답:

설명:

See the Explanation for step by step solution.

Explanation:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LLEzCAO>

<https://jsonformatter.curiousconcept.com/#>

acli net.list (uuid network default_net)

ncli cluster info (uuid cluster)

Put Call: <https://Prism Central IP address : 9440/api/nutanix/v3/vms>

Edit these lines to fix the API call, do not add new lines or copy lines.

You can test using the Prism Element API explorer or PostMan

Body:

```
{
  {
    "spec": {
      "name": "Test_Deploy",
      "resources": {
        "power_state": "OFF",
        "num_vcpus_per_socket": ,
        "num_sockets": 1,
        "memory_size_mib": 8192,
        "disk_list": [
          {
            "disk_size_mib": 51200,
            "device_properties": {
              "device_type": "DISK"
            }
          },
          {
            "device_properties": {
              "device_type": "CDROM"
            }
          }
        ],
        "nic_list": [
          {
            "nic_type": "NORMAL_NIC",
            "is_connected": true,
```

```

"ip_endpoint_list": [
{
"ip_type": "DHCP"
}
],
"subnet_reference": {
"kind": "subnet",
"name": "default_net",
"uuid": "00000000-0000-0000-0000-000000000000"
}
},
"cluster_reference": {
"kind": "cluster",
"name": "NTNXDemo",
"uuid": "00000000-0000-0000-0000-000000000000"
}
},
"api_version": "3.1.0",
"metadata": {
"kind": "vm"
}
}

```

<https://www.nutanix.dev/2019/08/26/post-a-package-building-your-first-nutanix-rest-api-post-request/> Reference

질문 # 29

Create a VM template on Cluster 1 named Small Template that matches the small VM Configuration in NVD-2031 (see the Files/Documentation 6.10 folder) however, you will use default storage container. Configure SMTP Alerting and NCC reports per NVD-2031 for Cluster 1.

Settings:

- * SMTP: Use Cluster 2 IP address
- * Cluster email: cluster1@ACME.org
- * Alert emails: primaryalerts@ACME.org, secondaryalerts@ACME.org

정답 :

설명:

See the Explanation below for detailed answer.

Explanation:

Here is the step-by-step solution to complete both tasks on Cluster 1.

This solution requires you to first find the IP of Cluster 2 (for the SMTP server) and then perform all configurations within the Prism Element interface for Cluster 1.

Prerequisite: Find Cluster 2 IP

- * In Prism Central, navigate to Hardware > Clusters.
- * Find Cluster 2 in the list and note its IP Address. You will use this in the steps below.

Task 1: Create the VM Template

- * Log in to the Prism Element (PE) interface for Cluster 1. (From PC, go to Hardware > Clusters > click the name "Cluster 1").
- * Navigate to the VM view from the main dashboard.
- * Click the + Create VM button.
- * Fill in the VM details based on the NVD-2031 "Small VM" configuration (e.g., 2 vCPUs, 1 Core per vCPU, 4 GB RAM).
- * Name: Small Template
- * Compute Details:
 - * vCPUs: 2
 - * Number of Cores per vCPU: 1
 - * Memory: 4 GB
- * Scroll down to Storage and click + Add New Disk.
- * Operation: Select Clone from Image Service.
- * Image: Select any available guest OS image (e.g., a Windows or CentOS image).
- * Storage Container: Ensure the default container is selected (as required by the task).

- * Click Add.
 - * Scroll down to Network Adapters (NIC) and click + Add NIC.
 - * Select any available VLAN/Subnet (e.g., Primary).
 - * Click Add.
 - * Click Save. The VM will be created (and remain powered off).
 - * Find the new Small Template VM in the list. Select its checkbox.
 - * Click the Actions dropdown and select Convert to Template.
 - * Confirm the action by clicking OK.
- Task 2: Configure SMTP and NCC Reports
- * While still in the Cluster 1 Prism Element interface, click the gear icon (Settings) in the top-right corner.
 - * Select SMTP Server from the left-hand menu.
 - * Click the Configure button.
 - * In the "Server Settings" tab, fill in the following:
 - * Server Address: Enter the Cluster 2 IP Address (which you found in the prerequisite step).
 - * Port: 25 (leave as default).
 - * From Email Address: cluster1@ACME.org
 - * Click Next.
 - * In the "Email Recipients" tab, click + Add Email Recipient.
 - * Address: primaryalerts@ACME.org
 - * Ensure all severities (Critical, Warning, Info) are checked.
 - * Click Save.
 - * Click + Add Email Recipient again.
 - * Address: secondaryalerts@ACME.org
 - * Ensure all severities are checked.
 - * Click Save.
 - * Click Done. A test email will be sent.
 - * In the main Settings menu, select Alerts and Notifications.
 - * Scroll to the NCC Health Checks section.
 - * Check the box labeled Email Nutanix Cluster Check reports to recipients. (This will use the SMTP settings and recipients you just configured).
 - * Click Save.

질문 # 30

Task 1

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool names MCS_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs The power user container should not be able to use more than 100 GiB Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool (s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

정답 :

설명:

See the Explanation for step by step solution.

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI_Storage_Pool, and select the disks to include in the pool.

You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS_Pool_Container, and select the storage pool that you just created, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops. You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist_Pool_Container, and select the same storage pool, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS_Pool_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, Persist_Pool_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

Create Storage Container ? x

Name

ST_MCS_Pool

Storage Pool

Storage_Pool

Max Capacity

53.26 TiB (Physical) Based on storage pool free unreserved capacity

Advanced Settings

Replication Factor (?)

2

Reserved Capacity

20 GiB

Advertised Capacity

Total GiB GiB

Compression
Perform post-process compression of all persistent data. For inline compression, set the delay to 0.
Delay (in minutes)

Deduplication

☐ **Cache**
Perform inline deduplication of read caches to optimize performance.

☐ **Capacity**
Perform post-process deduplication of persistent data.

Erasure Coding ?

☐ **Enable**
Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

[* Advanced Settings](#) [Cancel](#) [Save](#)

Create Storage Container ? x

Name

Storage Pool

Max Capacity
53.26 TiB (Physical) Based on storage pool free unreserved capacity

Advanced Settings

Replication Factor ?

Reserved Capacity

0 GiB

Advertised Capacity

100 GiB

☒ Compression

Perform post-process compression of all persistent data. For inline compression, set the delay to 0.

Delay (in minutes)

0

Deduplication

☒ Cache

Perform inline deduplication of read caches to optimize performance.

☐ Capacity

Perform post-process deduplication of persistent data.

Erasure Coding ?

☐ Enable

Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

Enter comma separated entries

★ Advanced Settings

Cancel

Save

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

질문 # 31

.....

ExamPassdump 에서 출시한 Nutanix 인증 NCM-MCI-6.10 덤프는 Nutanix 인증 NCM-MCI-6.10 실제 시험의 출제범위와 출제유형을 대비하여 제작된 최신버전 덤프입니다. 시험문제가 바뀌면 제일 빠른 시일내에 덤프를 업데이트 하도록 최선을 다하고 있으며 1년 무료 업데이트 서비스를 제공해드립니다. 1년 무료 업데이트 서비스를 제공해드리기

- NCM-MCI-6.10덤프 □ NCM-MCI-6.10유요한 최신덤프자료 □ NCM-MCI-6.10인기시험 □ ➡
www.pass4test.net □□□은 [NCM-MCI-6.10] 무료 다운로드를 받을 수 있는 최고의 사이트입니다NCM-MCI-6.10높은 통과율 덤프공부문제
- NCM-MCI-6.10높은 통과율 시험덤프 공부 □ NCM-MCI-6.10인기시험 □ NCM-MCI-6.10최신 인증시험 기
출문제 □ 오픈 웹 사이트➡ www.itdumpskr.com □ 검색 「 NCM-MCI-6.10 」 무료 다운로드NCM-MCI-6.10
완벽한 시험기출자료
- NCM-MCI-6.10완벽한 시험자료 ☞ NCM-MCI-6.10덤프 □ NCM-MCI-6.10최신버전덤프 ☺ □
www.itdumpskr.com □을(를) 열고 □ NCM-MCI-6.10 □를 검색하여 시험 자료를 무료로 다운로드하십시오
NCM-MCI-6.10시험덤프
- 최근 인기시험 NCM-MCI-6.10덤프 공부자료 덤프 공부자료 □ 「 www.itdumpskr.com 」 에서 { NCM-MCI-
6.10 } 를 검색하고 무료 다운로드 받기NCM-MCI-6.10인증시험대비 공부문제
- 시험패스에 유효한 NCM-MCI-6.10덤프 공부자료 덤프 데모 □ [www.itdumpskr.com]에서 《 NCM-MCI-6.10
》를 검색하고 무료 다운로드 받기NCM-MCI-6.10퍼펙트 최신 덤프
- NCM-MCI-6.10덤프 공부자료 인기시험 기출문제모음 □ 무료로 다운로드하려면 □ www.itdumpskr.com □로 이
동하여 □ NCM-MCI-6.10 □를 검색하십시오NCM-MCI-6.10최신 업데이트 버전 공부문제
- NCM-MCI-6.10덤프 □ NCM-MCI-6.10테스트 자료 □ NCM-MCI-6.10최고기출문제 □ (
www.itdumpskr.com) 웹사이트에서 □ NCM-MCI-6.10 □를 열고 검색하여 무료 다운로드NCM-MCI-6.10최신
인증시험 기출문제
- NCM-MCI-6.10 100% 시험패스 덤프 □ NCM-MCI-6.10유효한 최신덤프자료 x NCM-MCI-6.10시험덤프 □
□ www.itdumpskr.com □ 웹사이트를 열고 □ NCM-MCI-6.10 □를 검색하여 무료 다운로드NCM-MCI-6.10최신
인증시험 기출문제
- NCM-MCI-6.10덤프 문제 □ NCM-MCI-6.10테스트 자료 □ NCM-MCI-6.10최고기출문제 □ □
www.exampassdump.com □ 웹사이트에서 ➡ NCM-MCI-6.10 □를 열고 검색하여 무료 다운로드NCM-MCI-
6.10높은 통과율 시험덤프 공부
- 시험대비 NCM-MCI-6.10덤프 공부자료 최신버전 문제 □ □ www.itdumpskr.com □을(를) 열고 【 NCM-MCI-
6.10 】 를 검색하여 시험 자료를 무료로 다운로드 하십시오NCM-MCI-6.10최신 인증시험 기출문제
- 시험패스에 유효한 NCM-MCI-6.10덤프 공부자료 덤프 데모 □ { www.koreadumps.com }에서 검색만 하면 □
NCM-MCI-6.10 □를 무료로 다운로드 할 수 있습니다NCM-MCI-6.10최신 업데이트 버전 공부문제
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, lms.treasurehall.net,
www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, Disposable vapes

