

# 專業的新版C\_ADBTP\_2601考古題及資格考試領先提供者和免費下載中的C\_ADBTP\_2601: Administrating SAP Business Technology Platform(C\_ADBTP\_2601)



NewDumps作為專門提供C\_ADBTP\_2601認證考試相關資料的提供者，一直以來都把為考生們提供最優秀的資料作為自己的目標。與其他網站相比，NewDumps更得大家的信任。這是為什麼呢？因為NewDumps有著多年的經驗，並且一直專心致力於C\_ADBTP\_2601認證考試的研究，總結出了很多關於考試的規律。這樣，NewDumps的資料就可以有很高的命中率。這也保證了大家的考試的合格率。所以NewDumps得到了大家的信任。

## SAP C\_ADBTP\_2601 Exam Syllabus Topics:

| Section                                      | Weight | Objectives                                                                                                                                                                                                      |
|----------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Topic 1: Identity and Access Management      | 20%    | <ul style="list-style-type: none"><li>- User, role and role collection management</li><li>- Trust configuration and authentication flows</li><li>- SAP Cloud Identity Services (IAS, IPS)</li></ul>             |
| Topic 2: Operations, Monitoring and Security | 15%    | <ul style="list-style-type: none"><li>- Backup, restore and high availability</li><li>- Security configuration and compliance</li><li>- Logging, monitoring and alerting setup</li></ul>                        |
| Topic 3: DevOps and Governance               | 10%    | <ul style="list-style-type: none"><li>- Cost management and usage analytics</li><li>- Lifecycle and change management</li><li>- Automation and infrastructure as code</li></ul>                                 |
| Topic 4: Environment and Service Management  | 20%    | <ul style="list-style-type: none"><li>- Service provisioning, subscriptions and lifecycle</li><li>- Cloud Foundry, Kyma and ABAP environments</li><li>- Runtime management and application operations</li></ul> |

|                                                      |     |                                                                                                                                                                                                                       |
|------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Topic 5: Platform Connectivity and Integration       | 15% | <ul style="list-style-type: none"> <li>- Hybrid and cross-environment integration</li> <li>- Cloud Connector setup and operation</li> <li>- Connectivity service and destinations</li> </ul>                          |
| Topic 6: SAP BTP Architecture and Account Management | 20% | <ul style="list-style-type: none"> <li>- Entitlement management and service allocation</li> <li>- Global account, directory and subaccount structure</li> <li>- Quotas, resource management and governance</li> </ul> |

>> 新版C\_ADBTP\_2601考古題 <<

## 立即閱讀最新的新版C\_ADBTP\_2601考古題 PDF

當你感到悲哀痛苦時，最好是去學些什麼東西，比如通過C\_ADBTP\_2601考試，獲得該證書可以使你永遠立於不敗之地。我們的IT團隊致力於提供真實的SAP C\_ADBTP\_2601題庫問題和答案，所有購買我們C\_ADBTP\_2601題庫的客戶都將獲得長達一年的免費更新，確保考生有足夠的時間學習。成功不是將來才有的，而是從決定去做的那一刻起，持續累積，SAP C\_ADBTP\_2601考古題學習資料是根據最新的考試知識點整編而來，覆蓋面廣，是你備考的最佳助手。

## 最新的 SAP Certified Associate C\_ADBTP\_2601 免費考試真題 (Q10-Q15):

### 問題 #10

#### SIMULATION

Establish Shared Services

Task 2: Entitle and Subscribe a Service in a Shared Subaccount

In your SAP BTP cockpit, in your SH Dev subaccount, entitle one standard (Application) service plan for the SAP Build Work Zone, advanced edition.

In the SH Dev subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your SH Dev subaccount, create a service subscription for SAP Build Work Zone, advanced edition with the standard service plan.

### 答案:

#### 解題說明:

See the Explanation below for complete solution.

#### Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open your correct Global Account.

Go to the Shared Services directory.

Open the SH Dev subaccount.

This matters because all three required actions must be done inside SH Dev, not in the directory and not in another subaccount.

Part 1 - Entitle the service in SH Dev


Step 1 - Open the subaccount

In the cockpit, choose Directories.

Open Shared Services.

Select SH Dev.

You should now be on the SH Dev subaccount page.



Step 2 - Open Entitlements

In SH Dev, choose Entitlements.

SAP documents that service plans and quotas for a subaccount are added in the subaccount's Entitlements are a.

Step 3 - Add the required service plan

Click Configure Entitlements or Add Service Plans.


Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard (Application).

Set the quantity to 1 if a quota/amount field is shown.

Save the entitlement changes.



This task explicitly asks for one standard (Application) service plan. SAP Help also notes that SAP Build Work Zone usage depends on the correct entitlement being available in the subaccount first.

Verify

Under Entitlements, you should now see:

SAP Build Work Zone, advanced edition

plan: standard (Application)

quantity: 1 if shown

Part 2 - Establish trust to the identity provider

Step 4 - Open Trust Configuration

In SH Dev, go to Security.

Choose Trust Configuration.

SAP Help states that trust to a custom identity provider is established from Security > Trust Configuration in the SAP BTP cockpit.

Step 5 - Create the trust

Click Establish Trust.


Enter or select the identity provider:

agvlamkzw.accounts.ondemand.com

Continue through the wizard.


Save the trust configuration.

SAP documents that to use a custom identity provider, the subaccount must have a trust relationship to that provider. SAP also highlights that apps such as SAP Build Work Zone rely on SAP Cloud Identity Services trust configuration.



Verify

On the Trust Configuration page, you should see:  
agvlamkzw.accounts.ondemand.com  
as a trusted identity provider.



Part 3 - Create the subscription

Step 6 - Open Instances and Subscriptions

In SH Dev, go to Services.

Choose Instances and Subscriptions.

Step 7 - Create the subscription

Click Create.

Choose Subscription if the cockpit asks for a type.

Search for SAP Build Work Zone, advanced edition.

Select the service.

Choose the plan standard.

Confirm the creation.

SAP Help for SAP Build Work Zone scenarios indicates that the subaccount needs the correct entitlements and subscription flow to expose and use SAP Build Work Zone content.

Step 8 - Confirm subscription status

Stay on Instances and Subscriptions.

Check that the new subscription appears and is active.

Verify

You should see:

SAP Build Work Zone, advanced edition

plan: standard

subscription created successfully

## view instance or subscription

1

Basic Info

Enter basic info for your instance or subscription.

**i** Some services are not shown because Cloud Foundry is not enabled. To enable it, select it from the Service dropdown menu and create an instance of it.

Service: \* **i**

Can't find what you're looking for?

SAP Build Work Zone, advanced edition

Plan: \*

standard



Final expected result

Inside SH Dev:

the entitlement for SAP Build Work Zone, advanced edition exists

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com


a subscription exists for SAP Build Work Zone, advanced edition

the subscription uses the standard plan

Common mistakes to avoid

Doing the entitlement in Shared Services directory instead of SH Dev

Choosing SAP Build Work Zone, standard edition instead of advanced edition  
Choosing the wrong plan; the entitlement must be standard (Application)  
Forgetting the trust step to agvlamkzw.accounts.ondemand.com  
Trying to subscribe before the entitlement exists



## 問題 #11

### SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces,

selecting the target space, and then using that space's Services > Service Instances are a.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:


Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.



A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

## New Instance or Subscription

1

Basic Info

2

Parameters

3

Review

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

**Space: activity-recording - Service Instances**

Create | ☆

All: 1

Note that space level does not currently support label management, instance sharing, or the display of "created by" and "modified by" information.

| Search           | Service:                             | Plan:    | Status:     |
|------------------|--------------------------------------|----------|-------------|
|                  | All                                  | All      | All         |
| Instances (1)    |                                      |          |             |
| Instance         | Service                              | Plan     | Credentials |
| html5-eu-hcm-dev | HTML5 Application Repository Service | app-host |             |
|                  |                                      |          | Status      |
|                  |                                      |          | Created     |

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid


Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.



| Name                    | Type                | Environment       | Provider                  | Region                   | Labels  | Changed On                |
|-------------------------|---------------------|-------------------|---------------------------|--------------------------|---------|---------------------------|
| BTP Admin Certification | Global Account      |                   |                           |                          |         | March 25, 2026, 9:11:2... |
| Americas                | Directory           |                   |                           |                          |         | March 26, 2026, 9:27:5... |
| Partner                 | Directory (Managed) |                   |                           |                          | 1 label | March 26, 2026, 9:50:1... |
| AM PR Dev Test          | Subaccount          | Multi-Environment | Microsoft Azure           | US West (WA)             |         | March 26, 2026, 9:35:3... |
| AM PR Prod              | Subaccount          | Multi-Environment | Microsoft Azure           | US West (WA)             |         | March 26, 2026, 9:39:3... |
| Eurasia                 | Directory           |                   |                           |                          |         | March 26, 2026, 9:28:2... |
| Human Resources         | Directory           |                   |                           |                          | 1 label | March 26, 2026, 9:43:0... |
| EU HCM Dev              | Subaccount          | Multi-Environment | Amazon Web Services (AWS) | Europe (Frankfurt) - AWS |         | March 26, 2026, 9:43:4... |
| EU HCM Prod             | Subaccount          | Multi-Environment | Amazon Web Services (AWS) | Europe (Frankfurt) - AWS |         | March 26, 2026, 9:48:3... |
| EU HCM Test             | Subaccount          | Multi-Environment | Amazon Web Services (AWS) | Europe (Frankfurt) - AWS |         | March 26, 2026, 9:48:5... |
| Shared Services         | Directory           |                   |                           |                          |         | March 26, 2026, 4:14:2... |
| SH Dev                  | Subaccount          | Multi-Environment | Amazon Web Services (AWS) | Europe (Frankfurt) - AWS |         | March 26, 2026, 4:15:5... |
| SH Ops                  | Subaccount          | Multi-Environment | Amazon Web Services (AWS) | Europe (Frankfurt) - AWS |         | March 26, 2026, 4:17:0... |

## 問題 #12

### SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

答案:

解題說明:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

### Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.


Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.



The screenshot shows the 'Create Directory' form in the SAP BTP Cockpit. The form has a header with the SAP logo and the title 'Create Directory'. Below the header, there are two main sections: 'Display Name' and 'Description'. The 'Display Name' field contains the text 'Americas' and has a registered trademark symbol (®) next to it. The 'Description' field contains the text 'Americas Accounts'. Below these fields, there is a 'Parent' field with the text 'BTP Admin Certification xxxx' and a small icon of a document with a checkmark. Below the 'Parent' field, there is a section titled 'Advanced' with a right-pointing arrow. Below the 'Advanced' section, there is a message box that says: 'Cockpit supports multi-level directories in your account structure. You can add your new directory directly to the root global account or to an existing directory by choosing the location under Parent.' To the right of the message box is a close button (X). At the bottom right of the form, there are two buttons: 'Create' and 'Cancel'.

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

### Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

**Create Directory**

Display Name\*  
Eurasia

Parent\*  
BTP Admin Certification xxxxx

> Advanced

Cockpit supports multi-level directories in your account structure.  
You can add your new directory directly to the root global account or to an existing directory by choosing the location under **Parent**.

Create Cancel

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

| Name                          | Type           | Environment | Provider | Region | Changed On                |
|-------------------------------|----------------|-------------|----------|--------|---------------------------|
| BTP Admin Certification xxxxx | Global Account |             |          |        | March 25, 2026, 9:13:2... |
| Americas                      | Directory      |             |          |        | March 26, 2026, 3:27:5... |
| Eurasia                       | Directory      |             |          |        | March 26, 2026, 9:28...   |

### Select Parent

Search

☐ Show only directories I can create in [Expand All](#) [Collapse All](#)

▼ BTP Admin Certification xxxx

|          |
|----------|
| Americas |
| Eurasia  |

SAP

newdumpsdf.com

Select Cancel

### Create Directory

Display Name\*

Partner

Description

Partner Accounts

Parent\*

Americas



#### Advanced

☐ Enable entitlement management

☐ Enable user management

Add labels to this directory.

Name:

access

Values:

external



Create

Cancel

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

**Create Directory**

Display Name\*  
Human Resources

Description  
Human Resources Accounts

Parent\*  
Eurasia

☐ Enable entitlement management ☐ Enable user management

Add labels to this directory.

Name:  
access

Values:  
internal x

**Create** **Cancel**

Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal



| Name                           | Type           | Environment | Provider | Region | Labels  | Changed On                |
|--------------------------------|----------------|-------------|----------|--------|---------|---------------------------|
| STP Admin Certification: XXXXX | Global Account |             |          |        |         | March 20, 2026, 6:56:2... |
| Americas                       | Directory      |             |          |        |         | March 22, 2026, 4:25:1... |
| Partner                        | Directory      |             |          |        | 1 label | March 22, 2026, 4:29:2... |
| Eurasia                        | Directory      |             |          |        |         | March 22, 2026, 4:26:0... |
| Human Resources                | Directory      |             |          |        | 1 label | March 22, 2026, 4:31:0... |

### Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

### 問題 #13

#### SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

答案:

解題說明:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.  
Open the correct Global Account.  
Go to Directories.  
Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev


Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.



Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Display Name \*

EU HCM Test

Description

Human Resources Testing

Region \*

Europe (Frankfurt) - AWS

Subdomain \*

btpops####-eu-hcm-test

Parent \*

Eurasia

Advanced

☐ Used for production

☐ Enable beta features

Add labels to this subaccount.

Name: Values:

Enter label name

Create Cancel

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

| Name                          | Type           | Environment       | Provider                  | Changed On                |
|-------------------------------|----------------|-------------------|---------------------------|---------------------------|
| BTP Admin Certification XXXXX | Global Account |                   |                           | March 25, 2025, 9:11:2... |
| Americas                      | Directory      |                   |                           | March 25, 2025, 9:27:5... |
| Partner                       | Directory      |                   |                           | March 25, 2025, 9:30:3... |
| Add HCM Dev Test              | Subaccount     | Multi-Environment | Microsoft Azure           | March 25, 2025, 9:35:3... |
| Add HCM Prod                  | Subaccount     | Multi-Environment | Microsoft Azure           | March 25, 2025, 9:39:3... |
| Eurasia                       | Directory      |                   |                           | March 25, 2025, 9:39:2... |
| Human Resources               | Directory      |                   |                           | March 25, 2025, 9:43:5... |
| EU HCM Dev                    | Subaccount     | Multi-Environment | Amazon Web Services (AWS) | March 25, 2025, 9:43:4... |
| EU HCM Test                   | Subaccount     | Multi-Environment | Amazon Web Services (AWS) | March 25, 2025, 9:46:5... |

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

**Create Subaccount**

|                                                                             |                                                         |
|-----------------------------------------------------------------------------|---------------------------------------------------------|
| Display Name *                                                              | Description                                             |
| <input type="text" value="EU HCM Prod"/>                                    | <input type="text" value="Human Resources Production"/> |
| Region *                                                                    |                                                         |
| <input type="text" value="Europe (Frankfurt) - AWS"/>                       |                                                         |
| Subdomain * ⓘ                                                               | Parent *                                                |
| <input type="text" value="btpops xxxx-eu-hcm-prod"/>                        | <input type="text" value="Human Resources"/>            |
| <b>Advanced</b>                                                             |                                                         |
| <input checked="" type="checkbox"/> Used for production ⓘ                   |                                                         |
| <input type="checkbox"/> Enable beta features ⓘ                             |                                                         |
| Add labels to this subaccount. ⓘ                                            |                                                         |
| Name:                                                                       | Values:                                                 |
| <input type="text" value="Enter label name"/>                               | <input type="text"/>                                    |
| <input type="button" value="+"/>                                            |                                                         |
| <input type="button" value="Create"/> <input type="button" value="Cancel"/> |                                                         |

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing


Subdomain: btpops####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops####-eu-hcm-prod  
Source Subaccount: EU HCM Dev  
Used in Production: Yes



#### Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops####-eu-hcm-dev

btpops####-eu-hcm-test

btpops####-eu-hcm-prod

Only replace #### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

#### 問題 #14

.....

SAP C\_ADBTP\_2601認證既然那麼受歡迎，NewDumps又能盡全力幫助你通過考試，而且還會為你提供一年的免費更新服務，那麼選擇NewDumps來幫你完成夢想。為了明天的成功，選擇NewDumps是正確的。選擇NewDumps，下一個IT人才就是你。

**C\_ADBTP\_2601熱門認證:** [https://www.newdumpspdf.com/C\\_ADBTP\\_2601-exam-new-dumps.html](https://www.newdumpspdf.com/C_ADBTP_2601-exam-new-dumps.html)

- C\_ADBTP\_2601考試 □ C\_ADBTP\_2601證照信息 □ C\_ADBTP\_2601在線題庫 □ 「[www.kaoguti.com](http://www.kaoguti.com)」網站搜索「C\_ADBTP\_2601」並免費下載C\_ADBTP\_2601熱門考題
- 使用正規授權的新版C\_ADBTP\_2601考古題有效地通過您的您的SAP C\_ADBTP\_2601 □ □ [www.newdumpspdf.com](http://www.newdumpspdf.com) □網站搜索▷ C\_ADBTP\_2601 ◁並免費下載C\_ADBTP\_2601證照信息
- 受信任的SAP C\_ADBTP\_2601: 新版Adminstrating SAP Business Technology Platform(C\_ADBTP\_2601)考古題 - 最新的[www.newdumpspdf.com](http://www.newdumpspdf.com) C\_ADBTP\_2601熱門認證 □ 在☀ [www.newdumpspdf.com](http://www.newdumpspdf.com) ☀□搜索最新的☀ C\_ADBTP\_2601 □☀□題庫C\_ADBTP\_2601真題
- 使用正規授權的新版C\_ADBTP\_2601考古題有效地通過您的您的SAP C\_ADBTP\_2601 □ 來自網站▶ [www.newdumpspdf.com](http://www.newdumpspdf.com) ◀打開並搜索✓ C\_ADBTP\_2601 □✓□免費下載最新C\_ADBTP\_2601考題
- C\_ADBTP\_2601真題 □ C\_ADBTP\_2601權威考題 □ C\_ADBTP\_2601最新試題 □ ✓ [www.vcesoft.com](http://www.vcesoft.com)

☐✓☐是獲取“C\_ADBTP\_2601”免費下載的最佳網站C\_ADBTP\_2601考證

- C\_ADBTP\_2601真題 ☐ C\_ADBTP\_2601熱門考題 ☐ C\_ADBTP\_2601考試備考經驗 ☐ 透過《[www.newdumpsdpdf.com](http://www.newdumpsdpdf.com)》輕鬆獲取（C\_ADBTP\_2601）免費下載C\_ADBTP\_2601熱門考題
- C\_ADBTP\_2601權威考題 ☐ C\_ADBTP\_2601熱門考題 ☐ 最新C\_ADBTP\_2601考題 ☐ ➡ [www.vcesoft.com](http://www.vcesoft.com) ☐ 最新“C\_ADBTP\_2601”問題集合C\_ADBTP\_2601在線考題
- C\_ADBTP\_2601 PDF考古題 ☐ 「[www.newdumpsdpdf.com](http://www.newdumpsdpdf.com)」提供免費⇒ C\_ADBTP\_2601 ⇐問題收集C\_ADBTP\_2601真題
- 最新C\_ADBTP\_2601題庫資訊 ☐ C\_ADBTP\_2601認證考試解析 圖 C\_ADBTP\_2601認證考試解析 ☐ 【[www.newdumpsdpdf.com](http://www.newdumpsdpdf.com)】提供免費☐ C\_ADBTP\_2601 ☐問題收集C\_ADBTP\_2601通過考試
- SAP 新版C\_ADBTP\_2601考古題和Newdumpsdpdf- 認證考試材料的領導者 ☐ { [www.newdumpsdpdf.com](http://www.newdumpsdpdf.com) } 上的免費下載☐ C\_ADBTP\_2601 ☐頁面立即打開C\_ADBTP\_2601考題資訊
- 高質量的SAP 新版C\_ADBTP\_2601考古題和授權的[www.vcesoft.com](http://www.vcesoft.com)- 認證考試材料的領導者 ☐ 到{ [www.vcesoft.com](http://www.vcesoft.com) } 搜尋➡ C\_ADBTP\_2601 ☐☐☐以獲取免費下載考試資料C\_ADBTP\_2601資訊
- [maryam6409708.blogspot.com](http://maryam6409708.blogspot.com), [www.slideshare.net](http://www.slideshare.net), [gerbibayn292.blogspot.com](http://gerbibayn292.blogspot.com), [scalar.usc.edu](http://scalar.usc.edu), [scalar.usc.edu](http://scalar.usc.edu), [github.com](http://github.com), [www.slideshare.net](http://www.slideshare.net), [camp-fire.jp](http://camp-fire.jp), [oyhta.org](http://oyhta.org), [oyhta.org](http://oyhta.org), Disposable vapes