

C1000-078 Exam Fragen & C1000-078 Prüfungsunterlagen



BONUS!!! Laden Sie die vollständige Version der Pass4Test C1000-078 Prüfungsfragen kostenlos herunter:
https://drive.google.com/open?id=1KTE19bCa1_8HGgUtScQ3EbP33zx2nYBa

Es existiert viele Methoden, mit der Sie sich auf die IBM C1000-078 Zertifizierungsprüfung vorzubereiten. Unsere Website bietet zuverlässige Prüfungsmaterialien, mit den Sie sich auf die nächste IBM C1000-078 Zertifizierungsprüfung vorbereiten. Die Lernmaterialien zur IBM C1000-078 Zertifizierungsprüfung von Pass4Test enthalten sowohl Fragen als auch Antworten. Unsere Materialien sind von der Praxis überprüfte Software. Wir werden alle Ihren Bedürfnisse zur IBM C1000-078 Zertifizierung abdecken.

Die IBM C1000-078 Zertifizierungsprüfung ist eine ausgezeichnete Gelegenheit für Datenbankadministratoren, die mit IBM Db2 12 für z/OS arbeiten, um ihre Fähigkeiten und Kenntnisse zu verbessern. Das Bestehen der Prüfung zeigt, dass ein Kandidat ein solides Verständnis der wichtigsten Konzepte und besten Praktiken für die Verwaltung und Administration von IBM Db2 12 für z/OS hat, was sie zu einem wertvollen Vermögenswert für jede Organisation macht, die auf dieses leistungsstarke Datenbankmanagementsystem angewiesen ist.

>> C1000-078 Exam Fragen <<

IBM C1000-078 Prüfungsunterlagen & C1000-078 Probesfragen

Die Schulungsunterlagen zur IBM C1000-078 Zertifizierungsprüfung von Pass4Test sind am besten. Wir sind bei den Kandidaten sehr beliebt. Wenn Sie die Schulungsunterlagen zur IBM C1000-078 Zertifizierungsprüfung von Pass4Test zur Pass4Test benutzen, geben wir Ihnen eine 100%-Pass-Garantie. Sonst erstatteten wir Ihnen die gesamte Summe zurück, um Ihre Interessen zu schützen. Unser Pass4Test ist ganz zuverlässig.

IBM Db2 12 for z/OS Administrator C1000-078 Prüfungsfragen mit Lösungen (Q22-Q27):

22. Frage

Which of the following subsystem parameters is only applicable in a data sharing environment?

- A. DSMAX
- B. REFSHAGE
- C. TWOACTV
- D. RETLWAIT

Antwort: D

Begründung:

This value is only significant in a data sharing environment. It indicates how long a transaction should wait for a lock on a resource if another DB2 in the data sharing group has failed and is holding an incompatible lock on that resource. Locks held by failed DB2

members are called retained locks. This value is a multiplier that is applied to the connection's normal timeout value. For example, if the retained lock multiplier is 2, then the timeout period for a call attachment connection that is waiting for a retained lock is twice the normal CAF timeout period. The default is 0, meaning applications do not wait for incompatible retained locks, the lock request is immediately rejected and the application receives a "resource unavailable" SQLCODE.

Install parameter RETAINED LOCK TIMEOUT on panel DSNTIPI, or ZPARM RETLWAIT in DSN6SPRM. This value is only significant in a data sharing environment. It indicates how long a transaction should wait for a lock on a resource if another DB2 in the data sharing group has failed and is holding an incompatible lock on that resource. Locks held by failed DB2 members are called retained locks. This value is a multiplier that is applied to the connection's normal timeout value. For example, if the retained lock multiplier is 2, then the timeout period for a call attachment connection that is waiting for a retained lock is twice the normal CAF timeout period.

The default is 0, meaning applications do not wait for incompatible retained locks, the lock request is immediately rejected and the application receives a "resource unavailable" SQLCODE.

23. Frage

DB2A and DB2B are in the same data sharing group on separate LPARs. There are two coupling facilities CF01 and CF02. CF01 contains the Lock and SCA structures and CF02 contains the GBP structures. The group buffer pools are not duplexed. The structures can reside on either CF01 or CF02 as specified in the CRFM policy PREFLIST and AUTOREC is set to YES. CF02 fails and DB2A or DB2B can no longer connect to it. Once they are able to reconnect, what action is necessary in order to minimize loss of data availability?

- A. Manually rebuild the GBP structures on CF01
- B. No action is needed. Each member performs automatic GRECP recovery
- C. No action is needed. The GBP structures are automatically rebuilt in CF02
- D. Stop members DB2A and DB2B and initiate a group restart

Antwort: A

24. Frage

Which of the following commands can be used to show the client correlation token in order to find details such as the ip-address, port-address and unique-id to identify the distributed transaction?

- A. -DISPLAY DDF DETAIL
- B. -DISPLAY FUNCTION SPECIFIC
- C. -DISPLAY THREADH DETAIL
- D. -DISPLAY LOCATION OB.

Antwort: C

25. Frage

Which of the following allows tracking of database administration tasks performed by system DBADMs?

- A. Define and start an appropriate audit policy in SYSIBM.SYSAUDITPOLICIES
- B. Use the REPORT utility with option TABLESPACESET
- C. Use the DIAGNOSE utility with option TRACEID
- D. Start the appropriate accounting trace classes and analyze the SMF records

Antwort: C

26. Frage

To simulate a new buffer pool size, what buffer pool parameter is used?

- A. SPSI2E
- B. VPSIZE
- C. PGFIX
- D. AUTOSI2E

Antwort: A

27. Frage

• • • • •

Haben Sie gedacht, wie IBM C1000-078 Zertifizierungsprüfung leicht bestehen? Haben Sie die Geräte finden? Wenn nein, erkläre ich zu Ihnen. Es gibt viele Methoden, die C1000-078 Prüfung zu bestehen. Sehr fleißig die entsprechenden Bücher zu lesen, ist eine Methode. Machen Sie jetzt das? Aber diese Methode kostet dich viel Zeit und kann den Erfolg vielleicht nicht erreichen. Und Gibt es nicht genug Zeit für Sie, wenn Sie sich mit der Arbeit sehr beschäftigt sind? Lassen Sie IBM C1000-078 Dumps probieren. Diese Unterlagen können den Erfolg erreichen, woran Sie nicht glauben könnten.

C1000-078 Prüfungsunterlagen: <https://www.pass4test.de/C1000-078.html>

- [illegible]

Übrigens, Sie können die vollständige Version der Pass4Test C1000-078 Prüfungsfragen aus dem Cloud-Speicher herunterladen:
https://drive.google.com/open?id=1KTE19bCa1_8HGgUitScQ3EbP33zx2nYBa