

# Reliable VMware 3V0-41.22 Study Materials & 3V0-41.22 Practice Online

---

Pass VMware 3V0-41.22 Exam with Real Questions

VMware 3V0-41.22 Exam

Advanced Deploy VMware NSX-T Data Center 3.x

<https://www.passquestion.com/3V0-41.22.html>



35% OFF on All, Including 3V0-41.22 Questions and Answers

Pass VMware 3V0-41.22 Exam with PassQuestion 3V0-41.22 questions and answers in the first attempt.

<https://www.passquestion.com/>

---

1 / 7

BTW, DOWNLOAD part of 2Pass4sure 3V0-41.22 dumps from Cloud Storage: <https://drive.google.com/open?id=1c34m2swpQgppxnkpDRvNglU1Uxj92kco>

We have compiled the 3V0-41.22 test guide for these candidates who are trouble in this exam, in order help they pass it easily, and we deeply believe that our 3V0-41.22 exam questions can help you solve your problem. Believe it or not, if you buy our study materials and take it seriously consideration, we can promise that you will easily get the certification that you have always dreamed of. We believe that you will never regret to buy and practice our 3V0-41.22 latest question as the high pass rate of our 3V0-41.22 exam questions is 99% to 100%.

With our VMware 3V0-41.22 study materials, you can make full use of those time originally spent in waiting for the delivery of exam files so that you can get preparations as early as possible. There is why our VMware 3V0-41.22 learning prep exam is well received by the general public.

>> **Reliable VMware 3V0-41.22 Study Materials** <<

**3V0-41.22 Exam Reliable Study Materials- Perfect 3V0-41.22 Practice Online Pass Success**

3V0-41.22 exam practice is well known for its quality service! Our users are all over the world, and we use uniform service

standards everywhere. Our after-sales service staff will be on-line service 24 hours a day, 7 days a week. So, whether you are purchasing 3V0-41.22 Training Materials, or during the study period, no matter what kind of problems you encounter on the 3V0-41.22 study guide, you can always contact online customer service to get the timely help.

## VMware Advanced Deploy VMware NSX-T Data Center 3.X Sample Questions (Q11-Q16):

### NEW QUESTION # 11

#### SIMULATION

##### Task 8

You are tasked With troubleshooting the NSX IPSec VPN service Which has been reported down. Verify the current NSX configuration is deployed and resolve any issues.

You need to:

\* Verify the present configuration as provided below:

NSX IPSec Session Name:	IPSEC
Remote IP:	192.168.140.2
Local Networks:	10.10.10.0/24
Remote Networks:	10.10.20.0/24
Pre-shared Key:	VMware1VMware1

Complete the requested task.

Notes: Passwords are contained in the user\_readme.txt. This task is not dependent on another. This task Should take approximately 15 minutes to complete.

#### Answer:

##### Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To troubleshoot the NSX IPSec VPN service that has been reported down, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to Networking > VPN > IPSec VPN and select the IPSec VPN session that is down. You can identify the session by its name, local endpoint, remote endpoint, and status.

Click Show IPSec Statistics and view the details of the IPSec VPN session failure. You can see the error message, the tunnel state, the IKE and ESP status, and the statistics of the traffic sent and received.

Compare the configuration details of the IPSec VPN session with the expected configuration as provided below. Check for any discrepancies or errors in the parameters such as local and remote endpoints, local and remote networks, IKE and ESP profiles, etc.

If you find any configuration errors, click Actions > Edit and modify the parameters accordingly. Click Save to apply the changes.

If you do not find any configuration errors, check the connectivity and firewall rules between the local and remote endpoints. You can use ping or traceroute commands from the NSX Edge CLI to test the connectivity. You can also use show service ipsec command to check the status of IPSec VPN service on the NSX Edge.

If you find any connectivity or firewall issues, resolve them by adjusting the network settings or firewall rules on the NSX Edge or the third-party device.

After resolving the issues, verify that the IPSec VPN session is up and running by refreshing the IPSec VPN page on the NSX Manager UI. You can also use show service ipsec sp and show service ipsec sa commands on the NSX Edge CLI to check the status of security policy and security association for the IPSec VPN session.

### NEW QUESTION # 12

#### Task 1

You are asked to prepare a VMware NSX-T Data Center ESXi compute cluster Infrastructure. You will prepare two ESXi servers in a cluster for NSX-T overlay and VLAN use.

All configuration should be done using the NSX UI.

\* NOTE: The configuration details in this task may not be presented to you in the order in which you must complete them.

\* Configure a new Transport Node profile and add one n-VDS switch. Ensure Uplink 1 and Uplink 2 of your configuration use vmnic2 and vmnic3 on the host.

Configuration detail:

Name:	RegionA01-COMP01-TNP
Type:	n-VDS switch
Mode:	standard
n-VDS Switch Name:	N-VDS-1
Transport Zones:	TZ-Overlay-1 and TZ-VLAN-1
NIOC profile:	nsx-default-nioc-hostswitch-profile
Uplink Profile:	RegionA01-COMP01-UP
LLDP Profile:	LLDP [send packet disabled]
IP Assignment:	TEP-Pool-02

Hint: The Transport Zone configuration will be used by another administrator at a later time.

- Configure a new VLAN backed transport zone.

Configuration detail:

- Configure a new uplink profile for the ESXi servers.

Configuration detail:

Name:	RegionA01-COMP01-UP
Teaming Policy:	Load Balance source
Active adapters:	Uplink1 and Uplink2
Transport VLAN:	0

- Configure a new IP Pool for ESXi overlay traffic with

Configuration detail:

Name:	TEP-Pool-02
IP addresses range:	192.168.130.71 - 192.168.130.74
CIDR:	192.168.130.0/24
Gateway:	192.168.130.1

- Using the new transport node profile, prepare ESXi cluster RegionA01-COMP01 for NSX Overlay and VLAN use.

Complete the requested task.

NOTE: Passwords are contained in the user\_readme.txt. Configuration details may not be provided in the correct sequential order. Steps to complete this task must be completed in the proper order. Other tasks are dependent on the completion Of this task. You may want to move to other tasks/steps while waiting for configuration changes to be applied. This task should take approximately 20 minutes to complete.

## Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To prepare a VMware NSX-T Data Center ESXi compute cluster infrastructure, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>.

Navigate to System > Fabric > Profiles > Transport Node Profiles and click Add Profile.

Enter a name and an optional description for the transport node profile.

In the Host Switches section, click Set and select N-VDS as the host switch type.

Enter a name for the N-VDS switch and select the mode as Standard or Enhanced Datapath, depending on your requirements.

Select the transport zones that you want to associate with the N-VDS switch. You can select one overlay transport zone and one or more VLAN transport zones.

Select an uplink profile from the drop-down menu or create a custom one by clicking New Uplink Profile.

In the IP Assignment section, select Use IP Pool and choose an existing IP pool from the drop-down menu or create a new one by clicking New IP Pool.

In the Physical NICs section, map the uplinks to the physical NICs on the host. For example, map Uplink 1 to vmnic2 and Uplink 2 to vmnic3.

Click Apply and then click Save to create the transport node profile.

Navigate to System > Fabric > Nodes > Host Transport Nodes and click Add Host Transport Node.

Select vCenter Server as the compute manager and select the cluster that contains the two ESXi servers that you want to prepare for NSX-T overlay and VLAN use.

Select the transport node profile that you created in the previous steps and click Next.

Review the configuration summary and click Finish to start the preparation process.

The preparation process may take some time to complete. You can monitor the progress and status of the host transport nodes on the Host Transport Nodes page. Once the preparation is complete, you will see two host transport nodes with a green status icon and a Connected state. You have successfully prepared a VMware NSX-T Data Center ESXi compute cluster infrastructure using a transport node profile.

## NEW QUESTION # 13

### SIMULATION

## Task 2

You are asked to deploy three Layer 2 overlay-backed segments to support a new 3-tier app and one Layer 2 VLAN-backed segment for support of a legacy application. The logical segments must block Server DHCP requests. Ensure three new overlay-backed segments and one new VLAN-backed logical segment are deployed to the RegionA01-COPMOI compute cluster. All configuration should be done utilizing the NSX UI.

You need to:

• Configure a new segment security profile to block DHCP requests. All other segment security features should be disabled. Use the following configuration detail:	
Name:	DHCP-block
DHCP:	DHCP server block enabled

  

• Configure a new overlay backed segment for Web server with the following configuration detail:	
Name:	LAX-web
Segment security policy:	DHCP-block
Transport Zone:	TZ-Overlay-1

  

• Configure a new overlay backed segment for DB server with the following configuration detail:	
Name:	LAX-db
Segment security policy:	DHCP-block
Transport Zone:	TZ-Overlay-1

  

• Configure a new VLAN backed segment for legacy server with the following configuration detail:	
Name:	Phoenix-VLAN
VLAN ID:	0
Segment security policy:	DHCP-block
Transport Zone:	TZ-VLAN-1

  

• Configure a new VLAN backed segment for Edge uplink with the following configuration detail:	
Name:	Uplink
VLAN ID:	0
Segment security policy:	DHCP-block
Transport Zone:	TZ-Uplink

Complete the requested task.

Notes: Passwords are contained in the user\_readme.txt. Task 2 is dependent on the completion of Task 1. Other tasks are dependent on completion of this task. You may want to move to the next tasks while waiting for configuration changes to be applied. This task should take approximately 10 minutes to complete.

### Answer:

#### Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To deploy three layer 2 overlay-backed segments and one layer 2 VLAN-backed segment, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to Networking > Segments and click Add Segment.

Enter a name for the segment, such as Web-01.

Select Tier-1 as the connectivity option and choose an existing tier-1 gateway from the drop-down menu or create a new one by clicking New Tier-1 Gateway.

Enter the gateway IP address of the subnet in a CIDR format, such as 192.168.10.1/24.

Select an overlay transport zone from the drop-down menu, such as Overlay-TZ.

Optionally, you can configure advanced settings such as DHCP, Metadata Proxy, MAC Discovery, or QoS for the segment by clicking Set Advanced Configs.

Click Save to create the segment.

Repeat steps 2 to 8 for the other two overlay-backed segments, such as App-01 and DB-01, with different subnet addresses, such as 192.168.20.1/24 and 192.168.30.1/24.

To create a VLAN-backed segment, click Add Segment again and enter a name for the segment, such as Legacy-01.

Select Tier-0 as the connectivity option and choose an existing tier-0 gateway from the drop-down menu or create a new one by clicking New Tier-0 Gateway.

Enter the gateway IP address of the subnet in a CIDR format, such as 10.10.10.1/24.

Select a VLAN transport zone from the drop-down menu, such as VLAN-TZ, and enter the VLAN ID for the segment, such as 100.

Optionally, you can configure advanced settings such as DHCP, Metadata Proxy, MAC Discovery, or QoS for the segment by clicking Set Advanced Configs.

Click Save to create the segment.

To apply a segment security profile to block DHCP requests on the segments, navigate to Networking > Segments > Segment

Profiles and click Add Segment Profile.

Select Segment Security as the profile type and enter a name and an optional description for the profile.

Toggle the Server Block and Server Block - IPv6 buttons to enable DHCP filtering for both IPv4 and IPv6 traffic on the segments that use this profile.

Click Save to create the profile.

Navigate to Networking > Segments and select the segments that you want to apply the profile to.

Click Actions > Apply Profile and select the segment security profile that you created in step 18.

Click Apply to apply the profile to the selected segments.

You have successfully deployed three layer 2 overlay-backed segments and one layer 2 VLAN-backed segment with DHCP filtering using NSX-T Manager UI.

## NEW QUESTION # 14

### SIMULATION

#### Task 1

You are asked to prepare a VMware NSX-T Data Center ESXi compute cluster Infrastructure. You will prepare two ESXi servers in a cluster for NSX-T overlay and VLAN use.

All configuration should be done using the NSX UI.

\* NOTE: The configuration details in this task may not be presented to you in the order in which you must complete them.

\* Configure a new Transport Node profile and add one n-VDS switch. Ensure Uplink 1 and Uplink 2 of your configuration use vmnic2 and vmnic3 on the host.

Configuration detail:

Name:	RegionA01-COMP01-TNP
Type:	n-VDS switch
Mode:	standard
n-VDS Switch Name:	N-VDS-1
Transport Zones:	TZ-Overlay-1 and TZ-VLAN-1
NIOC profile:	nsx-default-nioc-hostswitch-profile
Uplink Profile:	RegionA01-COMP01-UP
LLDP Profile:	LLDP (send packet disabled)
IP Assignment:	TEP-Pool-02

Hint: The Transport Zone configuration will be used by another administrator at a later time.

- Configure a new VLAN backed transport zone.

Configuration detail:

- Configure a new uplink profile for the ESXi servers.

Configuration detail:

Name:	RegionA01-COMP01-UP
Teaming Policy:	Load Balance source
Active adapters:	Uplink1 and Uplink2
Transport VLAN:	0

- Configure a new IP Pool for ESXi overlay traffic with

Configuration detail:

Name:	TEP-Pool-02
IP addresses range:	192.168.130.71 - 192.168.130.74
CIDR:	192.168.130.0/24
Gateway:	192.168.130.1

- Using the new transport node profile, prepare ESXi cluster RegionA01-COMP01 for NSX Overlay and VLAN use.

Complete the requested task.

NOTE: Passwords are contained in the user\_readme.txt. Configuration details may not be provided in the correct sequential order.

Steps to complete this task must be completed in the proper order. Other tasks are dependent on the completion Of this task. You may want to move to other tasks/steps while waiting for configuration changes to be applied. This task should take approximately 20 minutes to complete.

### Answer:

#### Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To prepare a VMware NSX-T Data Center ESXi compute cluster infrastructure, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to System > Fabric > Profiles > Transport Node Profiles and click Add Profile.

Enter a name and an optional description for the transport node profile.

In the Host Switches section, click Set and select N-VDS as the host switch type.

Enter a name for the N-VDS switch and select the mode as Standard or Enhanced Datapath, depending on your requirements.

Select the transport zones that you want to associate with the N-VDS switch. You can select one overlay transport zone and one or more VLAN transport zones.

Select an uplink profile from the drop-down menu or create a custom one by clicking New Uplink Profile.

In the IP Assignment section, select Use IP Pool and choose an existing IP pool from the drop-down menu or create a new one by clicking New IP Pool.

In the Physical NICs section, map the uplinks to the physical NICs on the host. For example, map Uplink 1 to vmnic2 and Uplink 2 to vmnic3.

Click Apply and then click Save to create the transport node profile.

Navigate to System > Fabric > Nodes > Host Transport Nodes and click Add Host Transport Node.

Select vCenter Server as the compute manager and select the cluster that contains the two ESXi servers that you want to prepare for NSX-T overlay and VLAN use.

Select the transport node profile that you created in the previous steps and click Next.

Review the configuration summary and click Finish to start the preparation process.

The preparation process may take some time to complete. You can monitor the progress and status of the host transport nodes on the Host Transport Nodes page. Once the preparation is complete, you will see two host transport nodes with a green status icon and a Connected state. You have successfully prepared a VMware NSX-T Data Center ESXi compute cluster infrastructure using a transport node profile.

## NEW QUESTION # 15

Task 11

Upon testing the newly configured distributed firewall policy for the Boston application, it has been discovered that the Boston-Web virtual machines can be "pinged" via ICMP from the main console. Corporate policy does not allow pings to the Boston VMs.

You need to:

- \* Troubleshoot ICMP traffic and make any necessary changes to the Boston application security policy.

Complete the requested task.

Notes: Passwords are contained in the user\_readme.txt. This task is dependent on Task 5.

### Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To troubleshoot ICMP traffic and make any necessary changes to the Boston application security policy, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>.

Navigate to Security > Distributed Firewall and select the firewall policy that applies to the Boston application. For example, select Boston-web-Application.

Click Show IPSec Statistics and view the details of the firewall rule hits and logs. You can see which rules are matching the ICMP traffic and which actions are taken by the firewall.

If you find that the ICMP traffic is allowed by a rule that is not intended for it, you can edit the rule and change the action to Drop or Reject. You can also modify the source, destination, or service criteria of the rule to make it more specific or exclude the ICMP traffic.

If you find that the ICMP traffic is not matched by any rule, you can create a new rule and specify the action as Drop or Reject. You can also specify the source, destination, or service criteria of the rule to match only the ICMP traffic from the main console to the Boston web VMs.

After making the changes, click Publish to apply the firewall policy.

Verify that the ICMP traffic is blocked by pinging the Boston web VMs from the main console again. You should see a message saying "Request timed out" or "Destination unreachable".

## NEW QUESTION # 16

.....

It is essential to get the VMware 3V0-41.22 exam material because you have no other option to understand the subject. Advanced Deploy VMware NSX-T Data Center 3.X 3V0-41.22 have latest exam answers, latest exam book and latest exam collection.

2Pass4sure offers valid exam book and valid exam collection help you pass the 3V0-41.22 Exam successfully.

**3V0-41.22 Practice Online:** <https://www.2pass4sure.com/VCAP-NV-Deploy-2023/3V0-41.22-actual-exam-braindumps.html>

VMware Reliable 3V0-41.22 Study Materials You need to concentrate on memorizing the wrong questions, 3V0-41.22



certification is one of the more important certifications in IT fields, In order to improve your confidence to 3V0-41.22 exam materials, we are pass guarantee and money back guarantee, There are two main reasons that contribute to it, the first one is that our education experts are very skilled with those exam questions and answers involved in the 3V0-41.22 actual test, and we can always get one-hand information resource, Pass 3V0-41.22 Exam with Excellent Marks.

My dad always laughed when I was taking another course, With 3V0-41.22 Practice Online this format, you can use the first channel as a scaling factor for the second channel, thus increasing compression.

You need to concentrate on memorizing the wrong questions, 3V0-41.22 Certification is one of the more important certifications in IT fields, In order to improve your confidence to 3V0-41.22 exam materials, we are pass guarantee and money back guarantee.

## **Latest Reliable 3V0-41.22 Study Materials offer you accurate Practice Online | VMware Advanced Deploy VMware NSX-T Data Center 3.X**

There are two main reasons that contribute 3V0-41.22 to it, the first one is that our education experts are very skilled with those exam questions and answers involved in the 3V0-41.22 actual test, and we can always get one-hand information resource.

Pass 3V0-41.22 Exam with Excellent Marks.

- 3V0-41.22 Valid Dumps Sheet □ Certification 3V0-41.22 Exam □ 3V0-41.22 Reliable Exam Tutorial □ Open website ➡ [www.testkingpass.com](http://www.testkingpass.com) □□□ and search for [ 3V0-41.22 ] for free download □ Exam 3V0-41.22 Materials
- Pass Guaranteed VMware - 3V0-41.22 Authoritative Reliable Study Materials □ Search for ➤ 3V0-41.22 □ and obtain a free download on 「 [www.pdfvce.com](http://www.pdfvce.com) 」 □ 3V0-41.22 Reliable Braindumps Ebook
- Valid Dumps 3V0-41.22 Free □ 3V0-41.22 Examcollection Dumps □ 3V0-41.22 Test Questions Pdf □ Search for ► 3V0-41.22 ◀ and obtain a free download on 【 [www.troytecdumps.com](http://www.troytecdumps.com) 】 □ 3V0-41.22 Examcollection Dumps
- 3V0-41.22 Sure Answers - 3V0-41.22 Free Torrent - 3V0-41.22 Exam Guide □ Search for ➡ 3V0-41.22 □ and download it for free immediately on ➡ [www.pdfvce.com](http://www.pdfvce.com) □ □ 3V0-41.22 Reliable Exam Tutorial
- 3V0-41.22 Exam Syllabus □ 3V0-41.22 Examcollection Dumps □ 3V0-41.22 Free Brain Dumps □ ➡ [www.prepawaypdf.com](http://www.prepawaypdf.com) □ is best website to obtain ► 3V0-41.22 ◀ for free download □ 3V0-41.22 Exam Syllabus
- 3V0-41.22 Exam Questions Fee □ Valid Dumps 3V0-41.22 Free □ 3V0-41.22 Practice Guide □ Search for ➡ 3V0-41.22 □ and download it for free immediately on [ [www.pdfvce.com](http://www.pdfvce.com) ] □ 3V0-41.22 Examcollection Dumps
- Pass Guaranteed VMware - 3V0-41.22 Authoritative Reliable Study Materials □ Enter ➡ [www.practicevce.com](http://www.practicevce.com) □ and search for [ 3V0-41.22 ] to download for free □ Exam 3V0-41.22 Materials
- 100% Pass 2026 Marvelous VMware Reliable 3V0-41.22 Study Materials □ Search for 【 3V0-41.22 】 and download exam materials for free through ➡ [www.pdfvce.com](http://www.pdfvce.com) □ □ Latest 3V0-41.22 Test Testking
- 3V0-41.22 Reliable Braindumps Ebook □ Valid Dumps 3V0-41.22 Free □ 3V0-41.22 Exam Materials □ Easily obtain free download of { 3V0-41.22 } by searching on □ [www.testkingpass.com](http://www.testkingpass.com) □ □ Latest 3V0-41.22 Test Testking
- 3V0-41.22 Latest Exam Labs □ 3V0-41.22 Examcollection Dumps □ 3V0-41.22 Examcollection Dumps □ Search for ➡ 3V0-41.22 □ and easily obtain a free download on ➡ [www.pdfvce.com](http://www.pdfvce.com) □ □ 3V0-41.22 Latest Exam Preparation
- Pass Guaranteed VMware - 3V0-41.22 Authoritative Reliable Study Materials □ Download □ 3V0-41.22 □ for free by simply entering □ [www.testkingpass.com](http://www.testkingpass.com) □ website □ 3V0-41.22 Examcollection Dumps
- [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [capacitacion.axiomamexico.com.mx](http://capacitacion.axiomamexico.com.mx), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [shortcourses.russellcollege.edu.au](http://shortcourses.russellcollege.edu.au), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [myportal.utt.edu.tt](http://myportal.utt.edu.tt), [www.stes.tyc.edu.tw](http://www.stes.tyc.edu.tw), Disposable vapes

BTW, DOWNLOAD part of 2Pass4sure 3V0-41.22 dumps from Cloud Storage: <https://drive.google.com/open?id=1c34m2swpQgppxnkpDRvNglU1Uxj92kco>