

Valid FCSS_SDW_AR-7.6 Latest Exam Vce | 100% Pass-Rate Passing FCSS_SDW_AR-7.6 Score and Fantastic Test FCSS - SD-WAN 7.6 Architect Pattern



ActualTorrent made an absolute gem of study material which carries actual Fortinet FCSS_SDW_AR-7.6 Exam Questions for the students so that they don't get confused in order to prepare for Fortinet FCSS_SDW_AR-7.6 exam and pass it with a good score. The Fortinet FCSS_SDW_AR-7.6 practice test questions are made by examination after consulting with a lot of professionals and receiving positive feedback from them. The FCSS - SD-WAN 7.6 Architect (FCSS_SDW_AR-7.6) practice test questions prep material has actual Fortinet FCSS_SDW_AR-7.6 exam questions for our customers so they don't face any hurdles while preparing for Fortinet FCSS_SDW_AR-7.6 certification exam.

Our Fortinet learning materials contain latest test questions, valid answers and professional explanations, which ensure you hold FCSS_SDW_AR-7.6 actual test with great confidence. And we will provide you with the most comprehensive service when you prepare FCSS_SDW_AR-7.6 Practice Exam with our valid dumps collection.

>> FCSS_SDW_AR-7.6 Latest Exam Vce <<

100% Pass Quiz 2026 Fortinet Useful FCSS_SDW_AR-7.6 Latest Exam Vce

The high quality of our FCSS_SDW_AR-7.6 preparation materials is mainly reflected in the high pass rate, because we deeply know that the pass rate is the most important. As is well known to us, our passing rate has been high; 99% of people who used our

FCSS_SDW_AR-7.6 real test has passed their tests and get the certificates. I dare to make a bet that you will not be exceptional. Your test pass rate is going to reach more than 99% if you are willing to use our FCSS_SDW_AR-7.6 Study Materials with a high quality. So it is necessary for you to know well about our FCSS_SDW_AR-7.6 test prep.

Fortinet FCSS - SD-WAN 7.6 Architect Sample Questions (Q11-Q16):

NEW QUESTION # 11

An MSSP uses FortiManager to manage the FortiGate devices of its customers. The administrator grouped the devices for each customer in different ADOMs. For customer A, you configured one SD-WAN overlay template that applies to all devices in the ADOM. For customer B, you configured SD-WAN for DIA at the device level, with a different configuration for each FortiGate. You onboard customer C, a car manufacturer, who requests to have a single-hub SD-WAN topology for its retail points, and a dual-hub topology for the FortiGate devices installed in its factories. Which statement best describes how you should handle this request?

- A. You can place all the devices in the same ADOM, but you must use the SD-WAN overlay template to define only one topology.
- B. You can place all the devices in the same ADOM and you can create multiple SD-WAN templates, but you cannot use the SD-WAN overlay template.
- C. You must assign the devices to different ADOMs to avoid conflicts between the single-hub and dual-hub SD-WAN topologies.
- D. You can place all the devices in the same ADOM and define two topologies with the SD-WAN overlay template.

Answer: A

Explanation:

FortiManager uses SD-WAN overlay templates per ADOM to define the SD-WAN topology.

Within a single ADOM, you can only define one SD-WAN overlay template topology that applies to all devices in that ADOM. If different topologies are needed (e.g., single-hub for retail, dual-hub for factories), the devices cannot share multiple overlay topologies within the same ADOM.

Therefore, to handle multiple topologies, devices must be separated into different ADOMs or use separate device-level configurations outside the overlay template.

NEW QUESTION # 12

Refer to the exhibit. The exhibit shows the details of a session and the index numbers of some relevant interfaces on a FortiGate device that supports hardware offloading.

Based on the information shown in the exhibits, which two conclusions can you draw? (Choose two.)

Session details

```
# diagnose sys session list

session info: proto=6 proto_state=01 duration=39 expire=3593 timeout=3600
flags=00000000
socktype=0 sockport=0 av_idx=0 use=4
state=may dirty npu
origin->sink: org pre->post, reply pre->post dev=7->5/5->7 gwy=
10.10.10.1/10.9.31.160
hook=pre dir=org act=noop 10.9.31.160:7932->10.0.1.7:22(0.0.0.0:0)
hook=post dir=reply act=noop 10.0.1.7:22->10.9.31.160:7932(0.0.0.0:0)
pos/ (before, after) 0/(0,0), 0/ (0,0)
misc=0 policy id=1 auth_info=0 chk_client_info=0 vd=0
serial=00045e02 tos=ff/ff app_list=0 app=0 url_cat=0
sdwan_mbr_seq=1 sdwan_servic_id=1
rpd_b_link_id=800000000 rpd_b_svc_id=0 ngfwid=n/a
npu_state= x4000c00
npu info: flag=0x81/0x81, offload=8/8, ips_offload=0/0, epid=64/76, ipid=
76/64,
vlan=0x0000/0x0000
vlfid=76/64, vtag_in=0x0000/0x0000 in_npu=1/1, out_npu=1/1, fwd_en=0/0,
qid=2/2
reflect info 0:
dev=7->6/6->7
npu_state=0x4000800
npu info: flag=0x00/0x81, offload=0/8, ips_offload=0/0, epid=0/76, ipid=
0/65, vlan=0x0000/0x0000
vlfid=0/65, vtag_in=0x0000/0x0000 in_npu=0/1, out_npu=0/1, fwd_en=0/0,
qid=0/2
total reflect session num: 1
total session 1

# diagnose netlink interface list

if=port1 family=00 type=1 index=5 mtu=1500 link=0 master=0
if=port2 family=00 type=1 index=6 mtu=1500 link=0 master=0
if=port3 family=00 type=1 index=7 mtu=1500 link=0 master=0
```

- A. By default, FortiGate offloads symmetric and asymmetric flows.
- B. The reply direction of the asymmetric traffic flows from port2 to port3.
- C. The auxiliary session can be offloaded to hardware.
- D. The original direction of the symmetric traffic flows from port3 to port2.

Answer: B,C


Explanation:

The session output shows reflect info: dev=7->6/6->7. From the netlink list, index 6 = port2 and 7 = port3, so the reply direction of the asymmetric (auxiliary) session is port2 → port3.

The auxiliary session has npu info ... offload=8/8 (non-zero), indicating it can be offloaded to hardware.

NEW QUESTION # 13

Refer to the exhibit. You want to configure SD-WAN on a network as shown in the exhibit. The network contains many FortiGate devices. Some are used as NGFW, and some are installed with extensions such as FortiSwitch, FortiAP or FortiExtender. What should you consider when planning your deployment?



- A. You must build multiple SD-WAN topologies. Each topology must contain only one type of extension.
- B. You can build an SD-WAN topology that includes all devices. The hubs can be FortiGate devices with FortiExtender.
- C. You must use FortiManager to manage your SD-WAN topology.
- **D. You can build an SD-WAN topology that includes all devices. The hubs must be devices without extensions.**

Answer: D

Explanation:

You can include FortiGates with extensions (FortiSwitch/FortiAP/FortiExtender) as spokes in one SD-WAN topology, but the hubs should be clean FortiGate devices without extensions enabled.

Extensions like FortiLink or FortiExtender add roles/services that can conflict with hub duties (overlay termination, route distribution, scale/HA) and aren't supported/recommended on hubs.

No need to split into multiple topologies or require FortiManager just for that.

NEW QUESTION # 14

You are tasked with configuring ADVPN 2.0 on an SD-WAN topology already configured for ADVPN. What should you do to implement ADVPN 2.0 in this scenario?

- A. Update the IPsec tunnel configuration on the branches.
- B. Update the IPsec tunnel configurations on the hub.
- **C. Update the SD-WAN configuration on the branches.**
- D. Delete the existing ADVPN configuration and configure ADVPN 2.0.

Answer: C

Explanation:

ADVPN-2.0 is implemented by changing how SD-WAN selects/creates dynamic VPNs between sites (it uses the SD-WAN/ADVPN settings so spokes can form direct child tunnels). If your topology already has ADVPN (legacy) IPsec tunnels in place, you normally do not need to rip- and-replace existing IPsec tunnel definitions on hub or spokes - instead you enable and adjust the ADVPN-2.0-related settings in the SD-WAN configuration on the branch devices so they will negotiate and use the ADVPN-2.0 behavior.

NEW QUESTION # 15

Refer to the exhibits. You use FortiManager to manage the branch devices and configure the SD-WAN template. You have configured direct internet access (DIA) for the IT department users.

Now, you must configure secure internet access (SIA) for all local LAN users and have set the firewall policies as shown in the second exhibit.

Then, when you use the install wizard to install the configuration and the policy package on the branch devices, FortiManager reports an error as shown in the third exhibit. Which statement describes why FortiManager could not install the configuration on the branches?

SD-WAN template on FortiManager

Name	Assigned to Device/Group	Interface
branches	2 Devices in Total View Details > ↑ branch1_fgt [root] ↑ branch2_fgt [root]	port1 port2

Firewall policies

Underlay (2/3 Total:2)

2	SIA	LAN	port1	LAN-net	all	always	FTP HTTP HTTPS	✓ Accept	no-inspection default
3	DIA	LAN	underlay	LAN-IT	all	always	ALL	✓ Accept	default certificate-i... default

FortiManager error message

Install Wizard - Validate Devices(branches_pp)(3/4)

Task finished with **errors**.

Installation Preparation Total: 3/3. Success: 1. Warning: 0. Error: 2. [Show Details](#) 100%

- ✓ Interface Validation
- ✓ Policy and Object Validation
- ✓ Ready to Install

<input type="checkbox"/>	Device Name	Status	Action
<input type="checkbox"/>	branch1_fgt	Copy Failed	Log
<input type="checkbox"/>	branch2_fgt	Copy Failed	Log

- A. You cannot install firewall policies that reference an SD-WAN member.
- B. You cannot install SIA and DIA rules on the same device.
- C. You must direct SIA traffic to a VPN tunnel.
- D. You cannot install firewall policies that reference an SD-WAN zone.

Answer: A

Explanation:

In FortiManager, firewall policies must reference SD-WAN zones, not individual SD-WAN members (interfaces like port1 or port2). The SIA rule incorrectly references port1, which is a member - not a zone - causing the installation failure during validation.

NEW QUESTION # 16

.....

We are dedicated to helping you pass your exam just one time. FCSS_SDW_AR-7.6 learning materials are high quality, and we have received plenty of good feedbacks from our customers, they thank us for helping the exam just one time. If you can't pass your exam in your first attempt by using FCSS_SDW_AR-7.6 exam materials of us, we ensure you that we will give you full refund, and no other questions will be asked. In addition, we provide you with free demo for one year for FCSS_SDW_AR-7.6 Exam Braindumps, and the update version for FCSS_SDW_AR-7.6 exam materials will be sent to your email address automatically.

Passing FCSS_SDW_AR-7.6 Score: https://www.actualtorrent.com/FCSS_SDW_AR-7.6-questions-answers.html

