

# Latest Released VMware Test 3V0-41.22 Score Report: Advanced Deploy VMware NSX-T Data Center 3.X



BONUS!!! Download part of ActualtestPDF 3V0-41.22 dumps for free: <https://drive.google.com/open?id=10I6ESdSamFk5ydAfjTp8oCCts-In8J2o>

We will provide you with three different versions of our 3V0-41.22 exam questions on our test platform. You have the opportunity to download the three different versions from our test platform. The three different versions of our 3V0-41.22 test torrent include the PDF version, the software version and the online version. The three different versions will offer you same questions and answers, but they have different functions. According to your needs, you can choose any one version of our 3V0-41.22 Guide Torrent. For example, if you need to use our products in an offline state, you can choose the online version; if you want to try to simulate the real examination, you can choose the software. In a word, the three different versions of our 3V0-41.22 test torrent.

Experts hired by 3V0-41.22 exam questions not only conducted in-depth research on the prediction of test questions, but also made great breakthroughs in learning methods. With 3V0-41.22 training materials, you can easily memorize all important points of knowledge without rigid endorsements. With 3V0-41.22 exam torrent, you no longer need to spend money to hire a dedicated tutor to explain it to you, even if you are a rookie of the industry, you can understand everything in the materials without any obstacles. With 3V0-41.22 Exam Questions, your teacher is no longer one person, but a large team of experts who can help you solve all the problems you have encountered in the learning process.

>> Test 3V0-41.22 Score Report <<

## Valid 3V0-41.22 vce files, 3V0-41.22 dumps latest

In today's highly competitive VMware market, having the 3V0-41.22 certification is essential to propel your career forward. To earn the VMware 3V0-41.22 certification, you must successfully pass the 3V0-41.22 Exam. However, preparing for the VMware 3V0-41.22 exam can be challenging, with potential hurdles like exam anxiety and time constraints.

## VMware Advanced Deploy VMware NSX-T Data Center 3.X Sample Questions (Q15-Q20):

### NEW QUESTION # 15

Task 3

You are asked to deploy a new instance of NSX-T into an environment with two isolated tenants. These tenants each have separate physical data center cores and have standardized on BCP as a routing protocol.

You need to:

• Configure a new Edge cluster with the following configuration detail:	
Name:	edge-cluster-01
Edge cluster profile:	nsx-default-edge-high-availability-profile
Includes Edges:	nsx-edge-01 and nsx-edge-02
• Configure a Tier-0 Gateway with the following configuration detail:	
Name:	TO-01
HA Mode:	Active Active
Edge cluster:	edge-cluster-01
• Configure two ECMP Uplinks to provide maximum throughput and fault tolerance. Use the following configuration detail:	
o Uplink-1	
Type:	External
Name:	Uplink-1
IP Address/Mask:	192.168.100.2/24
Connected to:	Uplink
Edge Node:	nsx-edge-01
• Uplink-2	
Type:	External
Name:	Uplink-2
IP Address/Mask:	192.168.100.3/24
Connected to:	Uplink
Edge Node:	nsx-edge-02
• Configure BGP on the Tier-0 Gateway with the following detail:	
Local AS:	65001
BGP Neighbors:	IP Address: 192.168.100.1 BFD: Disabled Remote AS Number: 65002
Additional Info:	All other values should remain at default while ensuring that ECMP is on
Source Addresses:	192.168.100.2 and 192.168.100.3
• Configure VRF Lite for the secondary tenant with the following detail:	
Name:	TO-01-vrf
Connected to Tier-0 Gateway:	TO-01

Complete the requested task.

Notes: Passwords are Contained in the user\_readme.txt. Task 3 is dependent on the Completion Of Task and 2.

Other tasks are dependent On the Completion Of this task. Do not wait for configuration changes to be applied in this task as processing may take up to 10 minutes to complete. Check back on completion. This task should take approximately 10 minutes to complete.

### Answer:

#### Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

#### Explanation

To deploy a new instance of NSX-T into an environment with two isolated tenants, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

<https://<nsx-manager-ip-address>>.

Navigate to System > Fabric > Nodes > Edge Transport Nodes and click Add Edge VM.

Enter a name and an optional description for the edge VM. Select the compute manager, cluster, and resource pool where you want to deploy the edge VM. Click Next.

Select the deployment size and form factor for the edge VM. For this task, you can select Medium as the size and VM as the form factor. Click Next.

Select the datastore and folder where you want to store the edge VM files. Click Next.

Configure the management network settings for the edge VM. Enter a hostname, a management IP address, a default gateway, a DNS server, and a domain search list. Optionally, you can enable SSH and join the edge VM to a domain. Click Next.

Configure the transport network settings for the edge VM. Select an N-VDS as the host switch type and enter a name for it. Select an uplink profile from the drop-down menu or create a new one by clicking New Uplink Profile. Map the uplinks to the physical NICs on the edge VM. For example, map Uplink 1 to fp-eth0 and Uplink 2 to fp-eth1. Optionally, you can configure IP assignment, MTU, or LLDP for the uplinks. Click Next.

Review the configuration summary and click Finish to deploy the edge VM.

Repeat steps 2 to 8 to deploy another edge VM for redundancy.

Navigate to Networking > Tier-0 Gateway and click Add Gateway > VRF.

Enter a name and an optional description for the VRF gateway. Select an existing tier-0 gateway as the parent gateway or create a new one by clicking New Tier-0 Gateway.

Click VRF Settings and enter a VRF ID for the tenant. Optionally, you can enable EVPN settings if you want to use EVPN as the control plane protocol for VXLAN overlay networks.

Click Save to create the VRF gateway.

Repeat steps 10 to 13 to create another VRF gateway for the second tenant with a different VRF ID.

Navigate to Networking > Segments and click Add Segment.

Enter a name and an optional description for the segment. Select VLAN as the connectivity option and enter a VLAN ID for the segment. For example, enter 128 for Tenant A's first uplink VLAN segment.

Select an existing transport zone from the drop-down menu or create a new one by clicking New Transport Zone.

Click Save to create the segment.

Repeat steps 15 to 18 to create three more segments for Tenant A's second uplink VLAN segment (VLAN ID 129) and Tenant B's uplink VLAN segments (VLAN ID 158 and 159).

Navigate to Networking > Tier-0 Gateway and select the VRF gateway that you created for Tenant A.

Click Interfaces > Set > Add Interface.

Enter a name and an optional description for the interface.

Enter the IP address and mask for the external interface in CIDR format, such as 10.10.10.1/24.

In Type, select External.

In Connected To (Segment), select the VLAN segment that you created for Tenant A's first uplink VLAN segment (VLAN ID 128).

Select an edge node where you want to attach the interface, such as Edge-01.

Enter the Access VLAN ID from the list as configured for the segment, such as 128.

Click Save and then Close.

Repeat steps 21 to 28 to create another interface for Tenant A's second uplink VLAN segment (VLAN ID 129) on another edge node, such as Edge-02.

Repeat steps 20 to 29 to create two interfaces for Tenant B's uplink VLAN segments (VLAN ID 158 and 159) on each edge node using their respective VRF gateway and IP addresses.

Configure BGP on each VRF gateway using NSX UI or CLI commands<sup>12</sup>. You need to specify the local AS number, remote AS number, BGP neighbors, route redistribution, route filters, timers, authentication, graceful restart, etc., according to your requirements<sup>34</sup>.

Configure BGP on each physical router using their respective CLI commands<sup>56</sup>. You need to specify similar parameters as in step 31 and ensure that they match with their corresponding VRF gateway settings<sup>78</sup>.

Verify that BGP sessions are established between each VRF gateway and its physical router neighbors using NSX UI or CLI commands . You can also check the routing tables and BGP statistics on each device .

You have successfully deployed a new instance of NSX-T into an environment with two isolated tenants using VRF Lite and BGP.

## NEW QUESTION # 16

### SIMULATION

#### Task 4

You are tasked with creating a logical load balancer for several web servers that were recently deployed.

You need to:

• Create a standalone Tier-1 gateway with the following configuration detail:	
Name:	TI-LB
Linked Tier-0 Gateway:	None
Edge Cluster:	lb-edge-cluster
Service Interface:	Name: TI-LB IP Address / Mask: 192.168.220.10/24 Connected To (Segment): Columbus-LS
Static Route:	Add a default gateway to 192.168.220.1

  

• Create a load balancer and attach it to the newly created Tier-1 gateway with the following configuration detail:	
Name:	web-lb
Size:	small
Attachment:	TI-LB

• Configure the load balancer with the following configuration detail:

- Create an HTTP application profile with the following configuration detail:

Name:	web-lb-app-profile
-------	--------------------

• Create an HTTP application profile with the following configuration detail:

Name:	web-lb-app-redirect-profile
Redirection:	HTTP to HTTPS Redirection

• Create an HTTP monitor with the following configuration detail:

Name:	web-lb-monitor
Port:	80

• Create an L7 HTTP virtual server with the following configuration detail:

Name:	web-lb-virtual-server
IP Address:	192.168.220.20
Port:	80
Load Balancer:	web-lb
Server Pool:	None
Application Profile:	web-lb-app-redirect-profile

• Create an L4 TCP virtual server with the following configuration detail:

Name:	web-lb-virtual-server-https
IP Address:	192.168.220.20
Port:	443
Load Balancer:	web-lb
Server Pool:	Columbus-web-servers
Application Profile:	default-tcp-lb-app-profile

Complete the requested task.

Notes:

Passwords are contained in the user\_readme.txt. Do not wait for configuration changes to be applied in this task as processing may take some time to complete. This task should take up to 35 minutes to complete and is required for subsequent tasks.

**Answer:**

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To create a logical load balancer for several web servers, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is <https://<nsx-manager-ip-address>>.

Navigate to Networking > Load Balancing > Load Balancers and click Add Load Balancer.

Enter a name and an optional description for the load balancer. Select the tier-1 gateway where you want to attach the load balancer from the drop-down menu or create a new one by clicking New Tier-1 Gateway. Click Save.

Navigate to Networking > Load Balancing > Application Profiles and click Add Application Profile.

Enter a name and an optional description for the application profile. Select HTTP as the application type from the drop-down menu. Optionally, you can configure advanced settings such as persistence, X-Forwarded-For, SSL offloading, etc., for the application profile. Click Save.

Navigate to Networking > Load Balancing > Monitors and click Add Monitor.

Enter a name and an optional description for the monitor. Select HTTP as the protocol from the drop-down menu. Optionally, you can configure advanced settings such as interval, timeout, fall count, rise count, etc., for the monitor. Click Save.

Navigate to Networking > Load Balancing > Server Pools and click Add Server Pool.

Enter a name and an optional description for the server pool. Select an existing application profile from the drop-down menu or create a new one by clicking New Application Profile. Select an existing monitor from the drop-down menu or create a new one by clicking New Monitor. Optionally, you can configure advanced settings such as algorithm, SNAT translation mode, TCP multiplexing, etc., for the server pool. Click Save.

Click Members > Set > Add Member and enter the IP address and port number of each web server that you want to add to the server pool. For example, enter 192.168.10.10:80 and 192.168.10.11:80 for two web servers listening on port 80. Click Save and then Close.

Navigate to Networking > Load Balancing > Virtual Servers and click Add Virtual Server.

Enter a name and an optional description for the virtual server. Enter the IP address and port number of the virtual server that will receive the client requests, such as 10.10.10.100:80. Select HTTP as the service profile from the drop-down menu or create a new one by clicking New Service Profile. Select an existing server pool from the drop-down menu or create a new one by clicking New Server Pool. Optionally, you can configure advanced settings such as access log, connection limit, rate limit, etc., for the virtual server. Click Save.

You have successfully created a logical load balancer for several web servers using NSX-T Manager UI.

## NEW QUESTION # 17

### Task 13

You have been asked to configure the NSX backups for the environment so that if the NSX Manager fails it can be restored with the same IP address to the original primary Data Center that is in an Active / Standby configuration. Backups should be scheduled to run once every 24 hours as well as when there are changes published to the NSX environment. Ensure that backups are completed on their respective environment. Verify the backup file has been created on the SFTP server.

\* Credentials needed to complete the task:

sFTP User:	sftpuser
Password:	VMware!!
sFTP IP:	192.168.110.91
Hostname:	ubuntu-01.corp.local

You need to:

\* Verify that an SFTP server is available on the network and obtain SFTP Fingerprint.

\* Configure NSX Backups via NSX Appliance Backup

\* Configure Scheduling Criteria

Backup Configuration Criteria

Backup Schedule:	Once backup per 24 hours
Additional Backup Triggers:	Detect NSX configuration (5 min time interval)
Primary Data Center Configuration:	Active / Standby
Backup locations:	All backups on respective NSX environment
Additional Notes:	NSX Manager shall be restored with same IP address
Directory Path:	/data
Passphrase:	VMware!!

Complete the requested task.

Notes: Passwords are contained in the user\_readme.txt. This task is not dependent on other tasks. This task should take approximately 15 minutes to complete.

### Answer:

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To configure the NSX backups for the environment, you need to follow these steps:

Verify that an SFTP server is available on the network and obtain SFTP fingerprint. You can use the `search_web("SFTP server availability")` tool to find some information on how to set up and check an SFTP server. You can also use the `ssh-keyscan` command to get the fingerprint of the SFTP server. For example, `ssh-keyscan -t ecdsa sftp_server` will return the ECDSA key of the `sftp_server`. You can compare this key with the one displayed on the NSX Manager UI when you configure the backup settings. Configure NSX Backups via NSX Appliance Backup. Log in to the NSX Manager UI with admin credentials. The default URL is `https://<nsx-manager-ip-address>`. Select System > Lifecycle Management > Backup & Restore. Click Edit under the SFTP Server label to configure your SFTP server. Enter the FQDN or IP address of the backup file server, such as 10.10.10.100. The protocol text box is already filled in. SFTP is the only supported protocol. Change the default port if necessary. The default TCP port is 22. In the Directory Path text box, enter the absolute directory path where the backups will be stored, such as /data. The directory must already exist and cannot be the root directory (/). Avoid using path drive letters or spaces in directory names; they are not supported. In the Passphrase text box, enter a passphrase that will be used to encrypt and decrypt the backup files, such as VMware!!.

Click Save to create the backup configuration.

Configure Scheduling Criteria. On the Backup & Restore page, click Edit under the Schedule label to configure your backup schedule. Select Enabled from the drop-down menu to enable scheduled backups.

Select Daily from the Frequency drop-down menu to run backups once every 24 hours. Select a time from the Time drop-down menu to specify when the backup will start, such as 12:00 AM. Select Enabled from the Additional Backup Trigger drop-down menu to run backups when there are changes published to the NSX environment. Click Save to create the backup schedule.

Verify that a backup file has been created on the SFTP server. On the Backup & Restore page, click Start Backup to run a manual backup and verify that it completes successfully. You should see a message saying "Backup completed successfully". You can also check the status and details of your backups on this page, such as backup size, duration, and timestamp. Alternatively, you can log in to your SFTP server and check if there is a backup file in your specified directory path, such as /data.

## NEW QUESTION # 18

### Task 9

TO prepare for Virtual machine migration from VLAN-backed port groups to an overlay segment in NSX, a test bridge has been configured. The bridge is not functioning, and the -Bridge-VM- is not responding to ICMP requests from the main console.

You need to:

\* Troubleshoot the configuration and make necessary changes to restore access to the application.

Complete the requested task.

Notes: Passwords are contained in the user\_readme.txt. This task is not dependent on another. This task should take approximately 15 minutes to complete.

**Answer:**

Explanation:

See the Explanation part of the Complete Solution and step by step instructions.

Explanation

To troubleshoot the bridge configuration and restore access to the application, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is

https://<nsx-manager-ip-address>.

Navigate to Networking > Segments and select the overlay segment that is bridged to the VLAN-backed port group. For example, select Web-01 segment that you created in Task 2.

Click Bridge > Set and verify the configuration details of the bridge. Check for any discrepancies or errors in the parameters such as bridge name, bridge ID, VLAN ID, edge node, etc.

If you find any configuration errors, click Edit and modify the parameters accordingly. Click Save to apply the changes.

If you do not find any configuration errors, check the connectivity and firewall rules between the overlay segment and the VLAN-backed port group. You can use ping or traceroute commands from the NSX Edge CLI or the vSphere Web Client to test the connectivity. You can also use show service bridge command to check the status of the bridge service on the NSX Edge.

If you find any connectivity or firewall issues, resolve them by adjusting the network settings or firewall rules on the NSX Edge or the vSphere Distributed Switch.

After resolving the issues, verify that the bridge is functioning and the Bridge-VM is responding to ICMP requests from the main console. You can also check the MAC addresses learned by the bridge on both sides of the network using show service bridge mac command on the NSX Edge CLI.

**NEW QUESTION # 19**

**SIMULATION**

**Task 6**

You are asked to integrate NSX manager with LDAP to better control NSX administrators' roles and responsibilities. Ensure users can manage the NSX environment utilizing Active Directory login credentials.

You need to:

\* Configure NSX Manager LDAP integration to the corp.local domain using the following configuration detail:

• Configure NSX Manager LDAP integration to the corp.local domain using the following configuration detail:	
LDAP identity source name:	corp.local
Domain Name:	corp.local
BASE DN:	DC=corp,DC=local
Type:	Active Directory over LDAP
Active Directory host name:	corp.local
LDAP Protocol:	LDAP
LDAP Port:	389
User Start TLS:	disabled
Bind identity user name:	administrator@corp.local
Bind identity password:	VMware!

\* Configure the user nsx-admin@corp.local Active Directory account as an Enterprise Admin access role.

Complete the requested task.

Notes:

Passwords are contained in the user\_readme.txt. You may want to move to other tasks/steps while waiting for configuration changes to be applied. This task should take approximately 15 minutes to complete.

**Answer:**

Explanation:

See the Explanation part of the Complete Solution and step by step instructions Explanation:

To integrate NSX Manager with LDAP to better control NSX administrators' roles and responsibilities, you need to follow these steps:

Log in to the NSX Manager UI with admin credentials. The default URL is https://<nsx-manager-ip-address>.

Navigate to System > User Management > LDAP and click Add Identity Source.

Enter a name for the identity source, such as corp.local

Enter the domain name of your Active Directory server, such as DC=corp,DC=local.  
 Select Active Directory over LDAP as the type from the drop-down menu.  
 Click Set to configure LDAP servers. You can add up to three LDAP servers for failover support, to each domain.  
 Enter the hostname or IP address of your LDAP server, such as corpdcsrvr.corp.local.  
 Select LDAP as the protocol from the drop-down menu.  
 Enter the port number for the LDAP server, such as 389.  
 Click Connection Status to test the connection to the LDAP server. If successful, you will see a green check mark and a message saying "Connection successful".  
 Optionally, you can enable StartTLS to use encryption for the LDAP connection. To do this, toggle the Use StartTLS button and enter the certificate of the LDAP server in PEM format in the text box below.  
 Click Save to add the LDAP server.  
 Repeat steps 6 to 12 to add more LDAP servers if needed.  
 Enter the bind entry user name and password for the LDAP server, such as Administrator@corp.local and VMware1!.  
 Click Save to create the identity source.  
 Navigate to System > User Management > Users and Roles and click Add Role Assignment for LDAP.  
 Select corp.local as the domain from the drop-down menu.  
 Enter nsx-admin@corp.local in the search box and select it from the list that appears.  
 Select Enterprise Admin as the role from the drop-down menu.  
 Click Save to assign the role to the user.  
 You have successfully integrated NSX Manager with LDAP and configured nsx-admin@corp.local Active Directory account as an Enterprise Admin access role.

## NEW QUESTION # 20

.....

With the help of the 3V0-41.22 practice exam questions and preparation material offered by ActualtestPDF, you can pass any 3V0-41.22 certifications exam in the first attempt. You don't have to face any trouble, and you can simply choose to do a selective 3V0-41.22 brain dumps to pass the exam. We offer guaranteed success with 3V0-41.22 Dumps Questions on the first attempt, and you will be able to pass the 3V0-41.22 exam in short time. You can always consult our 3V0-41.22 certified professional support if you are facing any problems.

**3V0-41.22 Hot Questions:** <https://www.actualtestpdf.com/VMware/3V0-41.22-practice-exam-dumps.html>

When you are learning our 3V0-41.22 learning materials, you can find confidence in the process of learning materials and feel happy in learning. VMware Test 3V0-41.22 Score Report The PDF version is very convenient that you can download at any time, Many candidates think it is a headache for passing VMware 3V0-41.22 : Advanced Deploy VMware NSX-T Data Center 3.X exam, We guarantee our 3V0-41.22 learning materials can actually help you go through your exams.

Summary of Internal Planning Documents, I 3V0-41.22 prefer to wake up at least three hours before the exam, When you are learning our 3V0-41.22 learning materials, you can find confidence in the process of learning materials and feel happy in learning.

## Unmatched 3V0-41.22 Learning Prep shows high-efficient Exam Brain Dumps - ActualtestPDF

The PDF version is very convenient that you can download at any time, Many candidates think it is a headache for passing VMware 3V0-41.22 : Advanced Deploy VMware NSX-T Data Center 3.X exam.

We guarantee our 3V0-41.22 learning materials can actually help you go through your exams, More importantly, if you decide to buy our 3V0-41.22 exam torrent, we are willing to give you a discount, you will spend less money and time on preparing for your exam.

- Test 3V0-41.22 Score Report - Latest VMware Certification Training - VMware Advanced Deploy VMware NSX-T Data Center 3.X  Open [ [www.examdiscuss.com](http://www.examdiscuss.com) ] enter ▶ 3V0-41.22 ◀ and obtain a free download  3V0-41.22 Free Pdf Guide
- 100% Pass 2026 VMware 3V0-41.22 Latest Test Score Report  Immediately open > [www.pdfvce.com](http://www.pdfvce.com) < and search for ▶ 3V0-41.22  to obtain a free download  3V0-41.22 Test Duration
- 3V0-41.22 Valid Exam Registration  3V0-41.22 Valid Exam Questions  3V0-41.22 Valid Exam Questions  Open ➡ [www.pass4test.com](http://www.pass4test.com)  enter [ 3V0-41.22 ] and obtain a free download  3V0-41.22 Valid Exam Questions
- 2026 VMware 3V0-41.22: Marvelous Test Advanced Deploy VMware NSX-T Data Center 3.X Score Report  Search

