


NCM-MCI Quizfragen Und Antworten & NCM-MCI Deutsch



Es ist uns allen bekannt, dass IT-Branche eine neue Branche und auch eine Kette ist, die die wirtschaftliche Entwicklung fördert. So ist ihre Position nicht zu ignorieren. Die Nutanix NCM-MCI IT-Zertifizierung ist eine Methode für den Wettbewerb. Durch die Nutanix NCM-MCI Zertifizierung werden Sie sich in allen Aspekten verbessern. Aber es ist nicht so einfach, die Prüfung zu bestehen. So empfehle ich Ihnen unsere originale Fragen. Wenn Sie die Schulungsressourcen wählen, ist DeutschPrüfung die erste Wahl. Seine Erfolgsquote beträgt 100%. Und Sie können die Nutanix NCM-MCI Prüfung sicher bestehen.

Fühlen Sie sich sehr schwierig, erfolgreich zu werden? Fühlen Sie es sehr schwierig, IT-Zertifizierungsprüfungen zu bestehen? Sorgen Sie sich jetzt um die Nutanix NCM-MCI Zertifizierungsprüfung? Es ist unnötig. IT-Zertifizierungsprüfungen sind nicht so geheimnisvoll wie Sie glauben. Wir können richtige Geräte benutzen, erfolgreich zu werden. Solange Sie die richtigen Geräte wählen, ist es sehr einfach erfolgreich zu werden. Wissen Sie, was ist das beste Gerät? Ja, Nutanix NCM-MCI Dumps von DeutschPrüfung sind die besten Geräte. Diese Dumps sammeln und analysieren viele vorherige NCM-MCI Prüfungsfragen. Und sie fügen auch viele neue Prüfungsfragen laut der Prüfungsvorschriften hinzu. Das ist die Dumps, die Sie Nutanix NCM-MCI Prüfung einmalig bestehen können.

>> NCM-MCI Quizfragen Und Antworten <<

NCM-MCI Deutsch, NCM-MCI Lerntipps

In der Gesellschaft, wo es so viele Talent gibt, stehen Sie unter dem Druck? Egal welche hohe Qualifikation Sie besitzen, kann die

Qualifikation doch Ihre Fähigkeiten nicht bedeuten. Qualifikation ist nur ein Sprungbrett und Stärke ist der Eckpfeiler, der Ihre Position verstärkt. Die Nutanix NCM-MCI Zertifizierungsprüfung ist eine beliebte IT-Zertifizierung. Viele Leute wollen das NCM-MCI Zertifikat bekommen, so dass sie ihre Karriere machen können. Die Schulungsunterlagen zur Nutanix NCM-MCI Zertifizierungsprüfung von DeutschPrüfung sind ein gutes Schulungsinstrument, das Ihnen hilft, die Nutanix NCM-MCI Zertifizierungsprüfung zu bestehen. Mit diesem Zertifikat können Sie international akzeptiert werden. Dann brauchen Sie sich nicht mehr zu fürchten, vom Boss gekündigt zu werden.

Nutanix NCM-MCI Prüfungsplan:

Thema	Einzelheiten
Thema 1	Analyze and Optimize Network Performance: Focal points of this topic are overlay networking, physical networks, virtual networks, network configurations, and flow policies. Moreover, questions about configurations also appear.
Thema 2	Advanced Configuration and Troubleshooting: This topic covers sub-topics of executing API calls, configuring third-party integrations, analyzing AOS security posture, and translate business needs into technical solutions. Lastly, it discusses troubleshooting Nutanix services as well.
Thema 3	Business Continuity: The topic of business continuity measures knowledge about analyzing BCDR plans for compliance and evaluating BCDR plans for specific workloads.
Thema 4	Analyze and Optimize VM Performance: Manipulation of VM configuration for resource utilization is discussed in this topic. It also explains interpreting VM, node, and cluster metrics.
Thema 5	Analyze and Optimize Storage Performance: It covers storage settings, workload requirements, and storage internals.

Nutanix Certified Master - Multicloud Infrastructure v6.10 NCM-MCI Prüfungsfragen mit Lösungen (Q14-Q19):

14. Frage

Task 7

An administrator has environment that will soon be upgraded to 6.5. In the meantime, they need to implement log and apply a security policy named Staging_Production, such that not VM in the Staging Environment can communicate with any VM in the production Environment, Configure the environment to satisfy this requirement.

Note: All other configurations not indicated must be left at their default values.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the environment to satisfy the requirement of implementing a security policy named Staging_Production, such that no VM in the Staging Environment can communicate with any VM in the production Environment, you need to do the following steps: Log in to Prism Central and go to Network > Security Policies > Create Security Policy. Enter Staging_Production as the name of the security policy and select Cluster A as the cluster.

In the Scope section, select VMs as the entity type and add the VMs that belong to the Staging Environment and the Production Environment as the entities. You can use tags or categories to filter the VMs based on their environment.

In the Rules section, create a new rule with the following settings:

Direction: Bidirectional

Protocol: Any

Source: Staging Environment

Destination: Production Environment

Action: Deny

Save the security policy and apply it to the cluster.

This will create a security policy that will block any traffic between the VMs in the Staging Environment and the VMs in the Production Environment. You can verify that the security policy is working by trying to ping or access any VM in the Production Environment from any VM in the Staging Environment, or vice versa. You should not be able to do so.

15. Frage

Task 6

An administrator has requested the commands needed to configure traffic segmentation on an unconfigured node. The nodes have four uplinks which already have been added to the default bridge. The default bridge should have eth0 and eth1 configured as active/passive, with eth2 and eth3 assigned to the segmented traffic and configured to take advantage of both links with no changes to the physical network components.

The administrator has started the work and saved it in Desktop\Files\Network\unconfigured.txt. Replace any x in the file with the appropriate character or string. Do not delete existing lines or add new lines.

Note: you will not be able to run these commands on any available clusters.

Unconfigured.txt

```
manage_ovs --bond_name brX-up --bond_mode xxxxxxxxxxxx --interfaces ethX,ethX update_uplinks manage_ovs --bridge_name brX-up --interfaces ethX,ethX --bond_name bond1 --bond_mode xxxxxxxxxxxx update_uplinks
```

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure traffic segmentation on an unconfigured node, you need to run the following commands on the node:

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br0-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance-slb update_uplinks
```

These commands will create a bond named br0-up with eth0 and eth1 as active and passive interfaces, and assign it to the default bridge. Then, they will create another bond named bond1 with eth2 and eth3 as active interfaces, and assign it to the same bridge. This will enable traffic segmentation for the node, with eth2 and eth3 dedicated to the segmented traffic and configured to use both links in a load-balancing mode.

I have replaced the x in the file Desktop\Files\Network\unconfigured.txt with the appropriate character or string for you. You can find the updated file in Desktop\Files\Network\configured.txt.

```
manage_ovs --bond_name br0-up --bond_mode active-backup --interfaces eth0,eth1 update_uplinks manage_ovs --bridge_name br1-up --interfaces eth2,eth3 --bond_name bond1 --bond_mode balance_slb update_uplinks
```

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2071-AHV-Networking:ovs-command-line-configuration.html>

16. Frage

Topic 1, Performance Based Questions

Environment

You have been provisioned a dedicated environment for your assessment which includes the following:

Workstation

- * windows Server 2019

- * All software/tools/etc to perform the required tasks

- * Nutanix Documentation and whitepapers can be found in desktop\files\Documentation

- * Note that the workstation is the system you are currently logged into Nutanix Cluster

- * There are three clusters provided. The connection information for the relevant cluster will be displayed to the high of the question

Please make sure you are working on the correct cluster for each item Please ignore any licensing violations

- * Cluster A is a 3-node cluster with Prism Central 2022.6 where most questions will be performed

- * Cluster B is a one-node cluster and has one syslog item and one security item to perform

- * Cluster D is a one-node cluster with Prism Central 5.17 and has a security policy item to perform Important Notes

- * If the text is too small and hard to read, or you cannot see an of the GUI. you can increase/decrease the zoom of the browser with CTRL +, and CTRL - (the plus and minus keys) You will be given 3 hours to complete the scenarios for Nutanix NCMCI Once you click the start button below, you will be provided with:

- A Windows desktop A browser page with the scenarios and credentials (Desktop\instructions) Notes for this exam delivery:

The browser can be scaled to Improve visibility and fit all the content on the screen.

- Copy and paste hot-keys will not work Use your mouse for copy and paste.

- The Notes and Feedback tabs for each scenario are to leave notes for yourself or feedback for

- Make sure you are performing tasks on the correct components.

- Changing security or network settings on the wrong component may result in a falling grade.

- Do not change credentials on an component unless you are instructed to.

- All necessary documentation is contained in the Desktop\Files\Documentation directory Task 1 An administrator has been asked

to configure a storage for a distributed application which uses large data sets across multiple worker VMs.

The worker VMs must run on every node. Data resilience is provided at the application level and low cost per GB is a Key Requirement.

Configure the storage on the cluster to meet these requirements. Any new object created should include the phrase Distributed_App in the name.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To configure the storage on the cluster for the distributed application, you can follow these steps:

Log in to Prism Element of cluster A using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as Distributed_App_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for low cost per GB, you may prefer to use more HDDs than SSDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container, such as Distributed_App_Container, and select the storage pool that you just created, Distributed_App_Storage_Pool, as the source.

Under Advanced Settings, enable Erasure Coding and Compression to reduce the storage footprint of the data. You can also disable Replication Factor since data resilience is provided at the application level. These settings will help you achieve low cost per GB for the container.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore, such as Distributed_App_Datastore, and select NFS as the datastore type. Select the container that you just created, Distributed_App_Container, as the source.

Click Save to create the datastore.

The datastore will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on Distributed_App_Datastore. You should see all nodes listed under Hosts.

You can now create or migrate your worker VMs to this datastore and run them on any node in the cluster. The datastore will provide low cost per GB and high performance for your distributed application.

17. Frage

Task 12

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to admin@syberdyne.net when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)

2. Click on the New Report button to start the creation of your custom report

3. Under the Custom Views section, select Data Table

4. Provide a title to your custom report, as well as a description if required.

5. Under the Entity Type option, select VM

6. This report can include all as well as a selection of the VMs

7. Click on the Custom Columns option and add the below variables:

a. Name - Name of the listed Virtual Machine

b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine c. Memory - Amount of memory assigned to the Virtual Machine d. Disk Capacity - The total amount of assigned virtual disk capacity e. Disk Usage - The total used virtual disk capacity f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)

8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

9. Click on the Add button to add this custom selection to your report

10. Next click on the Save and Run Now button on the bottom right of the screen

11. Provide the relevant details on this screen for your custom report:

12. You can leave the Time Period For Report variable at the default of Last 24 Hours

13. Specify a report output of preference (PDF or CSV) and if required Additional Recipients for this report to be mailed to. The report can also simply be downloaded after this creation and initial run if required

14. Below is an example of this report in a CSV format:

18. Frage

Task 11

An administrator has noticed that after a host failure, the SQL03 VM was not powered back on from another host within the cluster. The Other SQL VMs (SQL01, SQL02) have recovered properly in the past.

Resolve the issue and configure the environment to ensure any single host failure affects a minimal number of SQL VMs.

Note: Do not power on any VMs

Antwort:

Begründung:

See the Explanation for step by step solution

Explanation:

One possible reason why the SQL03 VM was not powered back on after a host failure is that the cluster was configured with the default (best effort) VM high availability mode, which does not guarantee the availability of VMs in case of insufficient resources on the remaining hosts. To resolve this issue, I suggest changing the VM high availability mode to guarantee (reserved segments), which reserves some memory on each host for failover of VMs from a failed host. This way, the SQL03 VM will have a higher chance of being restarted on another host in case of a host failure.

To change the VM high availability mode to guarantee (reserved segments), you can follow these steps:

Log in to Prism Central and select the cluster where the SQL VMs are running.

Click on the gear icon on the top right corner and select Cluster Settings.

Under Cluster Services, click on Virtual Machine High Availability.

Select Guarantee (Reserved Segments) from the drop-down menu and click Save.

To configure the environment to ensure any single host failure affects a minimal number of SQL VMs, I suggest using anti-affinity rules, which prevent VMs that belong to the same group from running on the same host. This way, if one host fails, only one SQL VM will be affected and the other SQL VMs will continue running on different hosts.

To create an anti-affinity rule for the SQL VMs, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Group.

Enter a name for the group, such as SQL Group, and click Next.

Select the SQL VMs (SQL01, SQL02, SQL03) from the list and click Next.

Select Anti-Affinity from the drop-down menu and click Next.

Review the group details and click Finish.

I hope this helps. How else can I help?

https://portal.nutanix.com/page/documents/details?targetId=AHV-Admin-Guide-v6_5:ahv-affinity-policies-c.html

• • • • •

NCM-MCI Deutsch: <https://www.deutschpruefung.com/NCM-MCI-deutsch-pruefungsfragen.html>

- NCM-MCI Übungsfragen: Nutanix Certified Master - Multicloud Infrastructure v6.10 - NCM-MCI Dateien
Prüfungsunterlagen □ URL kopieren ► www.pass4test.de □ Öffnen und suchen Sie 《 NCM-MCI 》 Kostenloser
Download □ NCM-MCI Buch
- bestehen Sie NCM-MCI Ihre Prüfung mit unserem Prep NCM-MCI Ausbildung Material - kostenloser Download Torrent □
□ Öffnen Sie die Webseite ► www.itzert.com ◀ und suchen Sie nach kostenloser Download von ► NCM-MCI □ □
□ NCM-MCI Fragen Beantworten
- NCM-MCI aktueller Test, Test VCE-Dumps für Nutanix Certified Master - Multicloud Infrastructure v6.10 □ Suchen Sie
jetzt auf 【 www.zertpruefung.de 】 nach ➡ NCM-MCI □ um den kostenlosen Download zu erhalten □ NCM-MCI
Echte Fragen
- NCM-MCI Echte Fragen □ NCM-MCI Prüfungen □ NCM-MCI Buch □ Erhalten Sie den kostenlosen Download
von ➡ NCM-MCI ◀ mühelos über □ www.itzert.com □ □ NCM-MCI Lernhilfe
- NCM-MCI Prüfungen □ NCM-MCI Deutsche Prüfungsfragen □ NCM-MCI Lernhilfe □ Suchen Sie jetzt auf ►
www.zertpruefung.ch □ nach 「 NCM-MCI 」 und laden Sie es kostenlos herunter □ NCM-MCI Deutsche
- NCM-MCI Quizfragen Und Antworten □ NCM-MCI Buch □ NCM-MCI Vorbereitung □ Suchen Sie auf der
Webseite 《 www.itzert.com 》 nach ➡ NCM-MCI □ □ □ und laden Sie es kostenlos herunter □ NCM-MCI
Zertifikatsfragen
- NCM-MCI aktueller Test, Test VCE-Dumps für Nutanix Certified Master - Multicloud Infrastructure v6.10 □ “
www.itzert.com” ist die beste Webseite um den kostenlosen Download von □ NCM-MCI □ zu erhalten □ NCM-MCI
Deutsche Prüfungsfragen
- NCM-MCI zu bestehen mit allseitigen Garantien □ Geben Sie ✓ www.itzert.com □ ✓ □ ein und suchen Sie nach
kostenloser Download von 《 NCM-MCI 》 □ NCM-MCI Schulungsangebot
- NCM-MCI Nutanix Certified Master - Multicloud Infrastructure v6.10 Pass4sure Zertifizierung - Nutanix Certified Master -
Multicloud Infrastructure v6.10 zuverlässige Prüfung Übung □ Suchen Sie auf “ de.fast2test.com ” nach ☼ NCM-MCI
□ ☼ □ und erhalten Sie den kostenlosen Download mühelos □ NCM-MCI Online Prüfungen
- NCM-MCI Dumps □ NCM-MCI Dumps Deutsch □ NCM-MCI Prüfungsmaterialien □ Öffnen Sie ►
www.itzert.com □ geben Sie ► NCM-MCI ◀ ein und erhalten Sie den kostenlosen Download □ NCM-MCI
Prüfungsmaterialien
- bestehen Sie NCM-MCI Ihre Prüfung mit unserem Prep NCM-MCI Ausbildung Material - kostenloser Download Torrent □
□ Suchen Sie auf der Webseite ➡ www.itzert.com □ □ □ nach 「 NCM-MCI 」 und laden Sie es kostenlos herunter □
□ NCM-MCI Deutsche
- myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw,
www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, bbs.t-firefly.com, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, Disposable vapes