

# 2026 C\_S43 Latest Mock Test 100% Pass | Professional Valid C\_S43 Exam Prep: SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601)



Choosing right study materials is key point to pass the SAP certification exam. ExamDiscuss is equipped with the latest questions and valid answers to ensure the preparation of C\_S43 exam easier. The feedback from our candidates showed that our C\_S43 Dumps PDF covers almost 90% questions in the actual test. So put our dumps to your shopping cart quickly.

In order to meet the needs of all customers, our company employed a lot of leading experts and professors in the field. These experts and professors have designed our C\_S43 exam questions with a high quality for our customers. We can promise that our products will be suitable for all people. As long as you buy our C\_S43 practice materials and take it seriously consideration, we can promise that you will pass your exam and get your certification in a short time. So choose our C\_S43 exam questions to help you review, you will benefit a lot from our C\_S43 study guide.

>> C\_S43 Latest Mock Test <<

## Valid C\_S43 Exam Prep | Exam Sample C\_S43 Questions

Even though we have already passed many large and small examinations, we are still unconsciously nervous when we face examination papers. C\_S43 practice quiz provide you with the most realistic test environment, so that you can adapt in advance so that you can easily deal with formal exams. What we say is true, apart from the examination environment, also includes C\_S43 Exam Questions which will come up exactly in the real exam. And our C\_S43 study materials always contain the latest exam Q&A.

## SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) Sample Questions (Q11-Q16):

### NEW QUESTION # 11

Create a Maintenance Plan

The project team evaluates during the implementation project Maintenance Plans in SAP S/4HANA Asset Management. The following features need to be checked:

Create a Maintenance Plan

Create a Maintenance Plan and save it. Use the following information:

Field	Value
Maint. Plan cat. (via SAP GUI) Maintenance Plan for (via FLP)	Maintenance Order
Maintenance Strategy	Z##
Description	Regular pump maintenance - Z##
Equipment	T-PA##
Order Type	PM02
Task List Type	A
Group	TL-##
Counter	1

**Answer:**

**Explanation:**

See the Explanation for complete Solution of this Task.

**Explanation:**

Task 8: Create a Maintenance Plan

The objective of this task is to create a strategy-based maintenance plan that will automatically generate work orders for your pump based on the frequencies defined in your task list.

Step 1: Access the Transaction

\* Transaction Code : Enter IP42 in the command field and press Enter .

\* Initial Screen :

\* Maintenance Plan Category : Select Maintenance Order (or "Maintenance plan for Maintenance Order" if using the Fiori Launchpad).

\* Maintenance Strategy : Enter Z48 .

\* Press Enter .

Step 2: Enter Header and Maintenance Item Data

Once you are on the main creation screen, fill in the "Maintenance Item" section to define what is being maintained and how the orders should look:

\* Description : Enter Regular pump maintenance Z48 .

\* Equipment : Enter T-PA48 .

\* Planning Plant : This should default to 1010 based on the equipment, but ensure it is correct.

\* Order Type : Enter PM02 .

Explanation : By assigning Equipment T-PA48 and Order Type PM02 , you are telling SAP to generate a specific "Planned" maintenance order every time this schedule is triggered.

Step 3: Link the Task List

This step connects the plan to the specific maintenance steps (operations) you created in Task 7.

\* Look for the Task List section at the bottom of the screen.

\* Task List Type : Enter A (General Task List).

\* Group : Enter TL-48 .

\* Counter : Enter 1 .

\* Press Enter to validate the connection. You should see the description "Regular Maintenance GR48" appear.

Explanation : Linking the Task List ensures that when the maintenance plan generates an order, it automatically copies the 30-minute operations you defined earlier into that order.

Step 4: Set Scheduling Parameters (Optional but Recommended)

While the table in your document focuses on the data above, typically you would click the Maintenance Plan Scheduling Parameters tab to ensure the "Scheduling Period" and "Start Date" are set. However, for the assessment, the mandatory data is what we entered in Steps 1-3.

Step 5: Save

\* Click the Save (floppy disk) icon.

\* Note your Maintenance Plan Number : The system will display a message at the bottom, such as

"Maintenance plan 123 saved." Write this number down , as you will need it for Task 9: Schedule a Maintenance Plan .

Task 8 is now complete! You have built the automated "brain" that will handle the recurring maintenance for your pump.

**NEW QUESTION # 12**

Task 6: Configure Maintenance Order Types and work with Maintenance Orders The project team evaluates during the implementation project Maintenance Orders in SAP S/4HANA Asset Management. The following features need to be checked:

- \* Configure a Maintenance Order Type and create a Maintenance Order
- \* Create a Time Confirmation a Maintenance Order
- \* Prepare a Maintenance Order for Completion
- \* Create a Maintenance Order and save it.

Note:

Make sure that you have maintained all required customizing settings for the Maintenance Order Type.

Use the following information at header level:

Field	Value
Order Type	ZZ##
Description	Repair pump
Priority	Medium
Equipment	T-PA##
Planning Plant	1010
Maintenance activity type	003 Repair
Plnd Costing Va	ZZ01
Act. Costing Va	ZZ01
Priority Type	PM

Plan a Maintenance Order Operation and use the following information:

Field	Value
WkCtr	T-ME##
Plnt	1010
Ctrl key	PM01

Work durtn | 2 HR

\* Create a Time Confirmation for the just created Maintenance Order. Use the following information:

Field	Value
Work Center	T-ME##
Work Center Plant	1010
Actual Work	2 HR
Activity Type	1410
Final Confirmtn	x (select indicator)

\* Display the Actual Costs assigned to the just created Maintenance Order and set it to Technically Completed. Display the Settlement Rule.

Note:

The following information is displayed:

Field	Value
Actual Costs / Internal Labor	60,00 EUR
Sys.Status	TECO CNF JBF1 NMAT PRC SETC
Acct Assignment Cat. (via SAP GUI)	CTR
Settlement Category (via FLP)	Cost Center
Settlement Receiver	4110

**Answer:**

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 6 Overview

The goal of this task is to process a repair from start to finish. You will convert the "leaking pump" notification into a work order, plan the labor, record the work performed, and technically close the file.

Step 1: Create the Maintenance Order from Notification

Instead of starting from scratch, we link the order to the notification you created in Task 5.

\* Access the Transaction : Use transaction code IW31 .

\* Initial Screen :

\* Order Type : PM01.

\* Notification : Enter your notification number (e.g., 10000147).

\* Press Enter .

\* Header Data :

\* The description "Pump is leaking" should pull in automatically.

\* Main Work Center : Ensure it is T-ME48.

Explanation : By entering the notification number, SAP automatically pulls in the equipment, functional location, and problem description, ensuring "data integrity" across the maintenance process.

Step 2: Plan the Operations (Labor)

You must tell the system how much effort the repair requires.

\* Go to the Operations Tab .

\* Enter Planning Data :

\* Work : 2.

\* Unit (Un) : H (Hours).

\* Number : 1 (One person).

\* Duration (Dur.) : 2 / Unit : H.

\* Add Enhancement Data :

\* Click the Additional Data tab - > Enhancement sub-tab.

\* In the Field Key box, use the search (F4) to select 0000001 (User-defined fields).

\* In the first text box ( Text 1 ), type: Industrial Z48.

Explanation : Planning the work allows the system to calculate the estimated cost of the repair. The

"Enhancement" data is used to store specific technical details (like the motor type) that aren't in the standard SAP fields.

Step 3: Release the Order

An order in "Created" (CRTD) status is just a plan. To start work, it must be "Released" (REL).

\* Release : Look at the top toolbar and click the Green Flag icon .

\* Verify Status : The "Sys.Status" field should now include REL.

\* Save : Click the Save (floppy disk) icon.

Explanation : Releasing the order is the "Green Light" for the shop floor. It allows technicians to charge time to the job and warehouse staff to issue parts.

Step 4: Time Confirmation (Recording the Work)

Now we record that the repair is physically finished.

\* Access the Transaction : Use transaction code IW41 .

- \* Enter Data :
- \* Order : Enter your order number (e.g, 4000395).
- \* Actual Work : 2 H.
- \* Check the boxes for Final Confirmation and No Remaining Work .
- \* Confirmation Text : Pump repaired and tested.
- \* Save : Click the Save icon.

Explanation : This step captures the "Actual Cost." SAP multiplies the 2 hours of labor by the hourly rate of work center T-ME48 to calculate exactly how much this repair cost the company.

Step 5: Technical Completion (TECO)

The final administrative step to close the repair file.

- \* Access the Transaction : Use transaction code IW32 .
- \* Complete Technically :
- \* Go to menu: Order > Functions > Complete > Complete (technically) .
- \* Click the Green Checkmark on the popup window.
- \* Save : Click the Save icon.

Explanation : TECO (Technical Completion) locks the order. It tells the system the asset is back in service and prevents any further labor or parts from being charged to this specific job.

**NEW QUESTION # 13**

Check Inspection Lot and record Inspection Results

The project team evaluates during the implementation project the checking of Inspection Lots Checklist processing including result recording. The following features need to be checked:

- \* Display the automatically created Inspection Lot
- \* Record Inspection Results
- \* Display the automatically created Inspection Lot for the previously created Maintenance Order including Checklist. The Inspection Lot comprises the following data:

Field	Value
Material	T-PM1100
Plant	1010
Inspection Lot Origin	89 Miscellaneous
Group	CL-DE-00
Group Counter	1

- \* Record Inspection Results for the previously created Inspection Lot so that the Usage Decision is automatically set to Can be used

**Answer:**

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 13 Overview

This task focuses on the quality management (QM) integration with maintenance. You will verify the inspection lot that was automatically triggered by your maintenance order and then record the results to confirm the technical object is fit for use.

Step 1: Display the Automatically Created Inspection Lot

Before recording results, you must verify that the system generated the correct inspection lot for your maintenance order.

- \* Access the Transaction : Enter QA03 (Display Inspection Lot) in the command field and press Enter .
- \* Locate the Lot : Search for the inspection lot associated with the maintenance order you created in Task 12.
- \* Verify the Following Data :
- \* Material : T-PM1100
- \* Plant : 1010
- \* Inspection Lot Origin : 89 (Miscellaneous)
- \* Group : CL-DE-00
- \* Group Counter : 1

Explanation : The inspection lot is the central record for quality testing. Seeing these specific values (Group CL-DE-00) confirms that the classification you set up in Task 11 correctly triggered the intended inspection plan.

Step 2: Record Inspection Results

This is the process of entering the actual findings from the checklist inspection.

\* Access the Transaction : You can navigate directly from the Inspection Lot in QA03 or use transaction QE51N (Results Recording Selection).

\* Select the Lot : Enter your inspection lot number and click Execute .

\* Record Results :

\* Enter the inspection values for each characteristic listed in the checklist.

\* Ensure the values you enter are within the "Acceptable" range or marked as "Pass".

\* Automatic Usage Decision : Record the results such that the Usage Decision (UD) is automatically set to "Can be used" .

\* Save : Click the Save (floppy disk) icon.

Explanation : By recording positive results, you satisfy the quality requirements for the maintenance task.

The automatic transition to "Can be used" status tells the system the pump has passed inspection and the maintenance order can proceed toward completion.

## NEW QUESTION # 14

Task 11: Classify a piece of Equipment

The project team evaluates during the implementation project the classification of Technical Objects in order to use Checklists in SAP S/4HANA Asset Management. The following features need to be checked:

\* Assign a class to a Technical Object

\* Assign characteristic values to a class

\* Assign class EQ11 value to Technical Object T-PA## .

\* Assign a characteristic value, so that Inspection Plan Q / CL-DE-00 / 1 is automatically found during the checklist process

### Answer:

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 11 Overview

This task involves classifying a piece of equipment so it can be used in the Checklist process . By assigning a specific class and characteristic values, you enable the system to automatically find the correct inspection plan when a maintenance order is created.

Step 1: Access the Equipment Master Record

To classify the equipment, you must first open its master record in "Change" mode.

\* Transaction Code : Enter IE02 (Change Equipment) in the command field and press Enter .

\* Equipment : Enter T-PA48 .

\* Action : Press Enter to open the record.

Step 2: Assign the Class to the Equipment

Now you will link the equipment to a class that contains the required technical characteristics.

\* Navigate : Click the Classification button in the top toolbar (or go to the Classes tab if available).

\* Class Assignment :

\* Class Type : Ensure this is set to 002 (Equipment Class).

\* Class : Enter EQ11 .

\* Action : Press Enter . The system will now display the characteristics associated with class EQ11 in the bottom half of the screen.

Explanation : Assigning a class is like giving the equipment a "category". Class EQ11 is specifically configured in this system to hold the data needed for checklist processing.

Step 3: Assign Characteristic Values

This is the critical step that tells the system exactly which inspection plan to use for this specific pump.

\* Locate the Characteristic : In the values table, look for a characteristic related to "Inspection Plan" or "Checklist Group."

\* Enter the Value : Assign the value so that Inspection Plan CL-DE-00 / 1 is automatically found.

\* Note: Typically, you will enter CL-DE-00 in the "Inspection Plan Group" field and 1 in the "Group Counter" field.

\* Action : Press Enter to validate the values.

Explanation : Characteristic values are the specific details for this asset. By entering these values, you "tag" the equipment so that whenever it is added to a maintenance order, the system knows to look for the CL-DE-00 checklist automatically.

Step 4: Save

\* Action : Click the Save (floppy disk) icon.

\* Confirmation : The system should display a message at the bottom saying: "Equipment T-PA48 changed."

## NEW QUESTION # 15

Schedule a Maintenance Plan

The project team evaluates during the implementation project the scheduling of Maintenance Plans in SAP S/4HANA Asset Management. The following features need to be checked:

Schedule a Maintenance Plan

Display a generated Maintenance Order

Schedule the previously created Maintenance Plan. The following prerequisites have to be met:

The next upcoming call is the 4 MON Maintenance Package

Calculate the Completion Date of the last Maintenance Package as follows: Today's date minus 4 weeks (e.g.

today's date: 15th of December >>> Completion Date: 17th of November) The Call Date is always 10 days before the Plan Date.

Note:

Check your Maintenance Plan and adapt it, if necessary, before you schedule it.

Check the following information in the generated Maintenance Order:

number of order operations: 2

Maintenance Plan: number of the previously created Maintenance Plan

Last Included Task List: A / TL-## / 1

### Answer:

Explanation:

See the Explanation for complete Solution of this Task.

Explanation:

Task 9 Overview

The goal of this task is to trigger the maintenance schedule you built in Task 8 so that the system generates an actual work order.

You must meet specific scheduling conditions to ensure the right maintenance cycle (the 4- month package) is triggered.

Step 1: Adapt Scheduling Parameters (IP02)

Before starting the schedule, you must ensure the "Call Date" rules are correct.

\* Transaction : Enter IP02 (Change Maintenance Plan).

\* Maintenance Plan : Enter the number you saved in Task 8 and press Enter .

\* Scheduling Parameters Tab :

\* Call Horizon : Adjust this so that the Call Date occurs exactly 10 days before the Plan Date.

\* Note: If your system uses percentages, you will need to calculate the percentage of the 4-month cycle that results in a 10-day lead time.

\* Save your changes.

Step 2: Schedule the Plan (IP10)

Now you will "start" the clock for this maintenance schedule.

\* Transaction : Enter IP10 (Schedule Maintenance Plan).

\* Maintenance Plan : Enter your plan number and press Enter .

\* Start Scheduling : Click the Start icon (or go to Maintenance plan > Scheduling > Start ).

\* Enter the "Start Date" / "Completion Date" :

\* The Rule : You must use Today's date minus 4 weeks .

\* Example: If today is April 19, enter March 22.

\* Press Enter . The system will calculate the next calls.

\* Verify the Package : Ensure the next upcoming call is indeed the 4 MON (4-month) Maintenance Package.

\* Save (Floppy Disk icon). This will generate a new Maintenance Order number.

Step 3: Verify the Generated Maintenance Order

You must now check that the order was created correctly based on the rules of your Task List (Task 7) and Maintenance Plan (Task 8).

\* Display Order : In IP10 , select the line for the generated call and click the Display Order icon (or use transaction IW33 with the new order number).

\* Check the following three items :

\* Operations : Verify there are exactly 2 operations in the order (the Monthly and 4-Month tasks).

\* Maintenance Plan : Confirm the order shows your specific Maintenance Plan number.

\* Task List : Verify the "Last Included Task List" is A / TL-48 / 1 .

## NEW QUESTION # 16

.....

Our SAP C\_S43 practice exam simulator mirrors the C\_S43 exam experience, so you know what to anticipate on SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) (C\_S43) certification exam

day. Our SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) practice test ExamDiscuss features various question styles and levels, so you can customize your SAP C\_S43 Exam Questions preparation to meet your needs.

**Valid C\_S43 Exam Prep:** [https://www.examdiscuss.com/SAP/exam/C\\_S43/](https://www.examdiscuss.com/SAP/exam/C_S43/)

SAP C\_S43 Latest Mock Test As is known to all products quality is the basis of our company to live, Our C\_S43 exam simulation is compiled based on the resources from the authorized experts' diligent working and the real exam and confer to the past years' exam papers thus they are very practical, Accompanied with their help, the effectiveness of our C\_S43 pass-for-sure braindumps: SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) are boosting greatly.

The star topology is the most common topology in today's C\_S43 networks, and includes Ethernet, Fast Ethernet, and Gigabit Ethernet, Working with Frames in Adobe InDesign.

As is known to all products quality is the basis of our company to live, Our C\_S43 Exam simulation is compiled based on the resources from the authorized experts' diligent working Valid C\_S43 Exam Prep and the real exam and confer to the past years' exam papers thus they are very practical.

## C\_S43 Exam Latest Mock Test & Valid Valid C\_S43 Exam Prep Pass Success

Accompanied with their help, the effectiveness of our C\_S43 pass-for-sure braindumps: SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) are boosting greatly, Luckily you scan our website now, So, please believe us, 0 error rate is our commitment.

- Latest C\_S43 Exam Topics  Latest C\_S43 Exam Topics ▶ Latest C\_S43 Exam Topics  Open ( [www.troytecdumps.com](http://www.troytecdumps.com) ) enter 《 C\_S43 》 and obtain a free download  New C\_S43 Test Online
- Hot C\_S43 Latest Mock Test | Pass-Sure SAP Valid C\_S43 Exam Prep: SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601)  Search on ➡ [www.pdfvce.com](http://www.pdfvce.com)  for 《 C\_S43 》 to obtain exam materials for free download  C\_S43 Valid Test Preparation
- Pass4sure C\_S43 Pass Guide  Latest C\_S43 Exam Topics  Clearer C\_S43 Explanation  Search for ⇒ C\_S43 ⇐ and download it for free immediately on ✨: [www.dumpsquestion.com](http://www.dumpsquestion.com)  ✨  Reliable C\_S43 Source
- Reliable C\_S43 Source  Exam C\_S43 Book  Latest C\_S43 Exam Topics  Search for ✓ C\_S43  ✓  and download it for free immediately on { [www.pdfvce.com](http://www.pdfvce.com) }  Exam C\_S43 Book
- Reliable C\_S43 Source  Reliable C\_S43 Source  C\_S43 Reliable Exam Tutorial  Open 【 [www.examcollectionpass.com](http://www.examcollectionpass.com) 】 and search for 「 C\_S43 」 to download exam materials for free  C\_S43 Exam Certification
- C\_S43 Reliable Exam Tutorial  C\_S43 Latest Exam Duration  C\_S43 Reliable Exam Tutorial  Search on ➤ [www.pdfvce.com](http://www.pdfvce.com)  for ➡ C\_S43  to obtain exam materials for free download  Flexible C\_S43 Learning Mode
- VCE C\_S43 Dumps  C\_S43 Reliable Study Guide  C\_S43 Exam Certification  Search on 【 [www.prep4sures.top](http://www.prep4sures.top) 】 for 【 C\_S43 】 to obtain exam materials for free download  C\_S43 Reliable Exam Guide
- C\_S43 test valid dumps - C\_S43 latest exam training - C\_S43 exam study torrent  Open ➤ [www.pdfvce.com](http://www.pdfvce.com)  and search for ▶ C\_S43 ◀ to download exam materials for free ↗ Pass4sure C\_S43 Pass Guide
- 100% Pass Quiz 2026 C\_S43: SAP Certified Implementation Consultant - SAP S/4HANA Cloud Private Edition, Asset Management (C\_S43\_2601) Newest Latest Mock Test  Easily obtain “C\_S43 ” for free download through ➡ [www.examcollectionpass.com](http://www.examcollectionpass.com)    C\_S43 Reliable Exam Tutorial
- C\_S43 Valid Test Preparation  C\_S43 Latest Exam Duration  C\_S43 Valid Test Preparation ↙ Search for ✨: C\_S43  ✨  and download it for free immediately on 《 [www.pdfvce.com](http://www.pdfvce.com) 》  C\_S43 Reliable Study Guide
- Exam C\_S43 Introduction  Reliable C\_S43 Source  C\_S43 Exam Pattern  Open  [www.testkingpass.com](http://www.testkingpass.com)  enter ( C\_S43 ) and obtain a free download  VCE C\_S43 Dumps
- [optimusbookmarks.com](http://optimusbookmarks.com), [zoejocq992140.blogunteer.com](http://zoejocq992140.blogunteer.com), [violabgqy823929.oneworldwiki.com](http://violabgqy823929.oneworldwiki.com), [harmonyqkrm338186.wikiparticularization.com](http://harmonyqkrm338186.wikiparticularization.com), [jaysonknmt544249.tokka-blog.com](http://jaysonknmt544249.tokka-blog.com), [tvsocialnews.com](http://tvsocialnews.com), [rsaktze012645.shoutmyblog.com](http://rsaktze012645.shoutmyblog.com), [lancedhpw185772.law-wiki.com](http://lancedhpw185772.law-wiki.com), [anitauvqq108221.bloggadores.com](http://anitauvqq108221.bloggadores.com), [izaakjqe005620.wikinarration.com](http://izaakjqe005620.wikinarration.com), Disposable vapes