

C_ADBTP_2601日本語試験対策 & C_ADBTP_2601的中問題集



C_ADBTP_2601学習資料の内容はすべて、SAP長年にわたる試験の概要と業界の発展動向に基づいて、JPNTTest業界の専門家によって編集されています。C_ADBTP_2601試験ガイドは、単なるテスト問題のバッチワークではなく、独自のシステムと階層レベルを備えているため、ユーザーは効果的に改善できます。C_ADBTP_2601学習資料には、さまざまな被験者の特性と範囲に応じて試験の専門家が作成したテストペーパーが含まれています。また、C_ADBTP_2601試験の質問で勉強すると、Administrating SAP Business Technology Platform(C_ADBTP_2601)試験に合格することになります。

初心者でも経験豊富な人でも、JPNTTest学習教材は、長年にわたる試験概要の変化と業界の傾向に基づいて編集された専門家にとって最適な選択です。C_ADBTP_2601テストトレンドは、学習の効率を向上させるのに役立つだけでなく、レビュー時間を最大数か月から1か月、さらには2週間または3週間に短縮するのにも役立ちます。最大の改善を得る。そして、C_ADBTP_2601試験問題により、SAP、あなたのAdministrating SAP Business Technology Platform(C_ADBTP_2601)成功が保証されます。

>> C_ADBTP_2601日本語試験対策 <<

C_ADBTP_2601試験資料、C_ADBTP_2601試験問題、Administrating SAP Business Technology Platform(C_ADBTP_2601)試験

今、私たちSAPは非常に競争の激しい世界に住んでいます。あなたがまともな仕事を見つけて高い給料を稼ぎたいなら、あなたは優れた能力と豊富な知識を所有していなければなりません。この状況では、C_ADBTP_2601ガイドトレンドを所有することは非常に重要です。特定の分野で優れた能力を習得し、仕事をうまく処理できるからです。私たちが提供するC_ADBTP_2601試験準備は、C_ADBTP_2601試験に合格し、簡単にC_ADBTP_2601試験トレンドを所有するという夢を実現するのに役立ちます。

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) 認定 C_ADBTP_2601 試験問題 (Q10-Q15):

質問 # 10

SIMULATION

Enable Service Subscriptions

Task 2: Entitle and Subscribe a Service in a Subaccount

In your AM PA Prod subaccount, entitle the standard (Application) service plan for SAP Build Work Zone, standard edition.

In the AM PA Prod subaccount, establish a trust to the agvlamkzw.accounts.ondemand.com identity provider.

In your AM PA Prod subaccount, create a service subscription for SAP Build Work Zone, standard edition with the standard service plan.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Part A - Entitle the Service Plan in AM PA Prod

Step 1 - Open the AM PA Prod Subaccount

What to do

In the SAP BTP Cockpit, go to Directories.

Open the Partner directory.

Select the subaccount AM PA Prod.

Explanation:

This opens the exact subaccount where the entitlement and subscription must be created.

What to verify

You should now be on the AM PA Prod subaccount page.

Step 2 - Open Entitlements in the Subaccount

What to do

In AM PA Prod, open Entitlements.

Explanation:

SAP documents that subaccount entitlements are configured in the subaccount's entitlement area, where you add service plans and quotas available to that subaccount.

What to verify

You should see the Entitlements screen for AM PA Prod.

□ Step 3 - Add the Required Service Plan

What to do

Click Configure Entitlements or Add Service Plans.

Search for:

SAP Build Work Zone, standard edition

Select the service.

Choose the plan:

standard (Application)

Add the service plan.

Save the entitlement changes.

Explanation:

The task requires the standard (Application) plan specifically. SAP's entitlement flow requires you to add the service plan to the subaccount before you can subscribe to the application.

What to verify

Under Entitlements, you should now see:

SAP Build Work Zone, standard edition

plan: standard (Application)

Part B - Establish Trust to the Identity Provider

Step 4 - Open Trust Configuration

What to do

In the AM PA Prod subaccount, go to:

Security

Trust Configuration

Explanation:

SAP Help states that trust to a custom identity provider is established from the cockpit in Security > Trust Configuration.

What to verify

You should be on the Trust Configuration page of AM PA Prod.

Step 5 - Start the Trust Setup

What to do

Click Establish Trust or New Trust Configuration.

□ Explanation:

This opens the wizard or form to add a trusted identity provider for the subaccount. SAP documents this as the standard cockpit flow for custom identity provider trust.

Step 6 - Enter the Identity Provider

What to do

In the trust configuration, use the identity provider:

agvlankzw.accounts.ondemand.com

Continue through the wizard and confirm the trust setup.

Save the configuration.

Explanation:

The simulation explicitly requires trust to that identity provider domain. For SAP Build Work Zone, standard edition, SAP also notes

that the subaccount must trust an identity provider before subscription use cases for business users are completed.

What to verify

On the Trust Configuration page, the identity provider agvlamkzw.accounts.ondemand.com should appear as trusted.

□ Part C - Create the Service Subscription

Step 7 - Open the Subscription Area

What to do

In AM PA Prod, go to:

Services

Instances and Subscriptions

Explanation:

SAP Help for SAP Build subscriptions points to the subaccount subscription flow after the entitlement is available. In current cockpit usage, subscriptions are created from the subaccount's services are a.

What to verify

You should see the Instances and Subscriptions page.

□ Step 8 - Create the Subscription

What to do

Click Create.

Choose Subscription if a type selection appears.

Search for:

SAP Build Work Zone, standard edition

Select the plan:

standard

Then confirm the creation.

□ Explanation:

SAP's getting-started guidance for SAP Build Work Zone, standard edition says that once the subaccount has the required entitlement, you can subscribe to the application from the subaccount.

What to verify

You should now see a subscription entry for:

SAP Build Work Zone, standard edition

plan: standard

Step 9 - Confirm the Subscription Is Active

What to do

Check the status of the new subscription in Instances and Subscriptions.

Explanation:

The subscription should be visible and active in the subaccount after creation.

What to verify

You should see:

SAP Build Work Zone, standard edition

subscription created successfully

SAP's guidance for subscription-based applications consistently uses this subaccount subscription flow after entitlement is present.

□ Final Expected Result for Task 2

Inside AM PA Prod:

the entitlement SAP Build Work Zone, standard edition is assigned

the entitled plan is standard (Application)

trust is established to agvlamkzw.accounts.ondemand.com

a subscription exists for SAP Build Work Zone, standard edition

the subscription uses the standard service plan

Common Mistakes to Avoid

1. Doing the entitlement in the wrong place

This task must be done in:

AM PA Prod subaccount

Not only in:

Partner directory

Directory entitlement and subaccount entitlement are different scopes in the cockpit.

2. Choosing the wrong service or wrong plan

Use exactly:

SAP Build Work Zone, standard edition

standard (Application) for entitlement

standard for the subscription selection screen

SAP's service subscription flow starts only after the correct entitlement exists.

3. Skipping trust configuration

The simulation explicitly requires trust to:

agvlamkzw.accounts.ondemand.com

Trust is configured in Security > Trust Configuration.

4. Looking for subscription creation before entitlement

The entitlement must be added first, otherwise the service may not appear in the subscription creation flow.

Quick Validation Checklist

Confirm all of the following in AM PA Prod:

Entitlements contains SAP Build Work Zone, standard edition

the plan is standard (Application)

Trust Configuration shows agvlamkzw.accounts.ondemand.com

Instances and Subscriptions shows SAP Build Work Zone, standard edition the subscription is created successfully

質問 # 11

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance html5-eu-hcm-dev for the HTML5

Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances are a.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:

Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.

□ A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

□

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid

Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.

質問 # 12

SIMULATION

Create Directories and Subaccounts

In a global account for SAP Business Technology Platform (BTP), create a hierarchy of subaccounts using directories.

Task 1: Create Directories

In your SAP BTP cockpit, create the directory Americas (Description: Americas Accounts) with your global account as the parent.

Create the directory Eurasia (Description: Eurasia Accounts) with your global account as the parent.

Create the directory Partner (Description: Partner Accounts) with the Americas directory as the parent. Add the label access with value external.

Create the directory Human Resources (Description: Human Resources Accounts) with the Eurasia directory as the parent. Add the label access with value internal.

正解:

解説:

See the Explanation below for complete solution

Explanation:

Task 1: Create Directories

You need to create these directories:

Americas

Eurasia

Partner under Americas with label access=external

Human Resources under Eurasia with label access=internal

Before You Start

Log in to the SAP BTP Cockpit.

Make sure you are inside the correct Global Account.

Open the left-side navigation menu.

Why this is important:

All directories in this task must be created inside the correct global account hierarchy. If you create them in the wrong location, the simulation result will be incorrect.

Step 1 - Create Directory Americas

What to do

In the SAP BTP Cockpit, select your Global Account.

In the left navigation menu, click Directories.

Click Create or Create Directory.

Fill the fields as follows:

Name: Americas

Description: Americas Accounts

Parent: your Global Account

Click Create.

Explanation:

This creates a top-level directory directly under the global account.

It will later be used as the parent for the Partner directory.

What to verify

After creation, you should see:

Americas

listed under the directories of the global account.

Step 2 - Create Directory Eurasia

What to do

Stay in Directories.

Click Create Directory again.

Fill the fields:

Name: Eurasia

Description: Eurasia Accounts

Parent: your Global Account

Click Create.

Explanation:

This creates another top-level directory, parallel to Americas.

What to verify

You should now see both:

Americas

Eurasia

under the global account.

Step 3 - Create Directory Partner under Americas

What to do

In the Directories area, select Americas.

Click Create Directory.

Enter:

Name: Partner

Description: Partner Accounts

Parent: Americas

Locate the Labels section.

Add a new label:

Key: access

Value: external

Click Create.

Explanation:

This creates Partner as a child directory under Americas.

The label is required and must be entered exactly:

access = external

This label helps classify the directory.

What to verify

Under Americas, you should now see:

Partner

and the directory should contain the label:

access=external

Step 4 - Create Directory Human Resources under Eurasia

What to do

Go back to the Directories list.

Select Eurasia.

Click Create Directory.

Enter:

Name: Human Resources

Description: Human Resources Accounts

Parent: Eurasia

In the Labels section, add:

Key: access

Value: internal

Click Create.

□ Explanation:

This creates Human Resources as a child directory under Eurasia.

The required label is:

access = internal

What to verify

Under Eurasia, you should now see:

Human Resources

and the label should be:

access=internal

Final Expected Directory Structure

After completing Task 1, your structure must be exactly like this:

Global Account

Americas

Partner

Label: access=external

Eurasia

Human Resources

Label: access=internal

□ Important Checks Before Moving On

Verify all of the following:

Americas exists

Eurasia exists

Partner is under Americas

Human Resources is under Eurasia

Partner has label access=external

Human Resources has label access=internal

All names and descriptions are entered exactly as required

Common Mistakes to Avoid

1. Wrong parent

Partner must be created under Americas

Human Resources must be created under Eurasia

2. Wrong label key or value

Use exactly:

access → external

access → internal

3. Spelling errors

Be careful with:

Americas

Eurasia

Partner

Human Resources

4. Creating all directories directly under the global account

Only Americas and Eurasia are direct children of the global account.

Partner and Human Resources must be child directories.

質問 # 13

SIMULATION

Establish Shared Services

Task 1: Create a Shared Services Directory and Subaccounts

In your SAP BTP cockpit, create the directory Shared Services (Description: Shared Accounts) with your global account as the

parent.

In the Shared Services directory, create the subaccount SH Dev (Description: Shared Services Development) with subdomain btpops#####-sh-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

In the Shared Services directory, create the subaccount SH Ops (Description: Shared Services Operations) with subdomain btpops#####-sh-ops in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.

正解:

解説:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Make sure you are working in the correct global account before creating anything.

Why this matters:

The new directory and both subaccounts must be created inside the correct global account hierarchy.

Part A - Create the Shared Services Directory

Step 1 - Open Directories

What to do

In the SAP BTP Cockpit, open your Global Account.

In the left navigation menu, click Directories.

□ Explanation:

This is where you create and manage directory structures under the global account.

What to verify

You should now see the list of existing directories.

Step 2 - Create the Directory Shared Services

What to do

Click Create or Create Directory.

Enter the following values:

Name: Shared Services

Description: Shared Accounts

Parent: your Global Account

Click Create.

□ Explanation:

This creates a new top-level directory directly under the global account.

It will be used to hold the shared-services subaccounts.

What to verify

You should now see:

Shared Services

under the global account.

Part B - Create the SH Dev Subaccount

Step 3 - Open the Shared Services Directory

What to do

In the directory list, select Shared Services.

Explanation:

Both required subaccounts must be created inside this directory.

What to verify

You should now be inside the Shared Services directory.

Step 4 - Open Subaccounts

What to do

Inside Shared Services, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the subaccount creation screen.

Step 5 - Create SH Dev

What to do

Enter the following:

Display Name / Name: SH Dev

Description: Shared Services Development

Subdomain: btpops#####-sh-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services development subaccount in the required AWS Frankfurt region.

What to verify

After creation, you should see:

SH Dev

inside the Shared Services directory.

Part C - Create the SH Ops Subaccount

Step 6 - Start a New Subaccount

What to do

Still inside Shared Services, click Create → Subaccount again.

Explanation:

This opens the form for the second required subaccount.

Step 7 - Create SH Ops

What to do

Enter the following:

Display Name / Name: SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Set the region as:

Cloud Provider: Amazon Web Services (AWS)

Region: Europe (Frankfurt)

Technical Region / Environment: cf-eu10

Then click Create.

Explanation:

This creates the shared services operations subaccount in the same required region.

What to verify

After creation, you should see:

SH Ops

inside the Shared Services directory.

Final Expected Result for Task 1

You should now have:

Directory

Shared Services

Description: Shared Accounts

Parent: Global Account

Subaccounts inside Shared Services

SH Dev

Description: Shared Services Development

Subdomain: btpops####-sh-dev

Region: AWS → Europe (Frankfurt) cf-eu10

SH Ops

Description: Shared Services Operations

Subdomain: btpops####-sh-ops

Region: AWS → Europe (Frankfurt) cf-eu10

Common Mistakes to Avoid

1. Creating the directory in the wrong place

Shared Services must be created with:

parent = Global Account

2. Creating the subaccounts outside the directory

Both subaccounts must be created inside:

Shared Services

3. Wrong subdomain values

Use exactly:

btpops####-sh-dev

btpops####-sh-ops

Only replace ##### with your global account number.

4. Wrong region

Both subaccounts must use:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

5. Mixing up SH Dev and SH Ops

Be careful:

SH Dev = Shared Services Development

SH Ops = Shared Services Operations

質問 # 14

.....

献身と熱意を持ってC_ADBTP_2601ガイド資料を段階的に学習する場合、SAP必死に試験に合格することを保証します。学習資料の権威あるプロバイダーとして、潜在顧客からより多くの注目を集めるために、常に同等のテストと比較してC_ADBTP_2601模擬テストの高い合格率を追求しています。それ以外の場合、残念ながら、C_ADBTP_2601学習教材で試験に合格しなかった場合、製品費用はすぐに全額返金されます。C_ADBTP_2601研究トレントは、高い合格率でより魅力的で素晴らしいものになります。

C_ADBTP_2601的中問題集: https://www.jpntest.com/shiken/C_ADBTP_2601-mondaishu

SAPのC_ADBTP_2601試験問題は、より良い開発のために、流通、ソフトウェア、製品の参照において信頼できる地元企業のネットワークとのパートナーシップを通じて機能を拡張しました、C_ADBTP_2601トレーニングガイドが証明書の取得に役立つことを確認できます、ダウンロードとインストールでは、コンピューターとC_ADBTP_2601テスト準備を使用するユーザーの量に制限はありません、SAP C_ADBTP_2601日本語試験対策試験に合格してからあなたがよりよい仕事と給料がもらえるかもしれません、SAP C_ADBTP_2601日本語試験対策向上心を持っているあなたは参加する予定でしょう、SAP C_ADBTP_2601日本語試験対策我々の高い通過率はあなたに安心感を与えます。

が、すぐその後から、もつと強いのが追ひかけてきた、動揺を抑えて、とりあえず目先の疑問を優先する、SAPのC_ADBTP_2601試験問題は、より良い開発のために、流通、ソフトウェア、製品の参照において信頼できる地元企業のネットワークとのパートナーシップを通じて機能を拡張しました。

C_ADBTP_2601 新試験: SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) の試験範囲

C_ADBTP_2601トレーニングガイドが証明書の取得に役立つことを確認できます、ダウンロードとインストールでは、コンピューターとC_ADBTP_2601テスト準備を使用するユーザーの量に制限はありません、試験に合格してからあなたがよりよい仕事と給料がもらえるかもしれません。

向上心を持っているあなたは参加する予定でしょう。

- C_ADBTP_2601過去問 □ C_ADBTP_2601独学書籍 □ C_ADBTP_2601復習範囲 □ (www.jpshiken.com) で □ C_ADBTP_2601 □ を検索して、無料で簡単にダウンロードできますC_ADBTP_2601認定資格
- C_ADBTP_2601技術問題 □ C_ADBTP_2601認定資格 □ C_ADBTP_2601復習範囲 * ➡ www.goshiken.com □ を開いて ● C_ADBTP_2601 □ ● □ を検索し、試験資料を無料でダウンロードしてください C_ADBTP_2601過去問
- C_ADBTP_2601受験体験 □ C_ADBTP_2601模擬対策 □ C_ADBTP_2601模擬対策 □ ➡ www.topexam.jp □ を入力して □ C_ADBTP_2601 □ を検索し、無料でダウンロードしてくださいC_ADBTP_2601無料模擬試験
- 100%合格率C_ADBTP_2601 | 信頼的なC_ADBTP_2601日本語試験対策試験 | 試験の準備方法Administrating SAP Business Technology Platform(C_ADBTP_2601)的中問題集 □ “ www.goshiken.com ” を開き、「 C_ADBTP_2601 」 を入力して、無料でダウンロードしてくださいC_ADBTP_2601全真問題集
- C_ADBTP_2601全真問題集 □ C_ADBTP_2601試験資料 □ C_ADBTP_2601日本語版受験参考書 □ ➡ C_ADBTP_2601 □ の試験問題は ▶ jp.fast2test.com ◀ で無料配信中C_ADBTP_2601無料ダウンロード
- C_ADBTP_2601試験の準備方法 | 100%合格率C_ADBTP_2601日本語試験対策試験 | 最高のAdministrating SAP Business Technology Platform(C_ADBTP_2601)的中問題集 □ 「 C_ADBTP_2601 」 を無料でダウンロード (www.goshiken.com) ウェブサイトを入力するだけC_ADBTP_2601試験問題解説集
- 100%合格率C_ADBTP_2601 | 信頼的なC_ADBTP_2601日本語試験対策試験 | 試験の準備方法Administrating

SAP Business Technology Platform(C_ADBTP_2601)的中問題集 □ > www.xhs1991.com □ で 【 C_ADBTP_2601 】 を検索して、無料でダウンロードしてくださいC_ADBTP_2601試験合格攻略

- 効果的なC_ADBTP_2601日本語試験対策 - 合格スムーズC_ADBTP_2601的中問題集 | 有難いC_ADBTP_2601復習時間 □ ✓ www.goshiken.com □ ✓ □ サイトにて最新「 C_ADBTP_2601 」 問題集をダウンロード C_ADBTP_2601コンポーネント
- C_ADBTP_2601試験合格攻略 ☎ C_ADBTP_2601模擬対策 □ C_ADBTP_2601難易度 □ 【 C_ADBTP_2601 】 を無料でダウンロード 【 jp.fast2test.com 】 ウェブサイトを入力するだけC_ADBTP_2601試験合格攻略
- C_ADBTP_2601試験問題解説集 □ C_ADBTP_2601学習範囲 □ C_ADBTP_2601試験問題解説集 □ > www.goshiken.com □ を入力して 【 C_ADBTP_2601 】 を検索し、無料でダウンロードしてください C_ADBTP_2601コンポーネント
- C_ADBTP_2601試験の準備方法 | 有難いC_ADBTP_2601日本語試験対策試験 | 信頼的な Administrating SAP Business Technology Platform(C_ADBTP_2601)的中問題集 □ 時間限定無料で使える「 C_ADBTP_2601 」 の試験問題は⇒ www.mogixam.com ⇐ サイトで検索C_ADBTP_2601模擬対策
- wavesocialmedia.com, indexedbookmarks.com, antonsaak890621.blogspot.com, www.stes.tyc.edu.tw, www.stes.tyc.edu.tw, dl.instructure.com, lewysfsby260056.blogvivi.com, harleyrpy629602.blog2news.com, new-webdirectory.com, www.stes.tyc.edu.tw, Disposable vapes