

SAP C_BW4H_2505測試 & C_BW4H_2505證照指南



在IT領域工作的你，肯定想通過IT 認證考試來證明自己的能力吧？而且，擁有IT 認證資格的同事和朋友也愈來愈多了吧。在這種情況下，如果一個資格都沒有就趕不上別人了。那麼，你決定參加哪個考試呢？SAP的考試怎麼樣呢？比如像C_BW4H_2505認證考試這樣的考試。這是非常有價值的考試，肯定能幫助你實現你的願望。

我們都清楚的知道，IT行業是個新型產業，它是帶動經濟發展的鏈條之一，所以它的地位也是舉足輕重不可忽視的。IT認證又是IT行業裏競爭的手段之一，通過了認證你的各方面將會得到很好的上升，但是想要通過並非易事，所以建議你利用一下培訓工具，如果要選擇通過這項認證的培訓資源，Fast2test SAP的C_BW4H_2505考試培訓資料當仁不讓，它的成功率高達100%，能夠保證你通過考試。

>> SAP C_BW4H_2505測試 <<

精準覆蓋的C_BW4H_2505測試 |高通過率的考試材料|高質量的 C_BW4H_2505: SAP Certified Associate - Data Engineer - SAP BW/4HANA

成千上萬的IT考生通過使用我們的產品成功通過考試，SAP C_BW4H_2505考古題質量被廣大考試測試其是高品質的。我們從來不相信第二次機會，因此給您帶來的最好的SAP C_BW4H_2505考古題幫助您首次就通過考試，并取得不錯的成績。Fast2test網站幫助考生通過C_BW4H_2505考試獲得認證，不僅可以節約很多時間，還能得到輕鬆通過C_BW4H_2505考試的保證，這是IT認證考試中最重要的一場考試之一。

SAP C_BW4H_2505 考試大綱：

主題	簡介
主題 1	<ul style="list-style-type: none">• SAP BW• 4HANA Data Flow: This section of the exam measures the practical ability of SAP Consultants to load data within the SAP BW• 4HANA environment. It assesses familiarity with data movement and transformation processes across different layers of the system.

主題 2	<ul style="list-style-type: none"> • Fundamentals: This section of the exam measures the foundational understanding of SAP Consultants and covers essential terms and concepts related to SAP BW • 4HANA and SAP Business Data Cloud. It focuses on the core framework and architecture necessary to navigate and work with these platforms.
主題 3	<ul style="list-style-type: none"> • SAP BW • 4HANA Modeling: This section targets the skills of Data Engineers in selecting appropriate modeling options and applying best practices like LSA++ within SAP BW • 4HANA. It focuses on designing scalable, high-performing data models.
主題 4	<ul style="list-style-type: none"> • SAP BW Query Design: This section of the exam assesses the ability of Data Engineers to create and run queries using SAP BW • 4HANA. It evaluates how well candidates can work with query components to retrieve and structure data effectively for reporting and analysis.
主題 5	<ul style="list-style-type: none"> • Data Acquisition into SAP BW • 4HANA: This section tests how Data Engineers manage data integration into SAP BW • 4HANA from multiple sources. It covers essential knowledge of tools and processes used for data extraction, transformation, and loading into the SAP environment.
主題 6	<ul style="list-style-type: none"> • Data Acquisition into SAP HANA: This section evaluates the capacity of SAP Consultants to integrate various data sources into SAP HANA. It assesses their ability to understand different ingestion techniques and ensure data accessibility for processing.
主題 7	<ul style="list-style-type: none"> • SAP Analytics Tools and SAP Analytics Cloud: This section evaluates the skills of SAP Consultants in using tools like SAP Analytics Cloud, Lumira, and Analysis for Office to visualize and interpret data. It focuses on the consultant's ability to apply business intelligence tools within the SAP ecosystem.
主題 8	<ul style="list-style-type: none"> • SAP BW • 4HANA Project and the Modeling Process: This section of the exam assesses how Data Engineers guide and contribute to SAP BW • 4HANA projects. It includes knowledge of modeling workflows, project lifecycle stages, and collaboration strategies within project teams.
主題 9	<ul style="list-style-type: none"> • Native SAP HANA Modeling: This section evaluates the ability of SAP Consultants to describe and apply native modeling options in SAP HANA. It emphasizes understanding how to build optimized data structures directly within the HANA platform.

最新的 SAP Certified Associate C_BW4H_2505 免費考試真題 (Q18-Q23):

問題 #18

You use a measure with semantic type "Amount with Currency Code" in your SAP HANA HDI calculation view. Which kind of currency reference can be assigned to the measure? Note: There are 2 correct answers to this question.

- A. Another column of the same SAP HANA view
- B. A column from another SAP HANA view
- C. A variable in the same SAP HANA view
- D. A fixed currency from table TCURC

答案: A,C

問題 #19

What are some of the prerequisites for using SAP S/4HANA ABAP CDS views for extraction into SAP BW /4HANA in an ODP context? Note: There are 2 correct answers to this question.

- A. The Operational Data Provisioning Framework must be configured in SAP BW/4HANA.
- B. The ABAP CDS views must be defined with the appropriate data extraction annotations.

- C. The ABAP CDS views must be released through the program RODPS_OS_EXPOSE for BW extraction.
- D. An ODP source system with context ODP_CDS must be created in SAP BW/4HANA.

答案: C,D

解題說明:

Extracting data from SAP S/4HANA ABAP CDS (Core Data Services) views into SAP BW/4HANA using the Operational Data Provisioning (ODP) framework requires specific prerequisites. These ensure that the CDS views are properly exposed and accessible for extraction. Below is a detailed explanation of why the verified answers are correct.

* ABAP CDS Views: ABAP CDS views are reusable data models defined in SAP S/4HANA. They provide a semantic layer for querying data and can be used for reporting and analytics.

* Operational Data Provisioning (ODP): ODP is a framework in SAP BW/4HANA that enables real-time or near-real-time data extraction from various source systems, including SAP S/4HANA.

* ODP Contexts: ODP contexts define the type of source system and data extraction method. For CDS views, the context ODP_CDS is used.

* Data Extraction Annotations: Annotations in CDS views specify metadata for extraction purposes, such as field properties and extraction behavior.

Key Concepts:

* Option A: The ABAP CDS views must be released through the program RODPS_OS_EXPOSE for BW extraction.

* Why Correct? To make an ABAP CDS view available for extraction via ODP, it must be explicitly released using the program RODPS_OS_EXPOSE. This step registers the view in the ODP framework and makes it accessible to SAP BW/4HANA.

* Option B: The Operational Data Provisioning Framework must be configured in SAP BW/4HANA.

* Why Incorrect? While configuring the ODP framework is a general prerequisite for any ODP-based extraction, it is not specific to extracting ABAP CDS views. This option is too broad to be considered a direct prerequisite.

* Option C: An ODP source system with context ODP_CDS must be created in SAP BW/4HANA.

* Why Correct? To extract data from ABAP CDS views, you must create an ODP source system in SAP BW/4HANA with the context ODP_CDS. This context specifies that the source system provides data from CDS views.

* Option D: The ABAP CDS views must be defined with the appropriate data extraction annotations.

* Why Incorrect? While annotations are important for defining metadata in CDS views, they are not mandatory for ODP-based extraction. The primary requirement is releasing the view using RODPS_OS_EXPOSE.

Verified Answer Explanation:

* SAP BW/4HANA Extraction Guide: The guide outlines the steps for extracting data from ABAP CDS views using the ODP framework, including the use of RODPS_OS_EXPOSE and the creation of an ODP source system.

* SAP Note 2700850: This note provides detailed instructions on releasing CDS views for BW extraction and configuring the ODP framework.

* SAP Best Practices for ODP Extraction: SAP recommends using the ODP_CDS context for extracting data from ABAP CDS views and emphasizes the importance of releasing views using RODPS_OS_EXPOSE.

SAP Documentation and References:

問題 #20

Which SAP BW/4HANA objects support the feature of generating an external SAP HANA View? Note:

There are 2 correct answers to this question.

- A. BW query
- B. Open ODS view
- C. Semantic group object
- D. Composite Provider

答案: A,D

問題 #21

For what reasons is the start process a special type of process in a process chain? Note: There are 2 correct answers to this question.

- A. It is the only process that can be scheduled without a predecessor.
- B. Only one start process is allowed for each process chain.
- C. It can be embedded in a Meta chain.
- D. It can be a successor to another process.

答案: A,B

解題說明:

The start process in an SAP BW/4HANA process chain is a unique and essential component. It serves as the entry point for executing the chain and has specific characteristics that distinguish it from other processes.

Below is a detailed explanation of why the verified answers are correct.

* Process Chain Overview: A process chain in SAP BW/4HANA is a sequence of processes (e.g., data loads, transformations, reporting) that are executed in a predefined order. The start process initiates the execution of the chain.

* Start Process Characteristics:

* The start process is mandatory for every process chain.

* It determines when and how the process chain begins execution.

* It does not require a predecessor process to trigger its execution.

* Meta Chains: A meta chain is a higher-level process chain that controls the execution of multiple sub-process chains. While the start process can be part of a meta chain, this is not its defining characteristic.

Key Concepts:

* Option A: Only one start process is allowed for each process chain.

* Why Correct? Every process chain must have exactly one start process. This ensures that there is a single, unambiguous entry point for the chain. Multiple start processes would create ambiguity about where the chain begins.

* Option B: It can be embedded in a Meta chain.

* Why Incorrect? While the start process can technically be part of a meta chain, this is not a unique feature of the start process.

Other processes in a chain can also be embedded in a meta chain, so this is not a distinguishing reason.

* Option C: It can be a successor to another process.

* Why Incorrect? The start process cannot have a predecessor because it is the first process in the chain. By definition, it initiates the chain and cannot depend on another process to trigger it.

* Option D: It is the only process that can be scheduled without a predecessor.

* Why Correct? The start process is unique in that it can be scheduled independently without requiring a predecessor. This allows the process chain to begin execution based on a schedule or manual trigger.

Verified Answer Explanation:

* SAP BW/4HANA Process Chain Guide: The guide explains the role of the start process in initiating a process chain and emphasizes that only one start process is allowed per chain.

* SAP Note 2700850: This note highlights the scheduling capabilities of the start process and clarifies that it does not require a predecessor.

* SAP Best Practices for Process Chains: SAP recommends using the start process as the sole entry point for process chains to ensure clarity and consistency in execution.

SAP Documentation and References:

問題 #22

How can you protect all InfoProviders against displaying their data?

- A. By flagging all InfoAreas as authorization-relevant
- B. By flagging all InfoProviders as authorization-relevant
- C. By flagging the characteristic 0TCAIPROV as authorization-relevant
- D. By flagging the characteristic 0INFOPROV as authorization-relevant

答案: C

解題說明:

To protect all InfoProviders against displaying their data, you need to ensure that access to the InfoProviders is controlled through authorization mechanisms. Let's evaluate each option:

* Option A: By flagging all InfoProviders as authorization-relevant This is incorrect. While individual InfoProviders can be flagged as authorization-relevant, this approach is not scalable or efficient when you want to protect all InfoProviders. It would require manually configuring each InfoProvider, which is time-consuming and error-prone.

* Option B: By flagging the characteristic 0TCAIPROV as authorization-relevant This is correct. The characteristic 0TCAIPROV represents the technical name of the InfoProvider in SAP BW/4HANA. By flagging this characteristic as authorization-relevant, you can enforce access restrictions at the InfoProvider level across the entire system. This ensures that users must have the appropriate authorization to access any InfoProvider.

* Option C: By flagging all InfoAreas as authorization-relevant This is incorrect. Flagging InfoAreas as authorization-relevant controls access to the logical grouping of InfoProviders but does not provide granular protection for individual InfoProviders. Additionally, this approach does not cover all scenarios where InfoProviders might exist outside of InfoAreas.

* Option D: By flagging the characteristic 0INFOPROV as authorization-relevant This is incorrect. The characteristic 0INFOPROV is

