

Valid Test C-ADBTP-2601 Vce Free - C-ADBTP-2601 Valid Exam Papers

exam@pass4sure.com.' At the bottom, there is a red button that says 'Valid Test C-Activate22 Vce Free' and a section titled 'Quiz SAP - Reliable C-Activate22 - Valid Test SAP Certified Associate - SAP Activate Project Manager Vce Free'. Below this, there is more text: 'Are you ready to gain all the C-Activate22 certification benefits? Looking for a simple, smart, and quick way to pass the challenging C-Activate22 exam? If your answer is yes then you need to enroll in the C-Activate22 exam with a prepare way to reach this C-Activate22 exam with good scores. In this latest submission process, you can get help from Prokerala. The Prokerala will provide you with final updates and effective SAP C-Activate22 Exam Dumps that will enable you to pass the final C-Activate22 exam easily.'"/>

Scenarios of our Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) practice tests are similar to the actual C-ADBTP-2601 exam. You feel like sitting in the real C-ADBTP-2601 exam while taking these Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) practice exams. Practicing under these conditions helps you cope with SAP C-ADBTP-2601 Exam anxiety. Moreover, regular attempts of the C-ADBTP-2601 practice test are also beneficial to enhance your speed of completing the final Administrating SAP Business Technology Platform(C_ADBTP_2601) (C-ADBTP-2601) test within the given time.

All kinds of exams are changing with dynamic society because the requirements are changing all the time. To keep up with the newest regulations of the C-ADBTP-2601 exam, our experts keep their eyes focusing on it. And the C-ADBTP-2601 study tool can provide a good learning platform for users who want to get the test C-ADBTP-2601 Certification in a short time. If you can choose to trust us, I believe you will have a good experience when you use the SAP Certified Associate study guide, and you can pass the exam and get a good grade in the test C-ADBTP-2601 certification.

>> Valid Test C-ADBTP-2601 Vce Free <<

C-ADBTP-2601 Valid Exam Papers - C-ADBTP-2601 Latest Exam Pass4sure

We hold on to inflexible will power to offer help both providing the high-rank C-ADBTP-2601 exam guide as well as considerate after-seals services. With our C-ADBTP-2601 study tools' help, passing the exam will be a matter of course. It is our abiding belief

to support your preparation of the C-ADBTP-2601 study tools with enthusiastic attitude towards our jobs. And all efforts are paid off. Our C-ADBTP-2601 Exam Torrent is highly regarded in the market of this field and come with high recommendation. Choosing our C-ADBTP-2601 exam guide will be a very promising start for you to begin your exam preparation because our C-ADBTP-2601 practice materials with high repute.

SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Sample Questions (Q10-Q15):

NEW QUESTION # 10

SIMULATION

Task 3: Create Subaccounts with Default Provider and Region

In the Human Resources directory, create the subaccount EU HCM Dev (Description: Human Resources Development) with subdomain btpops#####-eu-hcm-dev in the region Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10.2.

In the Human Resources directory, create the subaccount EU HCM Test (Description: Human Resources Testing) with subdomain btpops#####-eu-hcm-test using EU HCM Dev as source subaccount.3.

In the Human Resources directory, create the subaccount EU HCM Prod (Description: Human Resources Production) with subdomain btpops#####-eu-hcm-prod using EU HCM Dev as source subaccount. Set the subaccount as used in production.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

You must create these 3 subaccounts inside the Human Resources directory:

EU HCM Dev

EU HCM Test

EU HCM Prod

Important:

Replace ##### with your global account number

Enter names, descriptions, and subdomains exactly

EU HCM Prod must be marked as used in production

Task 3 - Create Subaccounts with Default Provider and Region

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Human Resources directory.

Why this matters:

All 3 subaccounts in this task must be created inside Human Resources. If you create them anywhere else, the result will be incorrect.

Step 1 - Open the Human Resources Directory

What to do

In the left menu, choose Directories.

In the list, select Human Resources.

Explanation:

This is the parent directory where the required HR subaccounts must be created.

What to verify

You should now be inside the Human Resources directory.

Step 2 - Start Creating EU HCM Dev

What to do

Inside Human Resources, open Subaccounts.

Click Create → Subaccount.

Explanation:

This opens the form to create the first HR subaccount.

Step 3 - Enter Values for EU HCM Dev

What to do

Enter the following:

Display Name / Name: EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Set the region as:

Cloud Provider: Amazon Web Services (AWS)
Region: Europe (Frankfurt)
Technical Region / Environment: cf-eu10
Then click Create.

The screenshot shows the 'Create Subaccount' form in SAP Cockpit. The form is titled 'Create Subaccount' and has several input fields and a dropdown menu. The 'Display Name' field contains 'EU HCM Dev'. The 'Description' field contains 'Human Resources Development'. The 'Region' dropdown menu is set to 'Europe (Frankfurt) - AWS'. The 'Subdomain' field contains 'btpops xxx- eu-hcm-dev'. The 'Parent' dropdown menu is set to 'Eurasia'. There is an 'Advanced' section with a right-pointing arrow. At the bottom right, there is a 'Create' button and a 'Cancel' button. A large 'SAP' logo is overlaid on the bottom right of the form. A watermark 'free4dump.com' is visible across the form.

Explanation:

This creates the development subaccount for HR and defines the required provider and region.

This first subaccount is important because it will be used as the source subaccount for the next two subaccounts.

What to verify

After creation, you should see:

EU HCM Dev

under the Human Resources directory.

Step 4 - Confirm EU HCM Dev Exists

What to do

Check the subaccounts list in Human Resources.

Explanation:

You must make sure EU HCM Dev is available before you create the next subaccounts, because both EU HCM Test and EU HCM Prod must use it as the source subaccount.

What to verify

You should see:

EU HCM Dev

If it is missing, create it correctly before moving on.

Step 5 - Start Creating EU HCM Test

What to do

Still in the Human Resources directory, click Create → Subaccount again.

Explanation:

This opens the form for the test subaccount.

Step 6 - Enter Values for EU HCM Test

What to do

Enter:

Display Name / Name: EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Then select:

Source Subaccount: EU HCM Dev

Then click Create.

Explanation:

This creates the testing subaccount by using EU HCM Dev as the source subaccount.

This helps keep the configuration aligned with the development subaccount.

What to verify

After creation, you should see:

EU HCM Test

under Human Resources.

Name	Type	Environment	Provider	Region	Changed On
BTP Admin Certification xxxxx	Global Account				March 25, 2026, 5:11:2...
Americas	Directory				March 26, 2026, 3:27:5...
Partner	Directory				March 26, 2026, 3:30:3...
AM FA Dev Test	Subaccount	Multi-Environment	Microsoft Azure	US West (NR)	March 26, 2026, 3:25:3...
AM FA Prod	Subaccount	Multi-Environment	Microsoft Azure	US West (NR)	March 26, 2026, 3:29:3...
Eurasia	Directory				March 26, 2026, 3:28:2...
Human Resources	Directory				March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:43:4...
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS	March 26, 2026, 3:46:5...

Step 7 - Start Creating EU HCM Prod

What to do

In Human Resources, click Create → Subaccount once more.

Explanation:

This opens the form for the production subaccount.

Step 8 - Enter Values for EU HCM Prod

What to do

Enter:

Display Name / Name: EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Then select:

Source Subaccount: EU HCM Dev

Enable:

Used in Production: Yes

Then click Create.

Explanation:

This creates the production HR subaccount based on EU HCM Dev and marks it as a production system.

The production setting is mandatory here.

What to verify

After creation, you should see:

EU HCM Prod

under Human Resources, and it should be marked as used in production.

Create Subaccount

Display Name*
EU HCM Prod

Description
Human Resources Production

Region*
Europe (Frankfurt) - AWS

Subdomain* ⓘ
btpops xxxx-eu-hcm-prod

Parent*
Human Resources

Advanced

Used for production ⓘ

Enable beta features ⓘ

Add labels to this subaccount. ⓘ

Name: Values:

Enter label name

+

Create Cancel

Final Expected Result for Task 3

Inside the Human Resources directory, you must have these 3 subaccounts:

1. EU HCM Dev

Description: Human Resources Development

Subdomain: btpops#####-eu-hcm-dev

Region: Amazon Web Services (AWS) → Europe (Frankfurt) cf-eu10

2. EU HCM Test

Description: Human Resources Testing

Subdomain: btpops#####-eu-hcm-test

Source Subaccount: EU HCM Dev

3. EU HCM Prod

Description: Human Resources Production

Subdomain: btpops#####-eu-hcm-prod

Source Subaccount: EU HCM Dev

Used in Production: Yes

Name	Type	Environment	Provider	Region	Changed On
EU HCM Dev	Subaccount	Multi-Environment	Microsoft Azure	US West (St)	March 25, 2025, 3:27:53
EU HCM Test	Subaccount	Multi-Environment	Microsoft Azure	US West (St)	March 25, 2025, 3:28:02
EU HCM Prod	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt)	March 25, 2025, 3:43:24
EU HCM Dev	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt)	March 25, 2025, 3:43:33
EU HCM Test	Subaccount	Multi-Environment	Amazon Web Services (AWS)	Europe (Frankfurt)	March 25, 2025, 3:43:53

Common Mistakes to Avoid

1. Creating the subaccounts in the wrong directory

All 3 must be created inside:

Human Resources

Not under:

Global Account

Americas

Eurasia

Partner

2. Wrong subdomain values

Use exactly:

btpops#####-eu-hcm-dev

btpops#####-eu-hcm-test

btpops#####-eu-hcm-prod

Only replace ##### with your global account number.

3. Wrong region for EU HCM Dev

It must be:

Amazon Web Services (AWS)

Europe (Frankfurt)

cf-eu10

4. Wrong source subaccount

For both:

EU HCM Test

EU HCM Prod

you must select:

EU HCM Dev

5. Forgetting the production flag

For EU HCM Prod, make sure:

Used in Production is enabled

NEW QUESTION # 11

SIMULATION

Enable a Cloud Foundry Environment

Task 2: Enable and Configure a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, enable the Cloud Foundry environment in the cf-eu10-004 landscape.

Set the instance name to cf-eu-hcm-dev and the org name to btpops#####-eu-hcm-dev.

In the EU HCM Dev subaccount, create a space with the name activity-recording.

In the EU HCM Dev subaccount, create a space quota with the name half-org-quot a. Halve the available org quota for memory, routes, service, and instance memory for an unlimited number of app instances. Assign the space quota to activity-recording.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open Human Resources.

Open the EU HCM Dev subaccount.

This matters because the task must be completed specifically in EU HCM Dev. SAP documents that Cloud Foundry is enabled at subaccount level, and the system creates a Cloud Foundry org linked to that subaccount.

Part 1 - Enable the Cloud Foundry environment

Step 1 - Open the subaccount overview

In EU HCM Dev, go to Overview.

Explanation:

SAP Help describes the cockpit flow for enabling Cloud Foundry from the subaccount Overview page.

What to verify

You should see a Cloud Foundry section on the overview page.

Step 2 - Start enabling Cloud Foundry

In the Cloud Foundry section, click Enable Cloud Foundry.

Explanation:

This starts creation of the Cloud Foundry organization for the subaccount. SAP notes that when you enable Cloud Foundry in a

subaccount, the system automatically creates a Cloud Foundry org for it.

Step 3 - Enter the required Cloud Foundry values

In the enablement dialog, enter:

Landscape: cf-eu10-004

Instance Name: cf-eu-hcm-dev

Org Name: btpops#####-eu-hcm-dev

Then confirm by clicking Create or Enable.

Explanation:

The task gives you the exact landscape and naming values to use. SAP documentation shows that enabling Cloud Foundry in the cockpit requires naming the Cloud Foundry instance and org.

What to verify

After the process completes, the subaccount should show Cloud Foundry as enabled, with the org created for EU HCM Dev.

Part 2 - Create the space

Step 4 - Open Spaces

In EU HCM Dev, after Cloud Foundry is enabled, open:

Cloud Foundry

Spaces

Explanation:

SAP Help shows that spaces are created from the Spaces area after Cloud Foundry is enabled in the subaccount.




Step 5 - Create the space

Click Create Space.

Enter:

Space Name: activity-recording

Confirm by clicking Create.



Explanation:

This creates the required Cloud Foundry space inside the org for EU HCM Dev. SAP's cockpit documentation and setup guides show this as the standard next step after enabling the environment.

What to verify

You should now see:

activity-recording

in the list of Cloud Foundry spaces.

Part 3 - Create the space quota

Step 6 - Open Cloud Foundry Space Quotas

In EU HCM Dev, open:

Cloud Foundry

Space Quotas

Explanation:

SAP Help states that, in the Cloud Foundry environment, the quotas allocated to a subaccount can be further distributed by creating space quota plans, and these are managed from the Cloud Foundry Space Quotas area.

Step 7 - Create a new space quota

Click Create Space Quota or New Space Quota.

Enter the quota name:

half-org-quota

Explanation:

This creates a quota plan that you will assign to the required space. SAP Help describes creating space quota plans in the subaccount and then assigning them to spaces.

Step 8 - Set quota values to half of the org quota

In the quota form, set the values to half of the available org quota for:

Memory

Routes

Services

Instance Memory

For App Instances, set:

Unlimited

Then save the quota.

Create Space Quota

! You are allowed to add a value above the org quota, but the org quota is the consumable limit you can reach. To assign the "Unlimited" value, use -1.

Name: *

Space Memory (MB): *
Org Quota: 1024 MB (1GB)

Routes: *
Org Quota: 10

Service Instances: *
Org Quota: 500

Memory per Instance (MB): *
Org Quota: 16384 MB (16GB)

App Instances: *
Org Quota: Unlimited

Allow Paid Services:

Explanation:

The simulation asks you to halve the available org quota for those four dimensions. SAP Help confirms that space quotas are used to limit resource consumption inside the org by defining values such as memory, routes, and service instances, and that these plans can then be assigned to spaces.

How to calculate "half"

Use the current org quota values shown in the Cloud Foundry quota screens and divide each by 2 before entering it.

Examples:

If org memory = 2 GB, enter 1 GB

If routes = 20, enter 10

If services = 200, enter 100

If instance memory = 2 GB, enter 1 GB

What to verify

The new quota plan should exist as:

half-org-quota

with the reduced values saved.

 BTP Admin Certification 3974 /  EU HCM Dev

Subaccount: EU HCM Dev - Space Quotas

[Space Quotas](#)

[Quota Assignments](#)

Space Quotas (1)

half-org-quota

Not assigned

Space Memory:
512MB

Paid Services:
Not Allowed

Routes:
5

App Instances:
Unlimited

Service Instances:
250

Memory per Instance:
8GB

Part 4 - Assign the quota to the space

Step 9 - Assign the quota to activity-recording

Open the newly created quota:

half-org-quota

Choose Assign Spaces or Assign to Spaces

Select:

activity-recording

Save the assignment


Explanation:

SAP Help states that after creating a space quota, you assign it to one or more spaces from the space quota management flow.

What to verify

The quota half-org-quota should now be assigned to:

activity-recording



Edit Quota Assignment

Space:

activity-recording

Quota:

Org Quota

Space Quota

Name: *

half-org-quota

Save

Cancel



Final expected result

Inside EU HCM Dev:

Cloud Foundry is enabled

landscape is cf-eu10-004

instance name is cf-eu-hcm-dev

org name is bttops####-eu-hcm-dev

space activity-recording exists
space quota half-org-quota exists
memory, routes, services, and instance memory are each set to half of the available org quota app instances are unlimited quota half-org-quota is assigned to activity-recording Common mistakes to avoid Enabling Cloud Foundry in the wrong subaccount; it must be EU HCM Dev.
Using the wrong landscape; the task explicitly requires cf-eu10-004.
Typing the wrong org name; use exactly btopops#####-eu-hcm-dev.
Forgetting to create the space before assigning the quota.
Entering full org quota instead of half.
Limiting app instances to a number instead of leaving them unlimited.
Creating the quota but not assigning it to activity-recording.

NEW QUESTION # 12

SIMULATION

Enable Service Subscriptions

In the entitlements of a directory, add a service plan for a service subscription. Assign and create this subscription to/in a subaccount of the directory.

Task 1: Entitle a Service in a Directory

In your SAP BTP cockpit, enable entitlement management for your Partner directory.

In your Partner directory, entitle the standard (Application) service plan for the SAP Build Work Zone, standard edition.

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before You Start

Log in to the SAP BTP Cockpit.

Open the correct Global Account.

Go to Directories.

Open the Partner directory.

Why this matters:

Both actions in this task must be done at the Partner directory level, not directly in a subaccount.

Step 1 - Open the Partner Directory

What to do

In the left navigation, click Directories.

Select Partner.

Explanation:

This opens the directory where you must manage entitlements for this task.

What to verify

You should now be inside the Partner directory page.




Step 2 - Open Entitlements

What to do

Inside the Partner directory, go to Entitlements.

Explanation:

This is the area where you manage quota and service plan assignments for the directory and its subaccounts.
 What to verify
 You should see the entitlements page for Partner.



Step 3 - Enable Entitlement Management for the Partner Directory

What to do

In the Entitlements area, look for the option to Enable Entitlement Management. Click Enable.



Explanation:

A directory must have entitlement management enabled before you can add and manage service plans there.


What to verify


After enabling, the Partner directory should allow entitlement assignment and management.

Step 4 - Start Adding a Service Plan

What to do

In the Entitlements page of the Partner directory, click Configure Entitlements or Add Service Plans.






Explanation:

This opens the service catalog where you can select the service and plan to add.

What to verify

You should see the list of available services and plans.

Directory Partner: Add Service Plans



Step 5 - Find the Required Service

What to do

Search for or scroll to:

SAP Build Work Zone, standard edition

Select that service.

Explanation:

You must choose the exact service named in the task. Be careful not to select a different SAP Build service by mistake.

What to verify

The selected service should be:

SAP Build Work Zone, standard edition

Step 6 - Select the Correct Service Plan

What to do

Under the selected service, choose the service plan:

standard (Application)

Add the plan to the entitlement configuration.

Explanation:

This task requires the standard (Application) service plan specifically.

Do not choose another plan if more than one is listed.

What to verify

The selected plan should read exactly:

standard (Application)

Step 7 - Save the Entitlement Changes

What to do

Click Add, Save, or Confirm depending on the screen.

Then click Save for the entitlement configuration.

Explanation:

This commits the new service plan entitlement to the Partner directory.

What to verify

After saving, the entitlements list for Partner should include:

SAP Build Work Zone, standard edition
plan: standard (Application)

Credential Store	credstore	proxy	Assigned (1 unit)	<input type="checkbox"/>	×
Destination Service	destination	lite	Assigned (1 unit)	<input type="checkbox"/>	×
Feature Flags Service	feature-flags-dashboard	dashboard (Application)	Assigned (1 unit)	<input type="checkbox"/>	×
	feature-flags	standard	Assigned (1 unit)	<input type="checkbox"/>	×
HTML5 Application Repository Service	html5-apps-repo	lite	Assigned (1 unit)	<input type="checkbox"/>	×
		app-host	Assigned (1 unit)	<input type="checkbox"/>	×
Print Service	print	app-runtime	Assigned (1 unit)	<input type="checkbox"/>	×
		receiver	Assigned (1 unit)	<input type="checkbox"/>	×
SaaS Provisioning Service	saas-registry	application	Assigned (1 unit)	<input type="checkbox"/>	×
SAP Build Work Zone standard	SAPLaunchpad	standard (Application)	Assigned (1 unit)	<input checked="" type="checkbox"/>	×
Service Manager	service-manager	service-operator-access	Assigned (1 unit)	<input type="checkbox"/>	×
		global-offerings-audit	Assigned (1 unit)	<input type="checkbox"/>	×
		subaccount-audit	Assigned (1 unit)	<input type="checkbox"/>	×
		subaccount-admin	Assigned (1 unit)	<input type="checkbox"/>	×
		container	Assigned (1 unit)	<input type="checkbox"/>	×

Final Expected Result for Task 1

Inside the Partner directory:

Entitlement management is enabled

The service SAP Build Work Zone, standard edition is entitled

The plan standard (Application) is added

Common Mistakes to Avoid

1. Working in the wrong level

Do this in:

Partner directory

Not in:

Global Account

Subaccount

Another directory

2. Forgetting to enable entitlement management first

If entitlement management is not enabled for the directory, you may not be able to add the service plan properly.

3. Choosing the wrong service

Be sure you select:

SAP Build Work Zone, standard edition

Not another SAP Build service.

4. Choosing the wrong plan

You must select:

standard (Application)

NEW QUESTION # 13

SIMULATION

Create a Service Instance in Cloud Foundry

Enable a service instance of the HTML5 Application Repository Service for Cloud Foundry.

Create a Service Instance in a Cloud Foundry Environment

In your SAP BTP cockpit, in the EU HCM Dev subaccount, create the service instance htm5-eu-hcm-dev for the HTML5 Application Repository Service with the service plan app-host in the Cloud Foundry space activity-recording

Answer:

Explanation:

See the Explanation below for complete solution.

Explanation:

Before you start

Log in to SAP BTP Cockpit.
Open the correct Global Account.
Go to Directories.
Open Human Resources.
Open the EU HCM Dev subaccount.

This matters because the task must be completed in EU HCM Dev, and the service instance must be created in the specific Cloud Foundry space activity-recording. SAP Help also confirms that the HTML5 Application Repository is used in the Cloud Foundry environment and that the app-host plan is the host service used to store HTML5 application content.

Step 1 - Open the Cloud Foundry space

In EU HCM Dev, go to:

Cloud Foundry

Spaces

Select the space:

activity-recording

SAP Help describes creating Cloud Foundry service instances by first navigating to the subaccount, opening Cloud Foundry Spaces, selecting the target space, and then using that space's Services > Service Instances area.

Step 2 - Open Service Instances in the space

Inside the activity-recording space, go to:


Services

Service Instances

This is the Cloud Foundry-space-level location used for creating service instances in that space.

Step 3 - Start creating the new instance

Click Create.



A wizard opens for the new service instance. SAP Help describes this as the standard cockpit flow for creating service instances in Cloud Foundry spaces.

Step 4 - Choose the required service

In the service selection, choose:

HTML5 Application Repository Service

SAP Help documents the HTML5 Application Repository as the service used for centrally storing HTML5 applications' static content on SAP BTP in the Cloud Foundry environment.

New Instance or Subscription

1 Basic Info

2 Parameters

3 Review

Enter basic info for your instance or subscription.

Service: * ? Can't find what you're looking for?
HTML5 Application Repository Service

Plan: *
app-host

Instance Name: * ?
html5-eu-hcm-dev

Next > Create Cancel

Step 5 - Choose the required service plan

Select the service plan:

app-host

SAP Help states that the app-host service plan is used to deploy applications to the HTML5 Application Repository.

Step 6 - Enter the instance name

Set the service instance name to:

html5-eu-hcm-dev

Then continue and confirm creation.

SAP Help recommends using a CLI-friendly name for service instances, and the task gives the exact required name.

Space: activity-recording - Service Instances Create | v ☆

All: 1

Note that space level does not control display of labels, assignment, instance sharing, or the display of "created by" and "modified by" information.

Search All All All

Instance	Service	Plan	Credentials	Status	
html5-eu-hcm-dev	HTML5 Application Repository Service	app-host		Created	⋮ >

Step 7 - Verify the space is correct

Before final confirmation, verify the target Cloud Foundry space is:

activity-recording

This is important because Cloud Foundry service instances are created within a specific space, not only at the subaccount level.

Step 8 - Create and confirm

Click Create or Finish.

Wait for the status to change from in-progress to created.

SAP Help notes that after creation, the instance appears in the service instances table and its status can be checked there.

Final expected result

Inside EU HCM Dev, in Cloud Foundry space activity-recording, you should have a service instance with:

Service: HTML5 Application Repository Service

Plan: app-host

Instance Name: html5-eu-hcm-dev

Common mistakes to avoid


Creating the instance in the wrong subaccount; it must be EU HCM Dev.

Creating it in the wrong Cloud Foundry space; it must be activity-recording.

Choosing the wrong service; use HTML5 Application Repository Service.

Choosing the wrong plan; use app-host. SAP Help specifically links app-host with hosting deployed HTML5 app content.

Typing the wrong instance name; use exactly html5-eu-hcm-dev.



The screenshot shows a table of SAP Cloud Foundry environments. A large 'SAP' logo is overlaid on the top left. A watermark 'free4dump.com' is visible across the center. The table has columns for Name, Environment, Provider, Region, Labels, and Changed On. The 'EU HCM Dev' instance is highlighted in blue.

Name	Environment	Provider	Region	Labels	Changed On
BTP Admin Certification					March 25, 2026, 5:11:2...
Americas					March 26, 2026, 3:27:5...
Partner					March 26, 2026, 3:50:1...
AM PA Dev Test	Directory (Managed)	Microsoft Azure	US (East)	1 label	March 26, 2026, 3:35:3...
AM PA Prod	Subaccount	Microsoft Azure	US West (WA)		March 26, 2026, 3:29:3...
Europe	Directory				March 26, 2026, 3:29:2...
Human Resources	Directory			1 label	March 26, 2026, 3:43:0...
EU HCM Dev	Subaccount	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:43:4...
EU HCM Prod	Subaccount	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:48:3...
EU HCM Test	Subaccount	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 3:46:5...
Shared Services	Subaccount				March 26, 2026, 4:14:2...
SH Dev	Subaccount	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:15:5...
SH Ops	Subaccount	Amazon Web Services (AWS)	Europe (Frankfurt) - AWS		March 26, 2026, 4:17:0...

NEW QUESTION # 14

.....

C-ADBTP-2601 certifications are one of the most popular certifications currently. Earning C-ADBTP-2601 certification credentials is easy, in first attempt, with the help of products. Free4Dump is well-reputed brand among the professional. That provides the best preparation materials for C-ADBTP-2601 Certification exams. Free4Dump has a team of C-ADBTP-2601 subject experts to develop the best products for C-ADBTP-2601 certification exam preparation.

C-ADBTP-2601 Valid Exam Papers: <https://www.free4dump.com/C-ADBTP-2601-braindumps-torrent.html>

For C-ADBTP-2601 test dumps, we give you free demo for you to try, so that you can have a deeper understanding of what you are going to buy, SAP C-ADBTP-2601 Valid Exam Papers can provide you first-class products and service, We hereby specially certify that the C-ADBTP-2601 exam cram we say 100% pass is the latest and valid version, Someone tell you there is no easy way to get the C-ADBTP-2601 Valid Exam Papers - Administrating SAP Business Technology Platform(C_ADBTP_2601) certification?

Family: some folks start out working with one or more members C-ADBTP-2601 of their family, I don't remember the message of my college graduation speaker, or even who he or she was.

For C-ADBTP-2601 Test Dumps, we give you free demo for you to try, so that you can have a deeper understanding of what you are going to buy, SAP can provide you first-class products and service.

SAP C-ADBTP-2601 Practice Test Software for Desktop

We hereby specially certify that the C-ADBTP-2601 exam cram we say 100% pass is the latest and valid version, Someone tell you there is no easy way to get the Administrating SAP Business Technology Platform(C_ADBTP_2601) certification?

Now let Free4Dump help you.

- Free PDF Quiz 2026 High Hit-Rate C-ADBTP-2601: Valid Test Administrating SAP Business Technology Platform(C_ADBTP_2601) Vce Free Open www.testkingpass.com enter 「 C-ADBTP-2601 」 and obtain a free download C-ADBTP-2601 Valid Exam Experience
- Valid Test C-ADBTP-2601 Vce Free: Administrating SAP Business Technology Platform(C_ADBTP_2601) - Trustable SAP C-ADBTP-2601 Valid Exam Papers Open website www.pdfvce.com and search for C-ADBTP-2601 for free download C-ADBTP-2601 PDF Cram Exam
- Free PDF Quiz 2026 High Hit-Rate C-ADBTP-2601: Valid Test Administrating SAP Business Technology Platform(C_ADBTP_2601) Vce Free Copy URL www.examdicsuss.com open and search for C-ADBTP-2601 to download for free C-ADBTP-2601 Valid Exam Dumps
- Valid Test C-ADBTP-2601 Vce Free: Administrating SAP Business Technology Platform(C_ADBTP_2601) - Trustable SAP C-ADBTP-2601 Valid Exam Papers Search for C-ADBTP-2601 on www.pdfvce.com

immediately to obtain a free download Latest C-ADBTP-2601 Exam Testking

- www.dumpsquestion.com Offers Free SAP C-ADBTP-2601 Questions Demo and UP To 1 year of Free Updates
Easily obtain ➔ C-ADBTP-2601 for free download through ➔ www.dumpsquestion.com C-ADBTP-2601 Valid Exam Dumps
- Latest C-ADBTP-2601 Exam Testking Valid Test C-ADBTP-2601 Experience Test C-ADBTP-2601 Dumps Pdf
 Immediately open ➔ www.pdfvce.com and search for ☼ C-ADBTP-2601 ☼ to obtain a free download
 Reliable C-ADBTP-2601 Exam Tutorial
- Valid Test C-ADBTP-2601 Vce Free 100% Pass | The Best SAP Administrating SAP Business Technology Platform(C_ADBTP_2601) Valid Exam Papers Pass for sure Easily obtain free download of ➔ C-ADBTP-2601
by searching on 「 www.prepawayete.com 」 C-ADBTP-2601 PDF Cram Exam
- C-ADBTP-2601 Valid Exam Dumps C-ADBTP-2601 Latest Exam Format C-ADBTP-2601 Practice Test Fee
 The page for free download of ➔ C-ADBTP-2601 on (www.pdfvce.com) will open immediately C-ADBTP-2601 Related Exams
- C-ADBTP-2601 Actual Exams C-ADBTP-2601 Related Exams C-ADBTP-2601 Related Exams Search for
【 C-ADBTP-2601 】 and download it for free on ⇒ www.vce4dumps.com ⇐ website C-ADBTP-2601 Latest Exam Simulator
- C-ADBTP-2601 valid vce collection - C-ADBTP-2601 latest training dumps Search for (C-ADBTP-2601) and
download it for free immediately on 《 www.pdfvce.com 》 C-ADBTP-2601 Braindumps Torrent
- C-ADBTP-2601 Latest Exam Simulator Reliable C-ADBTP-2601 Exam Materials C-ADBTP-2601 Test Vce
 Search for 【 C-ADBTP-2601 】 on { www.pdfdumps.com } immediately to obtain a free download C-ADBTP-2601 Latest Exam Format
- alyshaaxrh156129.theisblog.com, kiarayxke330208.glifeblog.com, linkingbookmark.com,
heathuzvu771854.blogofchange.com, isaiahnmg333010.blog2news.com, hotbookmarkings.com,
deacontz059812.corpfinwiki.com, jeanhug602382.salesmanwiki.com, ianjwof594743.mywikiparty.com,
haimahxoq036423.actoblog.com, Disposable vapes