

Plat-Dev-210 Exam Practice, Reliable Plat-Dev-210 Test Notes



BTW, DOWNLOAD part of Prep4King Plat-Dev-210 dumps from Cloud Storage: <https://drive.google.com/open?id=1sMM8dhiytQRY9UVFn6TYqjnyTAGBUB3>

With the development of society, the Plat-Dev-210 certificate in our career field becomes a necessity for developing the abilities. Passing the Plat-Dev-210 and obtaining the certificate may be the fastest and most direct way to change your position and achieve your goal. And we are just right here to give you help. Being considered the most authentic brand in this career, our professional experts are making unremitting efforts to provide our customers the latest and valid Salesforce Developer exam simulation.

Salesforce Plat-Dev-210 Exam Syllabus Topics:

Topic	Details
Topic 1	<ul style="list-style-type: none">• Omnistudio Data Mappers: This part of the exam measures the skills of a Data Engineer and focuses on the use of Omnistudio Data Mappers for extracting, transforming, and loading data. It includes identifying the appropriate Data Mapper for a given requirement, as well as determining the necessary Extract, Load, Transform, and Turbo Extract functionalities based on specific use cases. This section ensures the candidate can effectively map and manipulate data to support business processes.
Topic 2	<ul style="list-style-type: none">• Integrated Troubleshooting and Deployment: This final section measures the skills of a Support Engineer and focuses on identifying and resolving issues within Omnistudio tools. It involves diagnosing errors based on given scenarios and determining where breakdowns occur in the data flow for specific customer issues. This ensures the candidate can effectively troubleshoot, debug, and maintain solutions to ensure optimal performance and reliability.
Topic 3	<ul style="list-style-type: none">• Integration Procedures: This section measures the skills of an Integration Architect and involves designing and configuring Integration Procedures to automate processes and integrate systems. It requires comparing and contrasting different elements and configurations within Integration Procedures to meet specific use cases. Candidates are also tested on selecting the correct elements and properties to satisfy functional requirements, ensuring seamless data flow and process automation.

Topic 4	<ul style="list-style-type: none"> • Expression Sets & Decision Matrices: This section measures the skills of a Logic Designer and covers the configuration and application of Expression Sets and Decision Matrices within Omnistudio tools. It requires demonstrating an understanding of how Expression Sets evaluate conditions and how Decision Matrices use rule-based logic to determine outcomes. This knowledge is essential for automating decisions and streamlining complex business processes.
---------	---

>> Plat-Dev-210 Exam Practice <<

Reliable Plat-Dev-210 Test Notes - Plat-Dev-210 Reliable Exam Simulator

Originating the Plat-Dev-210 exam questions of our company from tenets of offering the most reliable backup for customers, and outstanding results have captured exam candidates' heart for their functions. Our Plat-Dev-210 practice materials can be subdivided into three versions. All those versions of usage has been well-accepted by them. They are the PDF, Software and APP online versions of our Plat-Dev-210 Study Guide.

Salesforce Certified Omnistudio Developer Sample Questions (Q17-Q22):

NEW QUESTION # 17

A developer is creating an OmniScript that Provisions trial orgs to their customers. The following text block in the OmniScript uses a merge code to display the ID for the new trial org:

Welcome to Salesforce

Your ID is %Details: Customer|0:ID%

During testing, the developer notices that the ID does not display. The data JSON is structured as shown below.

How should the developer correct the merge code in order for the ID to display?

- A. To %%Details:Customer|0:ID%%
- **B. To %%Details:Customer|1:ID%**
- C. To \$Details:Customer|0:ID\$
- D. To %%Details:Customer|n:ID%

Answer: B

Explanation:

The merge code syntax for accessing an array element is %%Details:Customer|1:ID%%, where 1 is the index of the element. The index starts from 1, not 0, so the first element is Customer|1. The % sign is used for single- value merge codes, not array merge codes. The \$ sign is used for variables, not merge codes.

NEW QUESTION # 18

An OmniScript displays data from an API using Integration Procedure, but some of the data is missing.

Which two configuration errors could cause this? Choose 2 answers

- **A. The element name for the missing data does not match the JSON node key in the Integration Procedure Response.**
- **B. The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.**
- **C. The JSOW sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure**
- D. The missing data is trimmed in the Integration Procedure Action Response JSON Path.

Answer: A,C

Explanation:

The element name for the missing data must match the JSON node key in the Integration Procedure Response, otherwise the data will not be mapped correctly. The JSON sent from the Integration Procedure Action must match one of the Original Input for the Integration Procedure, otherwise the Integration Procedure will not execute properly. The Integration Procedure Preview Input Parameters and the Response JSON Path have no effect on displaying data in OmniScript.

NEW QUESTION # 19

An OmniScript displays data from an API using an Integration Procedure, but some of the data is missing. Which two configuration errors could cause this?

Choose 2 answers

- A. The element name for the missing data does not match the JSON node key in the Integration Procedure Response.
- B. The Integration Procedure Preview Input Parameters do not match the JSON sent from the OmniScript.
- C. The missing data is trimmed in the Integration Procedure Action Response JSON Path.
- D. The JSON sent from the Integration Procedure Action does not match any of the Original Input for the Integration Procedure.

Answer: A,C

Explanation:

When an OmniScript receives incomplete data from an Integration Procedure, the issue is typically in Response JSON path mapping or naming mismatches.

* A. The missing data is trimmed in the Integration Procedure Action Response JSON Path - If the Response JSON Path only points to part of the structure, any nested or unrelated values are excluded from the output.

* B. The element name for the missing data does not match the JSON node key in the Integration Procedure Response - OmniScript expects a matching node name to bind the data to UI elements. If the key doesn't match, that field will appear blank.

Incorrect Options:

* C. Preview Input Parameters are only for testing in the Integration Procedure editor; they don't affect runtime execution.

* D. Even if the JSON from the Integration Procedure Action is different from the original IP input, it would cause a failure or unexpected data, not necessarily missing specific values.

:

Salesforce OmniStudio # Integration Procedures # JSON Path and Data Binding

NEW QUESTION # 20

Refer to the exhibit below. A developer has configured an Integration Procedure element with SEND /RESPONSE TRANSFORMATIONS as shown.

Alternatively, how could the developer configure Additional Input to send exactly the same data? Assume that the developer checked Send Only Additional Input.

□

- A.
- B.
- C.
- D.

Answer: D

Explanation:

The Additional Input property allows the developer to specify additional input parameters to be sent to the Integration Procedure element. The input parameters can be specified as a JSON object or as a list of key- value pairs. If the developer checked Send Only Additional Input, then only the input parameters specified in Additional Input are sent, and the SEND/RESPONSE TRANSFORMATIONS are ignored. Therefore, the developer needs to specify the same input parameters as in the SEND/RESPONSE TRANSFORMATIONS in Additional Input. Option C shows how to do this using a JSON object with two properties: "DBExtractAction:

Account" and "DBExtractAction:SecondaryAccount". The values of these properties are the same as in the SEND/RESPONSE TRANSFORMATIONS.

NEW QUESTION # 21

A developer creates a new FlexCard to display customer data and actions, such as updating billing information and changing the contact for the customer account. The FlexCard contains 10 fields and 5 actions.

During testing, several fields display with the correct data, but one of the fields shows only the label.

What could cause this?

- A. The fields have exceeded the maximum number allowed on the card.
- B. There are no test parameters configured.
- C. {recordId} is misspelled in the Data Source Input Map.

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, houggrad.in, Disposable vapes

What's more, part of that Prep4King Plat-Dev-210 dumps now are free: <https://drive.google.com/open?id=1sMM8dhiytQRY9UVFn6TYqjnyTAG3UB3>