

Salesforce Analytics-Admn-201必殺問題集、Analytics-Admn-201更新版



我々の目標はAnalytics-Admn-201試験を準備するあなたにヘルプを提供してあなたに試験に合格させることです。この目標を達成するために、我々Xhs1991は時間とともに迅速に発展しています。今まで精確的な問題集を開発しています。我々のAnalytics-Admn-201問題集を利用しているあなたは一発で試験に合格できると信じています。心配なく我々の資料を利用してください。

Salesforce Analytics-Admn-201 認定試験の出題範囲:

トピック	出題範囲
トピック 1	移行とアップグレード: このセクションでは、システムエンジニアのスキルを評価し、Tableau Server 環境のアップグレードと移行のプロセスを網羅します。受験者は、クリーン再インストールの実行方法、サーバーを新しいハードウェアに移行する方法、そしてそのプロセスにおける下位互換性の維持方法を理解する必要があります。
トピック 2	トラブルシューティング: このセクションでは、サポートスペシャリストのスキルを評価し、Tableau Server の一般的な問題の解決方法を網羅します。受験者は、アカウントのリセット、ログのパッケージ化、サイトリソースの検証、検索インデックスの再構築、分析レポートの使用方法を理解している必要があります。また、ブラウザの Cookie の役割を理解し、必要に応じてサポートリクエストを作成することも含まれます。

トピック 3	管理: このセクションでは、Tableau 管理者のスキルを評価し、Tableau Server の日常的な保守タスクを網羅します。受験者は、スケジュール、サブスクリプション、バックアップ、リストアの作成と管理方法に加え、TSM、Tabcmd、REST API などのツールの使用方法を理解する必要があります。監視、サーバー分析、ログファイルの使用、埋め込み手法に重点が置かれます。また、プロジェクト、サイト、ネストされた構造の管理、そしてエンドユーザーと管理者の能力を比較検討します。さらに、パブリッシュ、Web 作成、ビューの共有、キャッシュ、データソース認証に関する知識も問われます。
トピック 4	データへの接続と準備: このセクションでは、Tableau 管理者のスキルを評価し、Tableau Server のインターフェース、ナビゲーション、および全体的なトポロジに関する基本的な理解を網羅します。受験者は、クライアントとサーバーの両方のコンポーネントを認識し、それらの相互作用を理解し、バージョン、リリース、およびアップデートに関する情報の入手先を把握していることが求められます。また、ハードウェア、オペレーティングシステム、ブラウザ、メール設定、クラウドに関する考慮事項、ライセンスモデルなどのシステム要件にも重点を置いています。さらに、安定した導入に必要なサーバープロセス、データソースの種類、ネットワークインフラストラクチャ、ポートに関する知識も問われます。
トピック 5	インストールと構成: このセクションでは、サーバーエンジニアのスキルを評価します。Tableau Server のインストールプロセス、インストールパスの理解、アイデンティティストアオプション、SSO 統合、SSL 設定、サイレントインストールなどについて学習します。また、キャッシュの設定、プロセスの分散、サイトのカスタマイズ、ユーザークォータの設定など、Tableau Server を構成する能力も必要です。さらに、ユーザーの追加、ユーザーのロールと権限の管理、サイトからワークブックまでの様々なレベルでの Tableau セキュリティモデルの適用も含まれます。

>> Salesforce Analytics-Admn-201必殺問題集 <<

Analytics-Admn-201更新版、Analytics-Admn-201日本語版復習指南

私たちの Analytics-Admn-201 研究ブレンダンプは、この点でユーザーの需要を満たすのに非常に優れている可能性があり、ユーザーが学習したことを継続的に統合する良い環境で読み書きできるようにします。Analytics-Admn-201 準備ガイドは高品質です。当社のウェブサイトの Analytics-Admn-201 学習クイズバンクおよび教材は、選択したトピックに基づいて最新の質問と回答を検索します。この選択は、あなたのキャリア全体の突破口となるので、Analytics-Admn-201 スタディガイドの高い品質と正確性に驚かされるでしょう。

Salesforce Certified Tableau Server Administrator 認定 Analytics-Admn-201 試験問題 (Q40-Q45):

質問 # 40

What process decides when a Repository failover is required?

- A. Coordination Service
- **B. Cluster Controller**
- C. Backgrounder
- D. Gateway

正解: B

解説:

In a high-availability (HA) Tableau Server setup, the Repository (PostgreSQL) has an active and passive instance. Failover occurs if the active Repository fails. Let's dive into the process:

* HA Setup:

* Two Repository instances across nodes (active/passive).

* Failover switches to the passive instance if the active one becomes unavailable (e.g., crash, network issue).

* Cluster Controller:

* Role: Monitors all processes (e.g., Repository, File Store) across nodes, detecting failures via heartbeats and status checks.

- * Failover Decision: If the active Repository stops responding, Cluster Controller initiates failover, promoting the passive instance to active.
- * Coordination: Works with Coordination Service (ZooKeeper) to update topology but makes the initial detection call.
- * Option A (Cluster Controller): Correct.
- * Why: It's the watchdog process, constantly monitoring Repository health and triggering failover when needed.
- * Option B (Coordination Service): Incorrect.
- * Role: ZooKeeper maintains cluster state and coordinates topology updates post-failover, but doesn't detect the failure-Cluster Controller does.
- * Option C (Gateway): Incorrect.
- * Role: Routes client requests-unrelated to internal process monitoring or failover.
- * Option D (Backgrounder): Incorrect.
- * Role: Executes background tasks-no involvement in Repository failover decisions.

Why This Matters: Understanding failover ensures HA reliability-Cluster Controller is the linchpin for resilience.
Reference: Tableau Server Documentation - "High Availability" (<https://help.tableau.com/current/server/en-us/ha.htm>).

質問 # 41

What account should you use to run the Tableau Server installation program?

- A. A local user account
- B. A domain user account
- C. An account in the local administrator group
- D. An NT AUTHORITY\NetworkService account

正解: C

解説:

Installing Tableau Server on Windows requires an account with sufficient privileges to configure services, write to the file system, and manage registry settings. Let's analyze this in depth:

* Installation Requirements:

* The installer creates services (e.g., Tableau Server Gateway), writes to Program Files and ProgramData, and configures TSM.

* It needs local administrative privileges on the machine to perform these tasks.

* Post-install, a "Run As" account can be set for services (e.g., NT AUTHORITY\NetworkService), but this is separate from the install account.

* Option C (An account in the local administrator group): Correct.

* Why: The account must be in the local Administrators group to:

* Install software (UAC elevation).

* Configure services and ports.

* Write to protected directories (e.g., C:\Program Files\Tableau).

* Examples: A local admin (e.g., Administrator) or a domain user added to the Administrators group (e.g., DOMAIN\AdminUser).

* Process: Log in as this account, run the installer, and provide TSM admin credentials during setup.

* Option A (A local user account): Incorrect.

* A standard local user (not in Administrators) lacks permissions-installation would fail with "Access Denied" errors.

* Option B (A domain user account): Incorrect unless clarified.

* A domain user without local admin rights can't install. If it's in the Administrators group, it qualifies, but C is more specific.

* Option D (NT AUTHORITY\NetworkService): Incorrect.

* This is a built-in service account for running services (default "Run As" post-install), not for executing the installer-an interactive user account is required.

Why This Matters: Using the right account prevents install failures and ensures secure configuration- critical for production setups.

Reference: Tableau Server Documentation - "Install and Configure Tableau Server" (https://help.tableau.com/current/server/en-us/install_config.htm).

質問 # 42

Which two settings should you configure to allow users to post comments on a visualization? (Choose two.)

- A. Add Comments must be allowed in permissions for the relevant users
- B. The relevant users must have a minimum site role of Explorer (can publish)

- C. Comments must be enabled on the site Settings page
- D. Comments must be enabled on the server Settings page

正解: A、C

解説:

Comments on visualizations foster collaboration in Tableau Server-let's break down the requirements:

- * Commenting Prerequisites:
 - * Site-Level Enablement: Comments must be activated for the site.
 - * Permission: Users need the "Add Comment" capability on the content.
 - * Site Role: Minimum role of Viewer allows commenting if permissions are set.
 - * Option B (Add Comments must be allowed in permissions): Correct.
 - * Details: In the Permissions dialog (e.g., for a workbook), set "Add Comment" to "Allowed" for users/groups. Default is "Denied" unless explicitly enabled.
 - * How: Content > Workbooks > Actions > Permissions > Edit Rule.
 - * Why: Permissions are granular-site enablement alone isn't enough.
 - * Option D (Comments must be enabled on the site Settings page): Correct.
 - * Details: Go to Site > Settings > General > Allow Comments-check the box.
 - * Why: This is a site-wide toggle (default: off). Without it, no one can comment, regardless of permissions.
 - * Option A (Minimum site role of Explorer - can publish): Incorrect.
 - * Why: Viewer role suffices if permissions allow-Explorer (can publish) isn't required (it adds publishing, not commenting).
 - * Option C (Server Settings page): Incorrect.
 - * Why: Comments are a site-level feature, not server-wide-no such toggle exists in TSM's Server Settings.
- Why This Matters: Enabling comments at both site and content levels ensures controlled collaboration-key for team insights.
Reference: Tableau Server Documentation - "Enable Comments" (<https://help.tableau.com/current/server/en-us/comment.htm#enable>).

質問 # 43

When you use trusted tickets in Tableau Server, users can:

- A. Save and edit workbooks
- B. Access embedded views without being prompted for credentials
- C. Encrypt database connections
- D. Embed database credentials

正解: B

解説:

Trusted Tickets is an authentication method in Tableau Server for embedding views in external applications (e.g., portals) without requiring users to log in manually. Here's how it works:

- * A trusted application (e.g., a web server) authenticates with Tableau Server using a trusted IP or username/password.
- * Tableau Server issues a temporary ticket (a unique string).
- * The ticket is embedded in a view URL (e.g., /trusted/<ticket>/views/...), granting access to the view for a short period (configurable, default 5 minutes).
- * Option A (Access embedded views without being prompted for credentials): Correct. Trusted tickets enable SSO-like behavior for embedded content, bypassing the login prompt if the ticket is valid. This is ideal for seamless integration into external systems.
- * Option B (Encrypt database connections): Incorrect. Encryption is handled by data source configurations (e.g., SSL), not trusted tickets, which focus on user authentication.
- * Option C (Save and edit workbooks): Incorrect. Trusted tickets grant view access, not edit permissions-those depend on the user's site role and permissions.
- * Option D (Embed database credentials): Incorrect. Trusted tickets authenticate users to Tableau Server, not databases-database credentials are managed separately in the data source.

Why This Matters: Trusted tickets simplify embedding Tableau content securely in custom applications, enhancing user experience.

Reference: Tableau Server Documentation - "Trusted Authentication" (https://help.tableau.com/current/server/en-us/trusted_auth.htm).

質問 # 44

You have an installation of Tableau Server and a site that are configured to use default settings. What should you do to ensure that the users on the site can set up data-driven alerts?

- A. Run the tsm configuration set -k dataAlerts.checkIntervalInMinutes -v 60 command
- B. Enable data-driven alerts on the Tableau Services Manager Configuration page
- C. Change the data-driven alerts setting on the new site's Settings page
- D. No action is necessary: the default settings enable data-driven alerts for the site

正解: C

解説:

Data-driven alerts in Tableau Server allow users to receive notifications when data in a view meets certain conditions (e.g., a sales metric exceeds a threshold). By default, this feature is disabled for a site unless explicitly enabled by an administrator.

Option C (Change the data-driven alerts setting on the new site's Settings page): This is the correct answer. In the Tableau Server web interface, a site administrator can navigate to the site's Settings > General page and enable the option "Let users create data-driven alerts." This must be done manually because the default setting for a new site is disabled. Once enabled, users with appropriate permissions (e.g., Viewer, Explorer, or Creator roles) can create alerts on views they have access to.

Option A (Enable data-driven alerts on the TSM Configuration page): This is incorrect because the TSM Configuration page (accessed via the TSM web UI or CLI) manages server-wide settings like ports, authentication, and processes, not site-specific features like data-driven alerts.

Option B (Run the tsm configuration set -k dataAlerts.checkIntervalInMinutes -v 60 command): This is incorrect. The dataAlerts.checkIntervalInMinutes key controls how frequently Tableau Server checks alert conditions (default is 60 minutes), but it does not enable the feature itself. The feature must first be turned on at the site level.

Option D (No action is necessary): This is incorrect because the default setting for data-driven alerts is off for new sites, requiring explicit action to enable it.

Reference: Tableau Server Documentation - "Configure Data-Driven Alerts" (https://help.tableau.com/current/server/en-us/data_alerts.htm).

質問 # 45

.....

最短時間でAnalytics-Admn-201試験に合格すると、Xhs1991すべての受験者の声になります。しかし、圧倒的な学習教材で最も価値のある情報を選択する方法は、すべての試験官にとって頭痛の種です。絶え間ない努力の後、Analytics-Admn-201学習ガイドは誰もが期待するものです。当社の専門家は、コンテンツを簡素化し、お客様の重要なポイントを把握するだけでなく、Analytics-Admn-201準備資料を簡単な言語に再コンパイルしました。レジャー学習体験と、今後のAnalytics-Admn-201試験Salesforce Certified Tableau Server Administrator合格できます。

Analytics-Admn-201更新版: <https://www.xhs1991.com/Analytics-Admn-201.html>

- Salesforce Analytics-Admn-201必殺問題集: Salesforce Certified Tableau Server Administrator - www.mogixexam.com 一度でも合格する ☐ ➡ Analytics-Admn-201 ☐ の試験問題は **【 www.mogixexam.com 】** で無料配信中Analytics-Admn-201再テスト
- Analytics-Admn-201テスト資料 ☐ Analytics-Admn-201日本語版と英語版 ☐ Analytics-Admn-201実際試験 ☐ 今すぐ ➡ www.goshiken.com ☐ で ➡ Analytics-Admn-201 ☐ を検索し、無料でダウンロードしてくださいAnalytics-Admn-201テスト問題集
- Analytics-Admn-201ダウンロード ☐ Analytics-Admn-201トレーニングサンプル ☐ Analytics-Admn-201試験過去問 ☐ 今すぐ (www.japancert.com) を開き、 { Analytics-Admn-201 } を検索して無料でダウンロードしてくださいAnalytics-Admn-201日本語認定
- Analytics-Admn-201ダウンロード ☐ Analytics-Admn-201関連合格問題 ☐ Analytics-Admn-201試験対策書 ☐ www.goshiken.com ☐ を開いて ➡ Analytics-Admn-201 ☐ を検索し、試験資料を無料でダウンロードしてくださいAnalytics-Admn-201参考書
- 実用的Analytics-Admn-201 | 100%合格率のAnalytics-Admn-201必殺問題集試験 | 試験の準備方法Salesforce Certified Tableau Server Administrator更新版 ☐ Open Webサイト ➡ www.topexam.jp ☐ 検索 ✓ Analytics-Admn-201 ☐ ✓ ☐ 無料ダウンロードAnalytics-Admn-201模擬問題
- 100%合格率のAnalytics-Admn-201必殺問題集一回合格-信頼的なAnalytics-Admn-201更新版 ☐ [www.goshiken.com] から簡単に ➡ Analytics-Admn-201 ☐ を無料でダウンロードできますAnalytics-Admn-201試験過去問
- Salesforce Analytics-Admn-201必殺問題集: Salesforce Certified Tableau Server Administrator - www.it-passports.com 一度でも合格する ☐ “ www.it-passports.com ”を入力して ➡ Analytics-Admn-201 ☐ を検索し、無料でダウンロードしてくださいAnalytics-Admn-201テスト問題集
- Analytics-Admn-201模擬問題 ☐ Analytics-Admn-201実際試験 ☐ Analytics-Admn-201ダウンロード ☐ ☀

www.goshiken.com ☞☞を開き、“Analytics-Admn-201”を入力して、無料でダウンロードしてください
Analytics-Admn-201日本語認定

- 正確なAnalytics-Admn-201必殺問題集 - 合格スムーズAnalytics-Admn-201更新版 | 大人気Analytics-Admn-201日本語版復習指南 ☞ [www.shikenpass.com] サイトにて ☞ Analytics-Admn-201 ☞問題集を無料で使おう
Analytics-Admn-201参考書
- Analytics-Admn-201受験体験 ☞ Analytics-Admn-201トレーニングサンプル ☞ Analytics-Admn-201試験概要 ☞
☞ 時間限定無料で使える (Analytics-Admn-201) の試験問題は ➡ www.goshiken.com ☞ サイトで検索
Analytics-Admn-201テスト資料
- Analytics-Admn-201テスト問題集 ☞ Analytics-Admn-201試験過去問 ☞ Analytics-Admn-201的中率 ☞ ➤
www.mogixam.com ☞ から “Analytics-Admn-201” を検索して、試験資料を無料でダウンロードしてください
Analytics-Admn-201実際試験
- www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, daotao.wisebusiness.edu.vn, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, www.stes.tyc.edu.tw, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, study.stcs.edu.np, Disposable vapes