


FCSS_SDW_AR-7.6考試重點，FCSS_SDW_AR-7.6考題資訊



你覺得成功很難嗎？覺得IT認證考試很難通過嗎？你現在正在為了Fortinet的FCSS_SDW_AR-7.6認證考試而歎氣嗎？其實這完全沒有必要。IT認證考試其實沒有你想像的那麼神秘，我們可以利用適當的工具去戰勝它。只要你選對了工具，成功簡直就是一件輕而易舉的事情。你想知道什麼工具最好嗎？現在告訴你。Fast2test的FCSS_SDW_AR-7.6考古題是最好的工具。這個考古題為你搜集並解析了很多優秀的過去考試考過的問題，並且根據最新的大綱加入了很多可能出現的新問題。這是一個可以保证你一次通过考试的考古題。

Fast2test 題庫網承諾所售的 FCSS_SDW_AR-7.6 題庫都是最新，保證順利通過 FCSS_SDW_AR-7.6 考試，取得證書。購買我們考題網的任意一科考試題庫都可以免費試用題庫樣品，讓考生確認購買考試題庫的真實性以及適應考題格式。而且購買了我們的 Fortinet FCSS_SDW_AR-7.6 考古題的用戶，可以享有一定的折扣優惠和免費更新題庫一年，對於首次參加考試失敗的客戶，憑蓋有考試中心鋼印的考試成績單，將享有退還購買 FCSS_SDW_AR-7.6 考古題的全部費用的福利。

>> FCSS_SDW_AR-7.6考試重點 <<

最新更新FCSS_SDW_AR-7.6考試重點擁有模擬真實考試環境與場境的軟件VCE版本&有效的Fortinet FCSS_SDW_AR-7.6

每個人都有自己的夢想，你夢想呢，是升職、是加薪或者等等。我的夢想的通過Fortinet的FCSS_SDW_AR-7.6考試認證，我覺得有了這個認證，所有的問題都不是問題，不過想要通過這個認證是比較困難，不過不要緊，我選擇Fast2test Fortinet的FCSS_SDW_AR-7.6考試培訓資料，它可以幫助我實現我的夢想，如果也有IT夢，那就趕緊把它變成現實吧，選擇Fast2test Fortinet的FCSS_SDW_AR-7.6考試培訓資料，絕對信得過。

最新的 Fortinet Certified Solution Specialist FCSS_SDW_AR-7.6 免費考試真題 (Q30-Q35):

問題 #30

Refer to the exhibits. The interface details, static route configuration, and firewall policies on the managed FortiGate device are shown.

You want to configure a new SD-WAN zone, named Underlay, that contains the interfaces port1 and port2.

What must be your first action?

Interface details

Name	Type	Members	IP/Netmask
Physical Interface 13			
port1	Physical Interface		192.2.0.1/255.255.255.248
port2	Physical Interface		192.2.0.9/255.255.255.248
port3	Physical Interface		0.0.0.0/0.0.0.0
port4	Physical Interface		172.16.0.1/255.255.255.248
port5	Physical Interface		10.0.1.254/255.255.255.0
port6	Physical Interface		0.0.0.0/0.0.0.0
port7	Physical Interface		0.0.0.0/0.0.0.0
port8	Physical Interface		0.0.0.0/0.0.0.0
port9	Physical Interface		0.0.0.0/0.0.0.0
port10	Physical Interface		192.168.0.31/255.255.255.0
T_shop_1(port9)	Physical interface		0.0.0.0/0.0.0.0
SD-WAN Zone 3			
HUB1	SD-WAN Zone	HUB1-VPN1 HUB1-VPN2 HUB1-VPN3	0.0.0.0/0.0.0.0
Test	SD-WAN Zone	port2	0.0.0.0/0.0.0.0
virtual-wan-link	SD-WAN Zone		0.0.0.0/0.0.0.0

Static route details

Destination	Gateway IP	Interface	Status
192.168.1.0/24	192.2.0.254	port1	Enabled
168.1.1.0/24	192.2.0.4	port1	Enabled

Firewall policies on managed FortiGate

	Policy	From	To	Source	Destination	Service
☐	Corp(5)	port1	port5	4 Corp-net	4 LAN-net	HTTP HTTPS
☐	DIA(1)	port5	port1	4 LAN-net	4 all	ALL

- A. Delete the SD-WAN Zone Test.
- B. Delete the static routes.
- C. Delete the firewall policies.
- D. Define port1 as an SD-WAN member.

答案：C

解題說明：

You cannot add port1 as an SD-WAN member if it's already in use by an active firewall policy.

問題 #31

Refer to the exhibit. Which statement best describe the role of the ADVPN device in handling traffic?

```
ike V=root:0:VPN1_0:9: received informational request
ike V=root:0:VPN1_0:9: processing notify type SHORTCUT_QUERY
ike V=root:0:VPN1_0: recv shortcut-query 5752810260829471092
6d5cdb5ceab1874d
/000000000000000000 192.2.0.1 10.0.1.101:2048 -> 10.0.3.101:0 0 psk 64 ppk 0
ttl
32 nat 0 ver 2 mode 0 network-id 1
ike V=root:0:VPN1: iif 20 10.0.1.101 -> 10.0.3.101 0 route lookup oif 20
VPN1
gwy 192.168.1.4
ike V=root:0: shared dev tunnel lookup, tun-id=192.168.1.4
ike V=root:0:VPN1_3: forward shortcut-query 5752810260829471092 6
d5cdb5ceab18
74d/000000000000000000 192.2.0.1 10.0.1.101->10.0.3.101 0 psk 64 ppk 0 ttl 31
ver 2 mode 0, exr-mapping 192.2.0.1:0, network-id 1
```

- A. This is a hub in a dual-region topology. The remote hub tunnel ID is 10.0.2.101.
- **B. This is a hub that has received a query from a spoke and has forwarded it to another spoke.**
- C. This is a spoke. The kernel received a shortcut request and forwards the query to another spoke.
- D. This is a spoke that has received a shortcut query from another spoke and has forwarded the response to its hub.

答案: B

解題說明:

Shortcut Debug—forward shortcut-query

- Hub output—hub receives shortcut query from spoke1 and forwards it to spoke2:

```
ike V=root:0:VPN1_0:13: received informational request
ike V=root:0:VPN1_0:13: processing notify type SHORTCUT_QUERY
ike V=root:0:VPN1_0: recv shortcut-query 13079782794578682520 3457fd9837d92f61/0000000000000000 192.2.0.1
10.0.1.101:2048->10.0.2.101:0 0 psk 64 ppk 0 ttl 32 nat 0 ver 2 mode 0 network-id 1
ike V=root:0:VPN1: iif 20 10.0.1.101->10.0.2.101 0 route lookup oif 20 VPN1 gwy 192.168.1.2
ike V=root:0: shared dev tunnel lookup, tun-id=192.168.1.2
ike V=root:0:VPN1_1: forward shortcut-query 13079782794578682520 3457fd9837d92f61/0000000000000000
192.2.0.1 10.0.1.101->10.0.2.101 0 psk 64 ppk 0 ttl 31 ver 2 mode 0, ext-mapping 192.2.0.1:0, network-id 1
```

The hub receives the shortcut query from spoke1 and forwards it to spoke2.

問題 #32

Refer to the exhibit that shows a diagnose output on FortiGate.

```

pke_fgt # diagnose sys sdwan advpn-session
Session head(jfk-0-HUB1:1)
(1) Service ID(3), last access(4136110), remote health check info(3)
Selected path: local(HUB1-VPN1, port1) gw: 192.2.0.1 remote IP: 203.0.113.1
(192.168.1.2)
Remote information:
1: latency: 1.833133 jitter: 0.482600 pktloss: 0.000000 mos: 4.403007 sla: 0x1
cost: 0 remote gw: HUB1-VPN1 transport_group: 1 bandwidth up: 10239 down: 10239
bidirection: 2048 ipv4: 203.0.113.1(192.168.1.2) ipv6
::1bc2(20e6:7e0c:fe7f:0:1c:256d:487:1bc2)
2: latency: 1.725933 jitter: 0.469833 pktloss: 0.000000 mos: 4.403073 sla: 0x1
cost: 0 remote gw: HUB1-VPN2 transport_group: 1 bandwidth up: 10239 down: 10239
bidirection: 2048 ipv4: 203.0.113.9(192.168.1.66) ipv6
6465:7228:3229:2c20:6c6f:6361:6c20:636f(7374:2830:292c:2073:6563:7465:6400)
3: latency: 1.240333 jitter: 0.269700 pktloss: 0.000000 mos: 4.403513 sla: 0x1
cost: 0 remote gw: HUB1-VPN3 transport_group: 0 bandwidth up: 9999999 down:
9999999 bidirection: 19999998 ipv4: 172.16.0.9(192.168.1.130)

```

Based on the output shown in the exhibit, what can you say about the device role and how it handles health checks?

- A. The device is a hub. It receives health-check measures for the tunnels of a spoke.
- B. The device is a spoke. It provides embedded health-check measures for each tunnel to the hub.
- C. The device is a hub. It receives embedded health-check measures for each tunnel from the spoke.
- **D. The device is a spoke. It receives health-check measures for the tunnels of another spoke.**

答案：D

解題說明：

Monitor Remote Spoke WAN Link Information

- Diagnostic command available on the local spoke to view the remote spoke WAN link details received: `diagnose sys sdwan advpn-session`

```

branch1_fgt # diag sys sdwan advpn-session
Session head branch2_fgt-0-HUB1:1
(1) Service ID(3), last access(4136110), remote health check info(3)
Selected path: local(HUB1-VPN1, port1) gw: 192.2.0.1 remote IP: 203.0.113.1(192.168.1.2)
Remote information:
1: latency: 1.833133 jitter: 0.482600 pktloss: 0.000000 mos: 4.403007 sla: 0x1 cost: 0 remote
gw: HUB1-VPN1 transport_group: 1 bandwidth up: 10239 down: 10239
ipv4: 203.0.113.1(192.168.1.2) ipv6 ::1bc2(20e6:7e0c:fe7f:0:1c:256d:487:1bc2)
2: latency: 1.725933 jitter: 0.469833 pktloss: 0.000000 mos: 4.403073 sla: 0x1 cost: 0 remote
gw: HUB1-VPN2 transport_group: 1 bandwidth up: 10239 down: 10239 bidirection: 20478
ipv4: 203.0.113.9(192.168.1.66) ipv6
6465:7228:3229:2c20:6c6f:6361:6c20:636f(7374:2830:292c:2073:6563:7465:6400)
3: latency: 1.240333 jitter: 0.269700 pktloss: 0.000000 mos: 4.403513 sla: 0x1 cost: 0 remote
gw: HUB1-VPN3 transport_group: 0 bandwidth up: 9999999 down: 9999999 bidirection: 19999998
ipv4: 172.16.0.9(192.168.1.130) ipv6 ::(:)

```

Remote spoke device name and name of the remote zone

Path selected for the shortcut

Link performance details received from the remote spoke, updated every 5 seconds

FORTINET
Training Institute

© Fortinet Inc. All Rights Reserved. 53

You can use the command `diagnose sys sdwan advpn-session` to view the WAN link information that the local spoke received from the remote spoke, as shown on this slide.

FortiGate refreshes the link performance details every 5 seconds with information received from its remote peer.

Note that this command provides no results for shortcuts that do not require SLA monitoring. FortiGate displays the output only for shortcuts associated with best quality or lowest cost (SLA) rules.

問題 #33

You have configured the performance SLA with the probe mode as Prefer Passive.
What are two observable impacts of this configuration? (Choose two.)

- A. After FortiGate switches to active mode, the SLA performance rule falls back to passive monitoring after 3 minutes.
- B. FortiGate can offload the traffic that is subject to passive monitoring to hardware.
- C. During passive monitoring, the SLA performance rule cannot detect dead members.
- D. FortiGate passively monitors the member if TCP traffic is passing through the member.
- E. FortiGate passively monitors the member if ICMP traffic is passing through the member.

答案: C,D

解題說明:

When "Prefer Passive" is set, FortiGate attempts to passively monitor the health of SD-WAN members using real application traffic like TCP sessions, collecting statistics such as latency, jitter, and packet loss from actual observed flows.

Passive monitoring does not generate probe packets; it relies entirely on existing traffic. If there is no matching traffic, health check data is unavailable, meaning dead members may go undetected when only passive monitoring is active.

問題 #34

The FortiGate devices are managed by FortiManager, and are configured for direct internet access (DIA). You confirm that DIA is working as expected for each branch, and check the SD- WAN zone configuration and firewall policies shown in the exhibits.

SD-WAN zones

SD-WAN Zones

+ Create New

Edit

Delete

Q Where Used

Search...

☐	ID	Interface	Gateway	Cost	Priority	Status
☐	virtual-wan-link					
☐	underlay					
☐	1	port1	\$(sdwan_port1_gw)	0	1	Enable
☐	2	port2	\$(sdwan_port2_gw)	0	1	Enable

Firewall Policy

ID	Name	From	To	Source	Destination	Service	Action	Schedule
1	DIA	LAN	underlay	LAN-net	all	All	Accept	always

Edit SD-WAN Overlay Template – Summary (5/5)

Secondary HUB  dc1_fgt(192.168.0.41)

Branch 1  branches

Underlay Assignment ▾

Standalone HUB Underlays Underlay 1: port1

Underlay 2: port2

Underlay 3: port4

Branch Underlays Underlay 1: port1

Underlay 2: port2

Underlay 3: port4

Network Advertisement ▾

Standalone HUB Connected
Interface 1: port5

Branch Connected
Interface 1: port5

SD-WAN Template Options ▾

Add Overlay Objects to SD-WAN Template  branches

Add Overlay Interfaces and Zones 

Add Health Check Servers for Each HUB as Performance SLA 

Normalize Interfaces 

Add Health Check Firewall Policy to Hub Policy Package  dc_pp

Add Health Check Firewall Policy to Branch Policy Package  branches_pp

Then, you use the SD-WAN overlay template to configure the IPsec overlay tunnels. You create the associated SD-WAN rules to connect existing branches to the company hub device and apply the changes on the branches.

After those changes, users complain that they lost internet access. DIA is no longer working.

Based on the exhibit, which statement best describes the possible root cause of this issue?

- A. The SD-WAN overlay template redefines the interface gateway addresses if they are defined with metadata variables.
- B. The SD-WAN overlay template updates the SD-WAN template and the rules.
- C. The SD-WAN overlay template didn't configure a firewall policy to allow traffic through the overlay.
- D. The SD-WAN overlay template defines a zone for each underlay interface and moves the interfaces into those zones.

答案：D

解題說明：

The SD-WAN overlay template defines a zone for each underlay interface and moves the interfaces into those zones. This statement

perfectly describes the likely sequence of events. The template, when applied, re-organizes the interfaces and zones, causing the existing firewall policy that relies on the old zone configuration to fail. This is the most plausible root cause.

問題 #35

• • • • •

如果你還在猶豫是否選擇Fast2test，你可以先到Fast2test網站下載我們免費提供的部分考試練習題和答案來確定我們的可靠性。如果你選擇下載我們提供的所有考試練習題和答案，Fast2test敢100%保證你可以以高分數一次性通過Fortinet FCSS SDW AR-7.6 認證考試。

FCSS SDW AR-7.6考題資訊: <https://tw.fast2test.com/FCSS SDW AR-7.6-premium-file.html>

Fortinet FCSS_SDW_AR-7.6考試重點 在這些等級中，不同的發展途徑對應不同的職業需求，關於FCSS_SDW_AR-7.6考試的問題，我們Fast2test擁有一個偉大的良好品質，將是最值得信賴的來源，從成千上萬的大量註冊部門的回饋，大量的深入分析，我們是在一個位置以確定哪些供應商將為你提供更新和相關FCSS_SDW_AR-7.6練習題和優秀的高品質FCSS_SDW_AR-7.6實踐的檢驗，值得信賴的 FCSS_SDW_AR-7.6考題資訊 - FCSS - SD-WAN 7.6 Architect 考古題，不通過，全額退款，你肯定聽說過Fast2test的FCSS_SDW_AR-7.6考古題吧，Fortinet FCSS_SDW_AR-7.6考試重點 但是，不管是最終的考試成績，還是整體的學習收穫，都會存在一定的差距，Fortinet FCSS_SDW_AR-7.6考試重點 ”這是來自安西教練的一句大家都熟知的名言。

我收回我之前說的話，張大虎在地上翻動，想要站起來，在這些等級中，不同的發展途徑對應不同的職業需求，關於FCSS SDW AR-7.6考試的問題，我們Fast2test擁有一個偉大的良好品質，將是最值得信賴的來源，從成千上萬的大量註冊部門的回饋，大量的深入分析，我們是在一個位置以確定哪些供應商將為你提供更新和相關FCSS SDW AR-7.6練習題和優秀的高品質FCSS SDW AR-7.6實踐的檢驗。

最新的FCSS_SDW_AR-7.6考試重點 & Fortinet FCSS - SD-WAN 7.6 Architect & 有效FCSS SDW AR-7.6考題資訊

值得信賴的 FCSS - SD-WAN 7.6 Architect 考古題，不通過，全額退款，你肯定聽說過Fast2test的FCSS_SDW_AR-7.6考古題吧，但是，不管是最終的考試成績，還是整體的學習收穫，都會存在一定的差距。

- [illegible]

myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt, myportal.utt.edu.tt,
www.stes.tyc.edu.tw, shortcourses.russellcollege.edu.au, ncon.edu.sa, nualkale.blogspot.com, Disposable vapes