

Newest Dump NCM-MCI Torrent & Leading Offer in Qualification Exams & Authoritative New NCM-MCI Test Sample



ValidDumps beckons exam candidates around the world with our attractive characters. Our experts made significant contribution to their excellence. So we can say bluntly that our NCM-MCI simulating exam is the best. Our effort in building the content of our NCM-MCI study materials lead to the development of learning guide and strengthen their perfection. So our simulating exam is definitely making your review more durable. To add up your interests and simplify some difficult points, our experts try their best to design our NCM-MCI Study Material to help you pass the NCM-MCI exam.

How to Succeed in Nutanix NCM-MCI Exam

Nutanix NCM-MCI Exam is an essential source for your successful certification. So the materials will help you to pass the exam.

Now, we are providing you the opportunity of experiencing our best service by offering the **Nutanix NCM-MCI Dumps** Package. It is a bundle pack that includes all the Nutanix NCM-MCI Dumps required for Nutanix NCM-MCI exam.

We have included in it all of our products because according to our research their combination has proven very effective for passing Nutanix NCM-MCI Exam. If you prepare for this exam using these products individually, it may not be easy for you to pass it in one attempt. The reason is that each product has its separate function and topics which when combined with other products make a complete study package for passing Nutanix NCM-MCI Exam successfully.

So, we recommend you to use this powerful package instead of individual products if you really want to save your time and money while achieving your goal of becoming Nutanix Certified Professional.

>> **Dump NCM-MCI Torrent** <<

New NCM-MCI Test Sample - NCM-MCI Latest Test Questions

It is never too late to try new things no matter how old you are. Someone always give up their dream because of their ages, someone give up trying to overcome NCM-MCI exam because it was difficult for them. Now, no matter what the reason you didn't pass the

exam, our study materials will try our best to help you. If you are not sure what kinds of NCM-MCI Exam Question is appropriate for you, you can try our free demo of the PDF version. There must be one that suits you best. Your life will become more meaningful because of your new change, and our NCM-MCI question torrents will be your first step.

Nutanix Certified Master - Multicloud Infrastructure v6.10 Sample Questions (Q13-Q18):

NEW QUESTION # 13

Task 13

The application team is reporting performance degradation for a business-critical application that runs processes all day on Saturdays.

The team is requesting monitoring or processor, memory and storage utilization for the three VMs that make up the database cluster for the application: ORA01, ORA02 and ORA03.

The report should contain tables for the following:

At the cluster level, only for the current cluster:

The maximum percentage of CPU used

At the VM level, including any future VM with the prefix ORA:

The maximum time taken to process I/O Read requests

The Maximum percentage of time a VM waits to use physical CPU, out of the local CPU time allotted to the VM.

The report should run on Sundays at 12:00 AM for the previous 24 hours. The report should be emailed to appdev@cyberdyne.net when completed.

Create a report named Weekends that meets these requirements

Note: You must name the report Weekends to receive any credit. Any other objects needed can be named as you see fit. SMTP is not configured.

A: Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Report Settings option, select Weekly from the Schedule drop-down menu and choose Sunday as the day of week. Enter 12:00 AM as the time of day. Enter appdev@cyberdyne.net as the Email Recipient. Select CSV as the Report Output Format.

Click Next.

Review the report details and click Finish.

The screenshot shows the Nutanix ADD VIEWS interface. On the left, under 'CUSTOM VIEWS', the 'Data Table' option is highlighted with a red arrow. The 'Report Preview' and 'Add Data Table' dialog are open on the right. The 'Add Data Table' dialog shows the following configuration:

- ENTITY TYPE:** Nutanix Entities : VM
- Rules:** Name : Starts with : ORA
- Columns:** Custom
- Focus:** Custom Columns
- Sorting:** (empty)

The 'Report Preview' shows a list of custom views including Bar Chart, Line Chart, Histogram, Data Table, Configuration Summary, Metric Summary, Entity Count, Title and Description, and Group.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named Weekends that meets the requirements, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter Weekends as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select Cluster. Click Next.

Under the Custom Columns option, add the following variable: CPU Usage (%). Click Next.

Under the Aggregation option for CPU Usage (%), select Max. Click Next.

Under the Filter option, select Current Cluster from the drop-down menu. Click Next.

Click on Add to add this custom view to your report. Click Next.

Under the Custom Views section, select Data Table again. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, I/O Read Latency (ms), VM Ready Time (%). Click Next.

Under the Aggregation option for I/O Read Latency (ms) and VM Ready Time (%), select Max. Click Next.

Under the Filter option, enter ORA* in the Name field. This will include any future VM with the prefix OR

NEW QUESTION # 14

TASK2

The security team has provided some new security requirements for cluster level security on Cluster 2.

Security requirements:

Update the password for the root user on the Cluster 2 node to match the admin user password.

Note: The 192.168.x.x network is not available. To access a node use the host IP (172.30.0.x) from the CVM.

Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and cvms for Cluster 2.

Enable high-strength password policies for the hypervisor and cluster.

Ensure CVMs require SSH keys for login instead of passwords. (SSH keys are located in the desktop\Files\SSH folder.) Ensure the cluster meets these requirements. Do not reboot any cluster components.

Note: Please ensure you are modifying the correct components.

Answer:

Explanation:

See the Explanation

Explanation:

This task focuses on Security Technical Implementation Guides (STIGs) and general hardening of the Nutanix cluster. Most of these tasks are best performed via the Nutanix Command Line Interface (ncli) on the CVM, though the SSH key requirement is often easier to handle via the Prism GUI.

Here is the step-by-step procedure to complete Task 2.

Prerequisites: Connection

Open PuTTY (or the available terminal) from the provided Windows Desktop.

SSH into the Cluster 2 CVM. (If the Virtual IP is unknown, check Prism Element for the CVM IP).

Log in using the provided credentials (usually nutanix / nutanix/4u or the admin password provided in your instructions).

Step 1: Output SCMA Policy (Do this FIRST)

Requirement: Output the cluster-wide configuration of the SCMA policy to desktop\output.txt before changes are made.

In the SSH session on the CVM, run:

Bash

```
ncli cluster get-software-config-management-policy
```

Copy the output from the terminal window.

Open Notepad on the Windows Desktop.

Paste the output.

Save the file as output.txt on the Desktop.

Step 2: Enable AIDE (Weekly)

Requirement: Enable the Advanced Intrusion Detection Environment (AIDE) to run on a weekly basis for the hypervisor and CVMs.

In the same CVM SSH session, run the following command to modify the SCMA policy:

Bash

```
ncli cluster edit-software-config-management-policy enable-aide=true schedule-interval=WEEKLY
```

(Note: This single command applies the policy to both Hypervisor and CVMs by default in most versions).

Step 3: Enable High-Strength Password Policies

Requirement: Enable high-strength password policies for the hypervisor and cluster.

Run the following command:

Bash

```
ncli cluster set-high-strength-password-policy enable=true
```

Step 4: Update Root Password for Cluster Nodes

Requirement: Update the password for the root user on the Cluster 2 node to match the admin user password.

Method A: The Automated Way (Recommended)

Use ncli to set the password for all hypervisor nodes at once without needing to SSH into them individually.

Run:

Bash

```
ncli cluster set-hypervisor-password
```

When prompted, enter the current admin password (this becomes the new root password).

Method B: The Manual Way (If NCLI fails or manual access is required)

Note: Use this if the exam specifically wants you to touch the node via the 172.x network.

From the CVM, SSH to the host using the internal IP:

Bash

```
ssh root@172.30.0.x (Replace x with the host ID, e.g., 4 or 5)
```

Run the password change command:

Bash

```
passwd
```

Enter the admin password twice.

Repeat for other nodes in Cluster 2.

Step 5: Cluster Lockdown (SSH Keys)

Requirement: Ensure CVMs require SSH keys for login instead of passwords.

It is safest to do this via the Prism Element GUI to prevent locking yourself out.

Open Prism Element for Cluster 2 in the browser.

Click the Gear Icon (Settings) -> Cluster Lockdown.

Uncheck the box "Enable Remote Login with Password".

Click New Public Key (or Add Key).

Open the folder Desktop\Files\SSH on the Windows desktop.

Open the public key file (usually ends in .pub) in Notepad and copy the contents.

Paste the key into the Prism "Key" box.

Click Save.

Note: Do not reboot the cluster. The SCMA and Password policies take effect immediately without a reboot.

NEW QUESTION # 15

Task 2

An administrator needs to configure storage for a Citrix-based Virtual Desktop infrastructure.

Two VDI pools will be created

Non-persistent pool names MCS_Pool for tasks users using MCS Microsoft Windows 10 virtual Delivery Agents (VDAs)

Persistent pool named Persist_Pool with full-clone Microsoft Windows 10 VDAs for power users

20 GiB capacity must be guaranteed at the storage container level for all power user VDAs. The power user container should not be able to use more than 100 GiB. Storage capacity should be optimized for each desktop pool.

Configure the storage to meet these requirements. Any new object created should include the name of the pool(s) (MCS and/or Persist) that will use the object.

Do not include the pool name if the object will not be used by that pool.

Any additional licenses required by the solution will be added later.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To configure the storage for the Citrix-based VDI, you can follow these steps:

Log in to Prism Central using the credentials provided.

Go to Storage > Storage Pools and click on Create Storage Pool.

Enter a name for the new storage pool, such as VDI_Storage_Pool, and select the disks to include in the pool. You can choose any combination of SSDs and HDDs, but for optimal performance, you may prefer to use more SSDs than HDDs.

Click Save to create the storage pool.

Go to Storage > Containers and click on Create Container.

Enter a name for the new container for the non-persistent pool, such as MCS_Pool_Container, and select the storage pool that you just created, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Deduplication and Compression to reduce the storage footprint of the non-persistent desktops.

You can also enable Erasure Coding if you have enough nodes in your cluster and want to save more space. These settings will help you optimize the storage capacity for the non-persistent pool.

Click Save to create the container.

Go to Storage > Containers and click on Create Container again.

Enter a name for the new container for the persistent pool, such as Persist_Pool_Container, and select the same storage pool, VDI_Storage_Pool, as the source.

Under Advanced Settings, enable Capacity Reservation and enter 20 GiB as the reserved capacity. This will guarantee that 20 GiB of space is always available for the persistent desktops. You can also enter 100 GiB as the advertised capacity to limit the maximum space that this container can use. These settings will help you control the storage allocation for the persistent pool.

Click Save to create the container.

Go to Storage > Datastores and click on Create Datastore.

Enter a name for the new datastore for the non-persistent pool, such as MCS_Pool_Datastore, and select NFS as the datastore type. Select the container that you just created, MCS_Pool_Container, as the source.

Click Save to create the datastore.

Go to Storage > Datastores and click on Create Datastore again.

Enter a name for the new datastore for the persistent pool, such as Persist_Pool_Datastore, and select NFS as the datastore type.

Select the container that you just created, Persist_Pool_Container, as the source.

Click Save to create the datastore.

The datastores will be automatically mounted on all nodes in the cluster. You can verify this by going to Storage > Datastores and clicking on each datastore. You should see all nodes listed under Hosts.

You can now use Citrix Studio to create your VDI pools using MCS or full clones on these datastores. For more information on how to use Citrix Studio with Nutanix Acropolis, see Citrix Virtual Apps and Desktops on Nutanix or Nutanix virtualization environments.

Create Storage Container ? x

Name

Storage Pool

Max Capacity **53.26 TiB (Physical)** Based on storage pool free unreserved capacity

Advanced Settings

Replication Factor ?

Reserved Capacity GiB

Advertised Capacity GiB

Compression
Perform post-process compression of all persistent data. For inline compression, set the delay to 0.

Delay (in minutes)

Deduplication NUTANIX

Cache
Perform inline deduplication of read caches to optimize performance.

Capacity
Perform post-process deduplication of persistent data.

Erasure Coding ?

Enable
Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

Advanced Settings Cancel Save

Create Storage Container ? x

Name

Storage Pool

Max Capacity **53.26 TiB (Physical)** Based on storage pool free unreserved capacity

Advanced Settings

Replication Factor ?

Reserved Capacity

GiB

NUTANIX
Advertised Capacity

GiB

Compression

Perform post-process compression of all persistent data. For inline compression, set the delay to 0.

Delay (in minutes)

Deduplication

Cache

Perform inline deduplication of read caches to optimize performance.

Capacity

Perform post-process deduplication of persistent data.

Erasure Coding ?

Enable

Erasure coding enables capacity savings across solid-state drives and hard disk drives.

Filesystem Whitelists

[Advanced Settings](#)[Cancel](#)[Save](#)

<https://portal.nutanix.com/page/documents/solutions/details?targetId=BP-2079-Citrix-Virtual-Apps-and-Desktops:bp-nutanix-storage-configuration.html>

NEW QUESTION # 16

Task 12

An administrator needs to create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month.

No other entities should be included in the report.

The report should run monthly and should send an email to admin@syberdyne.net when it runs.

Generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip Note: Make sure the report and zip file are named correctly. The SMTP server will not be configured.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To create a report named VMs_Power_State that lists the VMs in the cluster and their basic details including the power state for the last month, you can follow these steps:

Log in to Prism Central and click on Entities on the left menu.

Select Virtual Machines from the drop-down menu and click on Create Report.

Enter VMs_Power_State as the report name and a description if required. Click Next.

Under the Custom Views section, select Data Table. Click Next.

Under the Entity Type option, select VM. Click Next.

Under the Custom Columns option, add the following variables: Name, Cluster Name, vCPUs, Memory, Power State. Click Next.

Under the Time Period option, select Last Month. Click Next.

Under the Report Settings option, select Monthly from the Schedule drop-down menu. Enter admin@syberdyne.net as the Email Recipient. Select CSV as the Report Output Format. Click Next.

Review the report details and click Finish.

To generate an instance of the report named VMs_Power_State as a CSV and save the zip file as

Desktop\Files\VMs_Power_state.zip, you can follow these steps:

Log in to Prism Central and click on Operations on the left menu.

Select Reports from the drop-down menu and find the VMs_Power_State report from the list. Click on Run Now.

Wait for the report to be generated and click on Download Report. Save the file as Desktop\Files\VMs_Power_state.zip.

1. Open the Report section on Prism Central (Operations > Reports)

2. Click on the New Report button to start the creation of your custom report

3. Under the Custom Views section, select Data Table

4. Provide a title to your custom report, as well as a description if required.

5. Under the Entity Type option, select VM

6. This report can include all as well as a selection of the VMs

7. Click on the Custom Columns option and add the below variables:

a. Name - Name of the listed Virtual Machine

b. vCPUs - A combination of the vCores and vCPU's assigned to the Virtual Machine c. Memory - Amount of memory assigned to the Virtual Machine d. Disk Capacity - The total amount of assigned virtual disk capacity e. Disk Usage - The total used virtual disk capacity f. Snapshot Usage - The total amount of capacity used by snapshots (Excluding Protection Domain snapshots)

8. Under the Aggregation option for Memory and Disk Usage accept the default Average option

Columns

FOCUS

Custom Columns

Custom

Column Name	Aggregation
Name	-
vCPUs	-
Memory	Average ▾
Disk Capacity	-
Disk Usage	Average ▾
Snapshot Usage	-

NUTANIX™

9. Click on the Add button to add this custom selection to your report
10. Next click on the Save and Run Now button on the bottom right of the screen
11. Provide the relevant details on this screen for your custom report:

Report

REPORT INSTANCE NAME

DESCRIPTION

TIME PERIOD FOR REPORT

Last 24 Hours

TIMEZONE



Report Format

 PDF CSV**Email Report**

Report will be emailed to the following recipients

ADDITIONAL RECIPIENTS

Cancel

Run

12. You can leave the Time Period For Report variable at the default of Last 24 Hours
13. Specify a report output of preference (PDF or CSV) and if required Additional Recipients for this report to be mailed to. The report can also simply be downloaded after this creation and initial run if required
14. Below is an example of this report in a CSV format:

NEW QUESTION # 17**Task 15**

An administrator found a CentOS VM, Cent_Down, on the cluster with a corrupted network stack. To correct the issue, the VM will need to be restored from a previous snapshot to become reachable on the network again.

VM credentials:

Username: root

Password: nutanix/4u

Restore the VM and ensure it is reachable on the network by pinging 172.31.0.1 from the VM.

Power off the VM before proceeding.

Answer:

Explanation:

See the Explanation for step by step solution

Explanation:

To restore the VM and ensure it is reachable on the network, you can follow these steps:

Log in to the Web Console of the cluster where the VM is running.

Click on Virtual Machines on the left menu and find Cent_Down from the list. Click on the power icon to power off the VM.

Click on the snapshot icon next to the power icon to open the Snapshot Management window.

Select a snapshot from the list that was taken before the network stack was corrupted. You can use the date and time information to choose a suitable snapshot.

Click on Restore VM and confirm the action in the dialog box. Wait for the restore process to complete.

Click on the power icon again to power on the VM.

Log in to the VM using SSH or console with the username and password provided.

Run the command ping 172.31.0.1 to verify that the VM is reachable on the network. You should see a reply from the destination IP address.

Go to VMS from the prism central gui

Select the VM and go to More -> Guest Shutdown

Go to Snapshots tab and revert to latest snapshot available

power on vm and verify if ping is working

NEW QUESTION # 18

.....

ValidDumps also offers a demo version of the NCM-MCI exam dumps for free. This way you can easily evaluate the validity of the NCM-MCI prep material before buying it. Downloading a free demo will remove your doubts about purchasing the Nutanix NCM-MCI Questions. Most of the brands that offer Nutanix Certified Master - Multicloud Infrastructure v6.10 study material provide it at high rates.

New NCM-MCI Test Sample: <https://www.validdumps.top/NCM-MCI-exam-torrent.html>

- Training NCM-MCI For Exam □ Key NCM-MCI Concepts □ New NCM-MCI Braindumps Questions □ Go to website 「 www.prep4away.com 」 open and search for 『 NCM-MCI 』 to download for free □ Valid NCM-MCI Exam Papers
- Quiz Nutanix - NCM-MCI - Latest Dump Nutanix Certified Master - Multicloud Infrastructure v6.10 Torrent □ Search for { NCM-MCI } and download it for free on ▷ www.pdfvce.com □ website □ Key NCM-MCI Concepts
- Reliable NCM-MCI Exam Pdf □ NCM-MCI Braindump Pdf □ Reliable NCM-MCI Exam Practice □ Go to website 「 www.prepawaypdf.com 」 open and search for ▷ NCM-MCI ▲ to download for free □ Training NCM-MCI For Exam
- NCM-MCI Practice Engine - NCM-MCI Vce Study Material - NCM-MCI Online Test Engine □ Easily obtain free download of 【 NCM-MCI 】 by searching on 『 www.pdfvce.com 』 □ NCM-MCI Reliable Test Test
- New NCM-MCI Braindumps Questions □ Reliable NCM-MCI Exam Practice □ NCM-MCI Test Book □ Immediately open ▷ www.vceengine.com □ and search for □ NCM-MCI □ to obtain a free download □ Valid NCM-MCI Exam Papers
- Marvelous Dump NCM-MCI Torrent - Pass NCM-MCI Exam □ Search for ▷ NCM-MCI □ and easily obtain a free download on ▶ www.pdfvce.com □ ▶ □ Key NCM-MCI Concepts
- Free PDF 2026 Nutanix NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 – Trustable Dump Torrent □ Copy URL { www.pdfdumps.com } open and search for □ NCM-MCI □ to download for free □ New NCM-MCI Braindumps Questions
- NCM-MCI Braindump Pdf □ NCM-MCI Pass4sure Study Materials □ Free NCM-MCI Study Material □ Copy URL ▷ www.pdfvce.com ▲ open and search for 【 NCM-MCI 】 to download for free □ Dumps NCM-MCI Free
- Trustable Dump NCM-MCI Torrent - Newest Nutanix Certification Training - Pass-Sure Nutanix Nutanix Certified Master - Multicloud Infrastructure v6.10 □ Download ▷ NCM-MCI ▲ for free by simply searching on “ www.vceengine.com ” □ Valid NCM-MCI Exam Papers
- Free PDF 2026 Nutanix NCM-MCI: Nutanix Certified Master - Multicloud Infrastructure v6.10 – Trustable Dump Torrent

