

ServiceNow CIS-Discovery模擬試験サンプル、CIS-Discovery日本語試験情報



さらに、Fast2test CIS-Discoveryダンプの一部が現在無料で提供されています: <https://drive.google.com/open?id=1rqxWracQiDzKXsD3vXKXSdXf8CBnADgj>

さまざまな人々がさまざまな学習習慣を持っているという事実を踏まえて、3つのCIS-Discoveryトレーニング質問バージョンをご案内します。さらに、CIS-Discovery学習教材のデモを自由にダウンロードして検討することもできます。そのような試用に追加料金は発生しないことをお約束します。逆に、CIS-Discovery試験問題のデモを試して、十分な内容を選択することを心からお勧めします。CIS-Discoveryトレーニングガイドは、時間とお金をかけて購入する価値があります。

ServiceNow CIS-Discovery認定試験は、ServiceNow Discoveryアプリケーションを実装および構成する能力を証明したいITプロフェッショナルにとって必要な認定資格です。試験は、ServiceNow Discoveryアーキテクチャとコンポーネント、データソースと資格情報、パターン、センサー、トラブルシューティング技術など、さまざまなトピックをカバーしています。候補者はまた、ServiceNow Discoveryアプリケーションが他のServiceNowアプリケーションと統合された方法に関する知識を証明する必要があります。ServiceNowは試験のための学習教材とトレーニングコースを提供し、試験は多言語でオンラインで受験できます。

CIS発見認定試験は、ServiceNowの発見の構成、管理、および管理を担当する専門家を対象としています。この試験では、ディスカバリーアプリケーションアーキテクチャ、ディスカバリーデータソース、データ収集戦略など、さまざまなトピックをカバーしています。この試験では、ServiceNow Discoveryアプリケーションを使用して、ITアセット、アプリケーション、およびサービスを発見およびマッピングする方法についても説明しています。

>>> ServiceNow CIS-Discovery模擬試験サンプル <<<

ServiceNow CIS-Discovery日本語試験情報、CIS-Discovery模擬試験

電子デバイスでの学習は、実際の研究に触れることに反します。CIS-Discovery試験ダンプは、試験資料の世界有数のプロバイダーの1つとして知られていますが、その内容についてはまだ疑わしいかもしれません。したがって、特に今後の参考のためにいくつかのデモを提供し、それらのダウンロードに対して料金を請求しないことを約束します。その後、CIS-Discoveryテストの質問を使用することが適切かどうかわかります。明確な説明を提供するために回答と質問が用意されています。ダウンロードに問題がある場合は、必ずサービスにアクセスしてください。

ServiceNow Certified Implementation Specialist - Discovery 認定 CIS-Discovery 試験問題 (Q90-Q95):

質問 #90

There can be _____ CI Identifier(s) configured per CI Class.

Response:

- A. 0
- B. 1
- C. 2
- D. 3

正解: D

質問 #91

Which choice best describes how to use a Behavior for discovery?

- A. The Behavior drop-down menu on a Discovery IP Range.
- B. The Behavior drop-down menu on a Discovery Status.
- C. The MID Server selection method on a Discovery Schedule.
- D. The Behavior checkbox on a CI.

正解: C

質問 #92

Which of the following properties define the maximum overall size for the returned payload that comes from patterns?

- A. mid.discovery.max_pattern_payload_size
- B. cmdb.properties.payload_max_size
- C. mid.discovery.max_payload_size
- D. glide.discovery.payload_max

正解: A

質問 #93

What commands can be used to verify if powershell is installed on a windows machine?

Response:

- A. ps -v
- B. ps -version
- C. powershell
- D. \$PSVersionTable

正解: C、D

質問 #94

The deletion strategy is set to 'Mark as absent' for related Disk CIs discovered via the Linux Server pattern. If a related Disk CI is discovered during the Linux Server discovery and then the same related Disk CI is not found the next time the Linux Server is discovered, the following will happen:

- A. The Disk Status CI (install_status) is set to Absent.
- B. The Linux Server CI Operational Status (operational_status) is set to Non-Operational.
- C. The Disk CI Operational Status (operational_status) is set to Non-Operational.
- D. The Linux Server CI Status (install_status) is set to Absent.

正解: A

解説:

The deletion strategy 'Mark as absent' means that when a related CI that was previously discovered by a pattern is no longer found, the install_status attribute of that CI is set to Absent. This indicates that the CI is missing or removed from the network. The main CI (in this case, the Linux Server CI) is not affected by the deletion strategy of the related CI (in this case, the Disk CI)12.

References

1: Set a deletion strategy - Product Documentation: San Diego - ServiceNow

2026年Fast2testの最新CIS-Discovery PDFダンプおよびCIS-Discovery試験エンジンの無料共有: <https://drive.google.com/open?id=1rqxWracOiDzKXsD3vXKXSdXf8CBnADgjl>