

# Aktuelle Microsoft PL-400 Prüfung pdf Torrent für PL-400 Examen Erfolg prep

# PL-400

**Microsoft Power  
Platform  
Developer**



**Certification Questions  
& Exams Dumps**

[www.edurely.com](http://www.edurely.com)

P.S. Kostenlose und neue PL-400 Prüfungsfragen sind auf Google Drive freigegeben von DeutschPrüfung verfügbar:  
<https://drive.google.com/open?id=195y-oX7EZPSiOd8krSzsY9XUsd8srqjR>

PL-400 ist eine Microsoft Zertifizierungsprüfung. So ist PL-400 Zertifizierung der erste Schritt zur Microsoft Zertifizierung. Deswegen ist die PL-400 Zertifizierungsprüfung kürzlich immer beliebter geworden. Immer mehr Leute haben sich an der Microsoft PL-400 Zertifizierungsprüfung beteiligt. Aber die Erfolgsquote in der Prüfung ist nicht so hoch. Wählen Sie auch einschlägige Prüfungskurse, wenn Sie PL-400 Prüfung ablegen möchten?

Das Prüfungszertifikat für Microsoft PL-400 wird immer wichtiger in dieser schärfkonkurrierten IT-Branche als denn je. Wählen Sie DeutschPrüfung, garantieren wir Ihnen, dass Sie die Microsoft PL-400 Prüfung einmalig zu bestehen. Wir werden Ihnen alle Ihren bezahlten Summe zurückgeben, entweder Sie die Microsoft PL-400 Prüfung nicht bestehen, oder die Testaufgaben von Microsoft PL-400 irgend ein Qualitätsproblem haben. Worauf warten Sie noch? Für Ihren IT-Traum bitte ergreifen Sie schnell Maßnahmen.

>> **PL-400 Dumps Deutsch** <<

## **PL-400 Prüfungsguide: Microsoft Power Platform Developer & PL-400 echter Test & PL-400 sicherlich-zu-bestehen**

Wenn Sie noch zögern, ob Sie DeutschPrüfung wählen, können Sie kostenlos einen Teil der Microsoft PL-400 Fragen und Antworten in DeutschPrüfung Website herunterladen, um unsere Zuverlässigkeit zu testen. Wenn Sie alle unsere Prüfungsfragen und Antworten herunterladen, geben wir Ihnen eine 100%-Pass-Garantie, dass Sie die Microsoft PL-400 Zertifizierungsprüfung einmalig mit einer hohen Note bestehen können.

Die Microsoft Power Plattform ist eine Reihe von Cloud-basierten Tools, mit denen Unternehmen benutzerdefinierte Lösungen für ihre Geschäftsanforderungen erstellen können. Es umfasst Power BI, Power -Apps, Power -Automatisierung und virtuelle Stromversorgungsmittel. Entwickler, die mit diesen Tools kompetent sind, können Lösungen für eine Vielzahl von Geschäftsszenarien erstellen. Die PL-400-Prüfung testet Ihr Wissen über diese Tools und Ihre Fähigkeit, Lösungen zu erstellen, die bestimmte Geschäftsanforderungen entsprechen.

# Microsoft Power Platform Developer PL-400 Prüfungsfragen mit Lösungen (Q145-Q150):

## 145. Frage

You create the following Fetch XML query to determine the number of interviews where there are no recommendations for an applicant.

```
<fetch aggregate='true'>
  <entity name='pro_interview'>
    <attribute name='pro_interviewid' alias='recommend_count' aggregate='count' />
    <filter>
      <condition attribute='pro_recommend' operator='eq' value='1' />
    </filter>
    <link-entity name='pro_application' from='pro_applicationid' to='pro_applicationid' link-type='inner' >
      <link-entity name='contact' from='contactid' to='pro_contactid' >
        <filter>
          <condition attribute='contactid' operator='eq' value='1b315d5d-b436-eb11-a813-000d3a8b6647' />
        </filter>
      </link-entity>
    </link-entity>
  </entity>
</fetch>
```

For each of the following statements, select yes if the statements is true, Otherwise select No.

NOTE: Each correct selectin is worth one pint.

Answer Area	Statements	Yes	No
	The query meets the requirements for retrieving the count of interviews without recommendations.	<input type="radio"/>	<input type="radio"/>
	You can modify the query to return counts of interviews with and without recommendations.	<input type="radio"/>	<input type="radio"/>
	The query allows scheduled interviews for job applications when there are no recommendations for the job applicant.	<input type="radio"/>	<input type="radio"/>

Antwort:

Begründung:

Answer Area	Statements	Yes	No
	The query meets the requirements for retrieving the count of interviews without recommendations.	<input type="radio"/>	<input checked="" type="radio"/>
	You can modify the query to return counts of interviews with and without recommendations.	<input type="radio"/>	<input checked="" type="radio"/>
	The query allows scheduled interviews for job applications when there are no recommendations for the job applicant.	<input type="radio"/>	<input checked="" type="radio"/>

Explanation:

Answer Area

Statements	Yes	No
The query meets the requirements for retrieving the count of interviews without recommendations.	<input type="radio"/>	<input checked="" type="radio"/>
You can modify the query to return counts of interviews with and without recommendations.	<input type="radio"/>	<input checked="" type="radio"/>
The query allows scheduled interviews for job applications when there are no recommendations for the job applicant.	<input type="radio"/>	<input checked="" type="radio"/>

Topic 5, Northwind Traders

Case study

Background

Northwind Traders uses Microsoft Dynamics 365 Sales to manage its sales process. To better understand its customers, Northwind Traders invests in a team of researchers who gather data from multiple sources. The company stores the data it collects in a Microsoft Azure SQL Database. The company plans to use the data to enrich account records and make the sales team more effective.

#### Environment

- \* The company has three Microsoft Power Platform environments with Dynamics 365 Sales installed. The environments are named development, test, and production.
- \* Each environment has an application user that can be used for integrations.
- \* The company must use solutions to perform all customization and configuration deployment.

#### Data

- \* Researchers are responsible for creating account records.
- \* Researchers have permissions on the Account table to create records, read all records, and update records they own.
- \* A synchronous plug-in runs when an account record is created and could reassign the record to a different user.
- \* Users must access data as themselves to enforce security and audit changes.
- \* A column named new\_dataid is added to the Account table. The column uniquely identifies which data it should receive.
- \* Researchers have researched only the top 20 percent of account records.

#### Web API

- \* The company creates an Azure Function to run a RESTful .NET Web API.
- o Data can be retrieved by placing a GET request to the URL `https://dataservice-tENVIRONMENTNAME.azurewebsites.net/enrich[IDATAID]`.  
# [ENVIRONMENTNAME] is the name of the Microsoft Power Platform environment that requests the data.  
# [DATAID] is the new.dataid column in the Account table.
- o The Web API response will return a 200 response plus data if the Dataid is found. Otherwise, a 404 response is returned.
- \* Developers plan to create a custom connector from the Web API to make it accessible from Microsoft Power Platform.

#### Custom connector

- \* The Web API definition used to create The custom connector must be generated based on a low-code technology.
- \* The URL used by the custom connector must incorporate the current environment name without hardcoding values.
- \* Errors generated by the custom connector must not cause downstream processes to fail.
- \* Text descriptions and field placeholder text that describe the use of the custom connector must appear for non-developers.

#### Process

- \* All account records must be updated with data from the Web API once automatically.
- \* Only account records that contain a Dataid should be updated by the Web API.
- \* Researchers must create Power Automate flows to specify data analysis priority.
- \* The researchers require a process that repurposes a set of identical steps of parameterized Microsoft Dataverse queries from a Power Automate flow for use in other flows that have different parameters. The researchers want to avoid recreating the steps manually each time they create a flow to save time and avoid errors.

#### Issues

- \* A tester attempts to connect to the production instance of the Web API with a Dataid that should return data. The tester receives an error stating that the remote name could not be resolved.
- \* A missing component causes an error to occur when importing the solution that contains the Power Automate flow to update account records in a test environment.

### 146. Frage

You create a Power Automate flow that retrieves data from the Microsoft Dataverse Account table.

The flow uses only a subset of Account table data.

You need to retrieve the required data.

How should you configure the Dataverse List Rows action? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The screenshot shows the configuration for the 'Dataverse List Rows' action in Microsoft Power Automate. The 'Method' dropdown menu is open, displaying the following options:

- Expand Query = primarycontactid(\$select=fullname) (Selected)
- Expand Query = primarycontactid(\$select=fullname)
- Select columns = fullname
- Select columns = primarycontactid, fullname
- Expand Query = /primarycontactid?\$select=fullname
- Row count = 1 and Sort By = creditlimit desc (Selected)
- Row count = 1 and Sort By = creditlimit desc
- Row count = 1 and Sort By = creditlimit asc
- Expand Query = expand=account(\$top=1;\$select=creditlimit)

The 'Data point' field is set to 'Full name of the primary contact' and the 'Account with the highest credit limit' field is set to 'Account with the highest credit limit'.

Antwort:

Begründung:

Data point	Method
Full name of the primary contact	Expand Query = primarycontactid(\$select=fullname) Expand Query = primarycontactid(\$select=fullname) Select columns = fullname Select columns = primarycontactid, fullname Expand Query = /primarycontactid?\$select=fullname
Account with the highest credit limit	Row count = 1 and Sort By = creditlimit desc Row count = 1 and Sort By = creditlimit desc Row count = 1 and Sort By = creditlimit asc Expand Query = expand=account(\$top=1,\$select=creditlimit)

### 147. Frage

A company must copy customer account data changes from a Common Data Service (CDS) instance into an external system. Azure Storage Queues are used to pass the changes from CDS to the external system.

You have the following code. (Line numbers are included for reference only.)

```
01 string token = null;
02 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
03 ...
04 token = ProcessAccountChanges(_service, token, changeQueue, deleteQueue);
05 ...
06 private static string ProcessAccountChanges(IOrganizationService orgservice,
string token, CloudQueue changeQueue, CloudQueue deleteQueue)
07 {
08     var request = new RetrieveEntityChangeRequest();
09     request.EntityName = "account";
10     request.Columns = new ColumnSet("name", "accountnumber", "creditlimit",
"ownerid");
11     request.DataVersion = token;
12     RetrieveEntityChangeResponse response = (RetrieveEntityChangeResponse)
orgservice.Execute(request);
13     token = response.EntityChanges.DataToken;
14     foreach (var change in response.EntityChanges.Changes)
15     {
16         if (change.Type == ChangeType.NewOrUpdated)
17         {
18             var changedItem = (NewOrUpdatedItem) change;
19             Entity newOrUpdatedEntity = (Entity) changedItem.NewOrUpdatedEntity;
20             CloudQueueMessage changemessage = new CloudQueueMessage
(newOrUpdatedEntity.Id.ToString());
21             changeQueue.AddMessage(changemessage);
22         }
23         else if (change.Type == ChangeType.RemoveOrDeleted)
24         {
25             var deletedItem = (RemoveOrDeletedItem) change;
26             EntityReference deletedEntityReference = deletedItem.RemovedItem;
27             CloudQueueMessage deletemessage = new CloudQueueMessage
(deletedEntityReference.Id.ToString());
28             deleteQueue.AddMessage(deletemessage);
29         }
30     }
31     return token;
32 }
```

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Statement	Yes	No
The first call to ProcessAccountChanges at line 2 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The second call to ProcessAccountChanges at line 4 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The messages in changeQueue specify whether the accounts are new or updated.	<input type="radio"/>	<input type="radio"/>
A message is added to deleteQueue if an account is created and subsequently deleted at line 3.	<input type="radio"/>	<input type="radio"/>

Antwort:

Begründung:

Statement	Yes	No
The first call to ProcessAccountChanges at line 2 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The second call to ProcessAccountChanges at line 4 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The messages in changeQueue specify whether the accounts are new or updated.	<input type="radio"/>	<input type="radio"/>
A message is added to deleteQueue if an account is created and subsequently deleted at line 3.	<input type="radio"/>	<input type="radio"/>

Explanation

Statement	Yes	No
The first call to ProcessAccountChanges at line 2 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The second call to ProcessAccountChanges at line 4 adds changes made to account records to the storage queues.	<input type="radio"/>	<input type="radio"/>
The messages in changeQueue specify whether the accounts are new or updated.	<input type="radio"/>	<input type="radio"/>
A message is added to deleteQueue if an account is created and subsequently deleted at line 3.	<input type="radio"/>	<input type="radio"/>

Box 1: Yes

Box 2: Yes

Box 3: No

Either new/updated or removed/deleted.

Box 4: Yes

### 148. Frage

A company has a model-driven app.

A custom button on a form calls a JavaScript function that validates form data fields and creates a web basket. The JavaScript function then displays a message to the user.

Users are located in the United States, which uses ISO Code 1033, and France, which uses ISO Code 1036.

Users in France report that the message displays in English.

You need to modify the RibbonDiffXml file to ensure that messages appear in the user's language.

How should you complete the CommandDefinition node? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<CommandDefinitions>
  <CommandDefinition Id= "GenerateBasket.Command">
    <Actions>
      <JavaScriptFunction FunctionName=" generatebasket"
Library="$webresource:mb_/scripts/basket.js">
        <
          Value="
        >
      </JavaScriptFunction>
    </Actions>
  </CommandDefinition>
</CommandDefinitions>
```




The screenshot shows the XML editor with two dropdown menus. The first dropdown, for parameter type, has options: CrmParameter, IntParameter, and StringParameter. The second dropdown, for value, has options: 1033, 1036, OrgLcid, and UserLcid.

Antwort:

Begründung:

```
<CommandDefinitions>
  <CommandDefinition Id= "GenerateBasket.Command">
    <Actions>
      <JavaScriptFunction FunctionName=" generatebasket"
Library="$webresource:mb_/scripts/basket.js">
        <
          Value="
        >
      </JavaScriptFunction>
    </Actions>
  </CommandDefinition>
</CommandDefinitions>
```



The screenshot shows the same XML editor as above, but with red boxes highlighting 'CrmParameter' in the first dropdown and 'UserLcid' in the second dropdown.

Reference:

<https://docs.microsoft.com/en-us/dynamics365/customerengagement/on-premises/developer/customize-dev/pass-dynamics-365-data-page-parameter-ribbon-actions>

### 149. Frage

You need to determine how to implement rules for players who register for a soccer tournament.

Which business rule actions should you use? To answer, drag the appropriate business rule actions to the correct fields. Each business rule action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

**Business rule actions**

- Set visibility action to No.
- Set Lock/Unlock action to Lock
- Set Field Value action to No.
- Set Business Required action to Business Required

**Answer Area**

- Role
- Weight
- Age
- Height

**Business rule action**

- Business rule action
- Business rule action
- Business rule action

Antwort:

Begründung:

- Business rule actions**
- Set visibility action to No.
  - Set Lock/Unlock action to Lock
  - Set Field Value action to No.
  - Set Business Required action to Business Required

**Answer Area**

- Role
- Weight
- Age
- Height

**Business rule action**

- Set visibility action to No.
- Set Business Required action to Business Required
- Set visibility action to No.

Explanation

Graphical user interface, text, application Description automatically generated

Role	Business rule action
Weight	Set visibility action to No.
Age	Set Business Required action to Business Required
Height	Set visibility action to No.

Scenario:

Division	Requirement
Baseball	Capture the age and weight of the player. The height field must not display.
Hockey	Capture the age, height, and weight of the player.
Soccer	Capture the age of the player. The height and weight fields must not display.

Weight: Set visibility action to No.

Age: Set Business Required action to Business required

Height: Set visibility action to No.

## 150. Frage

.....

Seit Jahren ist Microsoft PL-400 Prüfung eine sehr populäre Prüfung. Heutzutage wird Microsoft Zertifizierung immer wichtiger. Als von IT-Industrie international anerkannte Prüfung wird PL-400 eine der wichtigsten Prüfungen in Microsoft. Sie können viele Vorteile bekommen, wenn Sie das PL-400 Zertifikat bekommen. Microsoft PL-400 Dumps von DeutschPrüfung gilt als das unentbehrliche Gerät, womit Sie die Microsoft PL-400 Prüfung vorbereiten, weil es den besten Nachschlag für Microsoft PL-400 Zertifizierungsprüfung ist.

**PL-400 Antworten:** <https://www.deutschpruefung.com/PL-400-deutsch-pruefungsfragen.html>

- PL-400 Testing Engine  PL-400 German  PL-400 Prüfungsvorbereitung  URL kopieren ➡ [www.echtefrage.top](http://www.echtefrage.top)  
 Öffnen und suchen Sie { PL-400 } Kostenloser Download  PL-400 Demotesten
- PL-400 Fragenpool  PL-400 Simulationsfragen  PL-400 Testengine  Suchen Sie auf ✓ [www.itzert.com](http://www.itzert.com)  ✓   
nach kostenlosem Download von ➡ PL-400   PL-400 Antworten
- PL-400 Fragen Beantworten  PL-400 Prüfungs-Guide  PL-400 Fragen Beantworten  Suchen Sie auf ➡  
[www.itzert.com](http://www.itzert.com)  nach { PL-400 } und erhalten Sie den kostenlosen Download mühelos ♥  PL-400 Praxisprüfung
- PL-400 Schulungsangebot, PL-400 Testing Engine, Microsoft Power Platform Developer Trainingsunterlagen  Öffnen Sie  
die Webseite { [www.itzert.com](http://www.itzert.com) } und suchen Sie nach kostenloser Download von ➡ PL-400   PL-400 Fragen  
Beantworten
- PL-400 Prüfungsfragen ~ PL-400 Fragenpool  PL-400 Demotesten  Öffnen Sie die Webseite ➡ [de.fast2test.com](http://de.fast2test.com)  
 und suchen Sie nach kostenloser Download von 「 PL-400 」  PL-400 Antworten
- PL-400 Prüfungsfragen Prüfungsvorbereitungen, PL-400 Fragen und Antworten, Microsoft Power Platform Developer   
Öffnen Sie die Website { [www.itzert.com](http://www.itzert.com) } Suchen Sie ( PL-400 ) Kostenloser Download  PL-400 Fragenpool
- PL-400 Simulationsfragen  PL-400 Prüfungs-Guide  PL-400 Simulationsfragen  Suchen Sie einfach auf ➡  
[www.zertsoft.com](http://www.zertsoft.com)  nach kostenloser Download von ➡ PL-400   PL-400 Simulationsfragen
- PL-400 Prüfungsfragen Prüfungsvorbereitungen, PL-400 Fragen und Antworten, Microsoft Power Platform Developer   
Öffnen Sie die Website ☀ [www.itzert.com](http://www.itzert.com)  ☀  Suchen Sie 【 PL-400 】 Kostenloser Download  PL-400 Antworten
- PL-400 Online Test  PL-400 German  PL-400 Deutsch Prüfung  Öffnen Sie ➡ [www.echtefrage.top](http://www.echtefrage.top)  geben  
Sie ▶ PL-400 ◀ ein und erhalten Sie den kostenlosen Download  PL-400 Musterprüfungsfragen
- PL-400 Bestehen Sie Microsoft Power Platform Developer! - mit höhere Effizienz und weniger Mühen  Öffnen Sie die  
Website 【 [www.itzert.com](http://www.itzert.com) 】 Suchen Sie ▶ PL-400 ◀ Kostenloser Download  PL-400 Prüfungsfrage
- PL-400 Schulungsangebot, PL-400 Testing Engine, Microsoft Power Platform Developer Trainingsunterlagen  {  
[www.zertfragen.com](http://www.zertfragen.com) } ist die beste Webseite um den kostenlosen Download von ( PL-400 ) zu erhalten  PL-400  
Simulationsfragen
- [adamdxy761925.mywikiparty.com](http://adamdxy761925.mywikiparty.com), [kathryngbhj990001.slypage.com](http://kathryngbhj990001.slypage.com), [roberthcop156388.thenerdsblog.com](http://roberthcop156388.thenerdsblog.com),  
[monicalqat616377.bleepblogs.com](http://monicalqat616377.bleepblogs.com), [kingbookmark.com](http://kingbookmark.com), [siobhanskj801413.levitra-wiki.com](http://siobhanskj801413.levitra-wiki.com), [bookmarkcolumn.com](http://bookmarkcolumn.com),  
[social4geek.com](http://social4geek.com), [yxzbookmarks.com](http://yxzbookmarks.com), [larissarxls648421.blogvivi.com](http://larissarxls648421.blogvivi.com), Disposable vapes

Außerdem sind jetzt einige Teile dieser DeutschPrüfung PL-400 Prüfungsfragen kostenlos erhältlich: <https://drive.google.com/open?id=195y-oX7EZPSiOd8krSzsY9XUsd8srqjR>