

Oracle 1z0-1104-25 Questions [2026] Effectively Get Ready With Real 1z0-1104-25 Dumps



P.S. Free & New 1z0-1104-25 dumps are available on Google Drive shared by Exams4Collection: https://drive.google.com/open?id=1C6Pw6xiEo0j7DnFLKq5T_W5Kol5QhuoP

If the user fails in the 1z0-1104-25 exam questions for any reason, we will refund the money after this process. In addition, we provide free updates to users for one year long. If the user finds anything unclear in the 1z0-1104-25 practice materials exam, we will send email to fix it, and our team will answer all of your questions related to the 1z0-1104-25 Guide prep. What is more, we provide the free demows of our 1z0-1104-25 study prep for our customers to download before purchase.

It is impossible to overstate the significance of valid 1z0-1104-25 exam questions. The latest and actual 1z0-1104-25 exam questions are essential to clear the 1z0-1104-25 exam in one go. Applicants are better prepared to succeed when they prepare with the updated Oracle 1z0-1104-25 Questions. These 1z0-1104-25 exam questions give applicants the knowledge they need to quickly ace the 1z0-1104-25 examination.

>> Real 1z0-1104-25 Exams <<

1z0-1104-25 Exam Guide and 1z0-1104-25 Exam Prep - 1z0-1104-25 Exam Torrent

We offer 24 - hour, 365 – day online customer service to every user on our 1z0-1104-25 study materials. Our service staff will help you solve the problem about the 1z0-1104-25 training materials with the most professional knowledge and enthusiasm. We believe that can completely dispel your worries on 1z0-1104-25 Exam Braindumps. So please feel free to contact us if you have any trouble on our 1z0-1104-25 practice questions.


Oracle Cloud Infrastructure 2025 Security Professional Sample Questions (Q21-Q26):

NEW QUESTION # 21
Challenge 2

In deploying a new application, a cloud customer needs to reflect different security postures. If a security zone is enabled with the Maximum Security Zone recipe, the customer will be unable to create or update a resource in the security zone if the action violates the attached Maximum Security Zone policy.

As an application requirement, the customer requires a compute instance in the public subnet. You therefore, need to configure Custom Security Zones that allow the creation of compute instances in the public subnet.

Review the architecture diagram, which outlines the resources you'll need to address the requirement:



Preconfigured

To complete this requirement, you are provided with the following:

Access to an OCI tenancy, an assigned compartment, and OCI credentials

Required IAM policies

Task 5: Provision a Compute Instance

Provision a compute instance in the IAD-SP-PBT-PUBSNET-01 public subnet, where:

Name IAD-SP-PBT-1-VM-01

image: Oracle Linux 8

Shape VM: Standard, A1, Flex

Enter the OCID of the created compute instance in the text box below.

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

To provision a compute instance named IAD-SP-PBT-1-VM-01 in the IAD-SP-PBT-PUBSNET-01 public subnet with the specified configuration (Oracle Linux 8 image, VM Standard A1 Flex shape), follow these steps based on the Oracle Cloud Infrastructure (OCI) Compute documentation.

Step-by-Step Solution for Task 5: Provision a Compute Instance

- * Log in to the OCI Console:
 - * Use your OCI credentials to log in to the OCI Console (<https://console.us-ashburn-1.oraclecloud.com>).
 - * Ensure you have access to the assigned compartment.
 - * Navigate to Compute Instances:
 - * From the OCI Console, click the navigation menu (hamburger icon) on the top left.
 - * Under Compute, select Instances.
 - * Create a New Compute Instance:
 - * Click the Create Instance button.
 - * Configure the Instance Details:
 - * Name: Enter IAD-SP-PBT-1-VM-01.
 - * Compartment: Select the assigned compartment.
 - * Placement: Choose the availability domain (e.g., AD-1) based on your region's availability.
 - * Select the Image:
 - * Under Image and Shape, click Change Image.
 - * Select Oracle Linux 8 from the platform images list.
 - * Click Select Image.
 - * Choose the Shape:
 - * Click Change Shape.
 - * Select VM Standard category.
 - * Choose A1 Flex from the shape options.
 - * Configure the OCPUs (e.g., 1 OCPU) and memory (e.g., 6 GB) as needed for A1 Flex, then click Select Shape.
 - * Configure Networking:
 - * Under Networking, ensure the Virtual Cloud Network is set to IAD-SP-PBT-VCN-01.
 - * Set the Subnet to IAD-SP-PBT-PUBSNET-01 (public subnet with CIDR 10.0.1.0/24).
 - * Enable Assign a public IPv4 address to allow external connectivity.
 - * Leave the default security list or assign a custom one if configured previously.
 - * Set Up SSH Access:
 - * Under Add SSH Keys, either:
 - * Upload your public SSH key file, or
 - * Paste your public SSH key manually.
 - * This ensures you can access the instance via SSH.
 - * Launch the Instance:
 - * Click Create to provision the compute instance.
 - * Wait for the instance to reach the Running state (this may take a few minutes).
 - * Note the Instance OCID:
 - * Once the instance is running, go to the instance details page for IAD-SP-PBT-1-VM-01.
 - * Copy the OCID displayed (e.g., ocid1.instance.oc1..
- OCID of the Created Compute Instance
- * Enter the OCID of the created compute instance (IAD-SP-PBT-1-VM-01) into the text box. The exact OCID will be available after Step 9 (e.g., ocid1.instance.oc1..
- Notes
- * Ensure the security zone IAD_SAP-PBT-CSZ-01 and its associated recipe IAD-SP-PBT-CSP-01 allow compute instance creation in the public subnet (10.0.1.0/24).
 - * Verify network connectivity by testing SSH access using the public IP assigned to the instance.

NEW QUESTION # 22

Task 2: Create a Compute Instance and Install the Web Server

Create a compute instance, where:

Name: PBT-CERT-VM-01

Image: Oracle Linux 8

Shape: VM.Standard.A1.Flex

Subnet: Compute-Subnet-PBT-CERT

Install and configure Apache web server:

a.

Install Apache

`sudo yum -y install httpd`

b.

Enable and start Apache

```

sudo systemctl enable httpd
sudo systemctl restart httpd
2. Install and configure Apache web server:
a. Install Apache
sudo yum -y install httpd
b. Enable and start Apache
sudo systemctl enable httpd
sudo systemctl restart httpd
c. Configure firewall to allow HTTP traffic (port 80)
sudo firewall-cmd --permanent --add-port=80/tcp
sudo firewall-cmd --reload
d. Create an index.html file
sudo bash -c 'echo You are visiting Web Server 1 >>> /var/www/html/index.html' Enter the OCID of the created compute instance
PBT-CERT-VM-01 in the text box below.

```

Answer:

Explanation:

See the solution below in Explanation.

Explanation:

Task 2: Create a Compute Instance and Install the Web Server

Step 1: Create the Compute Instance

- * Log in to the OCI Console.
- * Navigate to Compute>Instances.
- * Click Create Instance.
- * Enter the following details:
- * Name: PBT-CERT-VM-01
- * Compartment: Select your assigned compartment.
- * Placement: Leave as default or select an availability domain (e.g., Availability Domain 1).
- * Image: Click Change Image, select Oracle Linux 8, and confirm.
- * Shape: Click Change Shape, select VM.Standard.A1.Flex, and configure:
- * OCPUs: 1 (or adjust as needed)
- * Memory: 6 GB (or adjust as needed)
- * Networking:
- * Virtual Cloud Network: Select PBT-CERT-VCN-01.
- * Subnet: Select Compute-Subnet-PBT-CERT.
- * Leave public IP assignment enabled for internet access.
- * SSH Key: Provide your public SSH key (upload or paste) for secure access.
- * Click Create and wait for the instance to be provisioned.

Step 2: Connect to the Compute Instance

- * Once the instance is created, note the Public IP Address from the instance details page.
- * Use an SSH client to connect:
- * Command: `ssh -i <private-key-file> opc@<public-ip-address>`
- * Replace <private-key-file> with your private key path and <public-ip-address> with the instance's public IP.

Step 3: Install and Configure Apache Web Server

- * Install Apache:
- * Run: `sudo yum -y install httpd`
- * Enable and Start Apache:
- * Run: `sudo systemctl enable httpd`
- * Run: `sudo systemctl restart httpd`
- * Configure Firewall to Allow HTTP Traffic (Port 80):
- * Run: `sudo firewall-cmd --permanent --add-port=80/tcp`
- * Run: `sudo firewall-cmd --reload`
- * Create an index.html File:
- * Run: `sudo bash -c 'echo "You are visiting Web Server 1" >>> /var/www/html/index.html'`

Open a web browser and enter `http://`

`<public-ip-address>` to ensure the page displays "You are visiting Web Server 1".

- * If needed, troubleshoot by checking Apache status: `sudo systemctl status httpd`.

Step 5: Retrieve and Enter the OCID

- * Go to the instance details page for PBT-CERT-VM-01 under Compute>Instances.

- * Copy the OCID (a long string starting with ocid1.instance., unique to your tenancy).
- * Enter the copied OCID exactly as it appears into the text box provided.

Notes

- * These steps are based on OCI Compute documentation and Oracle Linux 8 setup guides.
- * Ensure the security list PBT-CERT-CS-SL-01 allows inbound traffic on port 22 (SSH) and port 80 (HTTP) if not already configured.
- * The OCID will be unique to your instance; obtain it from the OCI Console after creation

NEW QUESTION # 23

"A business has a hybrid cloud infrastructure with Oracle Linux instances running in OCI and on-premises. They want to reduce the amount of bandwidth used when patching systems. Which component of OS Management Hub can help to reduce the bandwidth usage for patching?"

- A. Management stations
- B. Dynamic groups
- **C. Profiles"**
- D. Management agents

Answer: C

NEW QUESTION # 24

You're managing an Oracle Cloud Infrastructure (OCI) environment where a public website hosts downloadable assets stored in Object Storage buckets. These buckets need to be publicly accessible for website visitors, but Cloud Guard keeps flagging them as security risks.

How can Cloud Guard be configured to ignore problems specific to public buckets while still ensuring security checks are applied to other resources that require them?

- **A. Fix the baseline by configuring the Conditional groups for the detector.**
- B. Dismiss problems associated with those resources.
- C. Resolve or remediate the problems by making the buckets private.
- D. A public bucket is a security risk, so Cloud Guard will keep detecting it.

Answer: A

NEW QUESTION # 25

According to the Oracle Cloud Infrastructure (OCI) Shared Responsibility Model, which statement accurately reflects OCI's responsibility for security?

- A. Customers are responsible for securing both infrastructure and data.
- B. OCI has no security responsibilities; customers need to secure their resources.
- **C. OCI is responsible for securing the underlying infrastructure but not customer data.**
- D. OCI provides security only for free-tier services; customers secure everything else.

Answer: C

NEW QUESTION # 26

.....

The only goal of all experts and professors in our company is to design the best and suitable study materials for all people. According to the different demands of many customers, they have designed the three different versions of the 1z0-1104-25 Study Materials for all customers. They sincerely hope that all people who use the 1z0-1104-25 study materials from our company can pass the exam and get the related certification successfully.

1z0-1104-25 Reliable Test Forum <https://www.exams4collection.com/1z0-1104-25-latest-braindumps.html>

The 1z0-1104-25 Reliable Test Forum testing torrent will help you build a clear knowledge structure of the exam, As the increasing

BONUS!!! Download part of Exams4Collection 1z0-1104-25 dumps for free: https://drive.google.com/open?id=1C6Pw6xiEo0j7DnFLKq5T_W5K0l5QhuoP