

# Pass Guaranteed Oracle - Trustable 1Z0-082 - Oracle Database Administration I Study Center



What's more, part of that ActualtestPDF 1Z0-082 dumps now are free: <https://drive.google.com/open?id=1wucS12JLuoM0R4zOlnYkq1mqeq3T8akD>

ActualtestPDF's promise is to get you a wonderful success in 1Z0-082 certification exams. Select any certification exam, our dumps and study guides will help you ace it in first attempt. No more cramming from books and note, just prepare our 1Z0-082 Interactive Questions and answers and learn everything necessary to easily pass the actual 1Z0-082 exam.

Similarly, the ActualtestPDF Oracle 1Z0-082 practice test creates an actual exam scenario on each and every step so that you may be well prepared before your actual Oracle Database Administration I examination time. Hence, it saves you time and money. ActualtestPDF provides three months of free updates if you purchase the Oracle 1Z0-082 Questions and the content of the examination changes after that.

>> 1Z0-082 Study Center <<

## Pdf Oracle 1Z0-082 Pass Leader, Reliable 1Z0-082 Exam Materials

The biggest advantage of our 1Z0-082 study question to stand the test of time and the market is that our sincere and warm service. To help examinee to pass 1Z0-082 exam, we are establishing a perfect product and service system between us. We can supply right and satisfactory 1Z0-082 exam questions you will enjoy the corresponding product and service. We can't say we are the absolutely 100% good, but we are doing our best to service every customer. Only in this way can we keep our customers and be long-term cooperative partners. Looking forwarding to your 1Z0-082 Test Guide use try!

## Oracle Database Administration I Sample Questions (Q40-Q45):

### NEW QUESTION # 40

Which three statements are true about single-row functions? (Choose three.)

- A. They can accept only one argument
- B. The data type returned can be different from the data type of the argument
- C. The argument can be a column name, variable, literal or an expression
- D. They can be nested to any level
- E. They return a single result row per table
- F. They can be used only in the WHERE clause of a SELECT statement

Answer: B,C,D

#### NEW QUESTION # 41

The INVOICE table has a QTY\_SOLD column of data type NUMBER and an INVOICE\_DATE column of data type DATE. NLS\_DATE\_FORMAT is set to DD-MON-RR.

Which two are true about data type conversions involving these columns in query expressions?  
(Choose two.)

- A. invoice\_date = '15-march-2019' : uses implicit conversion
- B. qty\_sold BETWEEN '101' AND '110' : uses implicit conversion
- C. CONCAT (qty\_sold, invoice\_date) : requires explicit conversion
- D. qty\_sold = '0554982' uses implicit conversion
- E. invoice\_date > '01-02-2019' : uses implicit conversion

**Answer: A,B**

#### NEW QUESTION # 42

Which three statements are true about dropping and unused columns in an Oracle database? (Choose three.)

- A. An UNUSED column's space is reclaimed automatically when the block containing that column is next queried.
- B. A DROP COLUMN command can be rolled back
- C. Partition key columns cannot be dropped.
- D. A column that is set to UNUSED still counts towards the limit of 1000 columns per table
- E. A primary key column referenced by another column as a foreign key can be dropped if using the CASCADE option.
- F. An UNUSED column's space is reclaimed automatically when the row containing that column is next queried.

**Answer: C,D,E**

#### NEW QUESTION # 43

Which two tasks can you perform using DBCA for databases? (Choose two.)

- A. Enable flashback database for an existing database
- B. Register a new database with an available Enterprise Manager Management server
- C. Configure a nonstandard block size for a new database
- D. Change the standard block size of an existing database
- E. Configure incremental backups for a new database

**Answer: B,D**

#### NEW QUESTION # 44

Examine the description of the CUSTOMERS table:

□ You want to display details of all customers who reside in cities starting with the letter D followed by at least two characters. Which query can be used?

- A. SELECT \* FROM customers WHERE city LIKE 'D\_!';
- B. SELECT \* FROM customers WHERE city = '%D\_!';
- C. SELECT \* FROM customers WHERE city = 'D\_%';
- D. SELECT \* FROM customers WHERE city LIKE 'D\_%';

**Answer: D**

#### NEW QUESTION # 45

.....

To make sure get the certification easily, our test engine simulates the atmosphere of the 1Z0-082 real exam and quickly grasp the knowledge points of the exam. Our 1Z0-082 vce dumps contain the latest exam pattern and learning materials, which will help you

